2024 Annual Profile of Substance Use























Annual Profile of Substance Use

Arkansas State Epidemiological Outcomes Workgroup

County Report

OVERVIEW OF COUNTY REPORT

SEOW provides a comprehensive resource for identifying, tracking and planning substance misuse prevention efforts in the state. To further strengthen these efforts, it is important to understand the diverse population characteristics and needs of each county to streamline preventive efforts at a finer level. For each of the 75 counties in Arkansas, we have identified and reported meaningful demographic information, substance use consumption and consequences, and various risk and protective factors related to substance abuse. Each individual county profile provides county and state percentages, rates or totals on each of the selected indicators associated with substance misuse. County and state percentages, rates or totals represent the prevalence of a given indicator in the county under consideration and the corresponding state value of that indicator.

INDICATORS DESCRIPTION

Demographics

This report includes demographic characteristics highlighting the variations in population size, age, gender, race/ethnicity, education and poverty level for each county.

Substance use, health and consequences

This report identifies consumption percentages of tobacco, alcohol and illicit drugs by youth and adults. Consequences of substance use as well as health indicators are also identified.

Risk and protective factors

Various risk and protective factors intertwine to influence initiation of substance misuse. Where risk factors increase, protective factors decrease, and the likelihood of substance misuse is higher. Contributing factors for substance misuse under the following domains are identified:

<u>Community</u>. Presence or absence of high community organization, as well as public safety and attitudes toward drug use and crime can influence the prevalence of substance misuse.


<u>Family</u>. Strong family bonding can serve as protection against participating in risky activities. At the same time, conflicts, family history and attitude toward substance use can predict substance misuse.

<u>Individual/Peers</u>. Although interaction with anti-social peers, involvement in anti-social activities and attitude toward drug use can increase the likelihood of substance misuse, factors such as religiosity and interaction with pro-social peers can decrease that likelihood.

<u>School</u>. Higher academic commitment, achievement and opportunities for pro-social activities can decrease the risk of problem behavior, while academic failure and access to drugs or alcohol at school increases the risk of problem behavior.

OUTCOMES, RISK AND PROTECTIVE FACTORS

Substance Use	
Youth alcohol use 1	Youth cigarette use ¹
Youth chewing tobacco use 1	Youth marijuana use 1
Youth heroin use 1	Youth prescription drug use 1
Youth flavor vape use ¹	Youth marijuana vape use 1
Youth nicotine vape use 1	
Community	
Median Household Income ³	Persons below poverty level ²
Unemployment rates ²	Uninsurance ²
Food insecurity ²	BA/BS or higher among those 25 or older ³
Transitions and Mobility ²	Disconnected Youth measure ²
Mental Health Center clients (per 1,000 population) ³	Substance use treatment admissions (per 10,000 population) ³
Beer, wine, and liquor stores (per 100,000 population) ²	Tobacco sales to minors (percent of failed tobacco checks) ²
Substance use-related arrests (per 1,000 population) ²	Total crime index offenses (per 1,000 population) ²
Fatal crashes with drivers aged 18–29	
(per 100,000 population 18–29 years old) ²	
Family	
Children living in foster care (per 1,0000 population under 18	Poor family management ²
years of age) ²	
Family history of anti-social behavior ²	Parental attitudes favorable toward drug use ²
Individual/Peers	
Peer favoriable attitudes to drug use ²	Early initiation of drug use ²
Perceived availability of drugs ²	Low perceived risk of drug use ²
Youth who perceive smoking one or more packs of cigarettes	Youth who perceive drinking one or two alcoholic beverages
per day as "moderate" or "great risk" 3	nearly every day as "moderate" or "great risk" 3
Youth who perceive trying marijuana once or twice as	Youth who perceive trying prescription drugs once or twice
"moderate" or "great risk" ³	puts a person at "moderate" or "great risk" ³
Youth who perceive using a vaping product like e-cigarettes,	Youth who perceive occasionally vaping an e-liquid with
e-cigars, and e-hookahs as "moderate" or "great risk" 3	nicotine as "moderate" or "great risk" ³
Youth who perceive regularly vaping an e-liquid with nicotine	
as "moderate" or "great risk" 3	
School	
High school dropouts ²	Low academic performance ²
Low commitment to school ²	High school substance infraction (per 1,000 population of
	enrolled high school students) ²
School opportunities for pro–social involvement ³	School rewards for pro–social involvement ³
1. Outcome, 2. Risk Factor, 3. Protective Factor	



State Stat	ARKANSAS COUNTY						Arkansas	Vs.
State or counts for for four particles (%) 9.8 13.5 13.3 7.0		2020	2021	2022	2023	Trend Line		State
Part 3 - Bushows (%) Part of particular (%) Part of part of particular (%) Part of part of particular (%) Part of part of part of part of part of part of particular (%) Part of particular (%) Part of particular (%) Part of	SUBSTANCE USE							
Part 3 - Depth volunt garanter user (%) Part 1 - Depth volunt garanter user (%) Part 2 - Depth volunt values (%) Part 3 - Depth volunt values (%) Part 3 - Depth volunt value (%) Part 4 - Dep		9.8	13.5		11.3		7.0	A
Rate or counts for the four most recent years of county—		0.9	3.7		0.7		1_5	V
Past 10p1c. Past 10p1c. Past 10p1c. Past 30-day Youth vape use mary many (%) ing only		0.0	1.2		2 1			A
Past Opic	Past: Indicator titles %) 1 Rate of	or counts fo	or the fo	ur	0	State rates ar	d counts	A
Past 1 Opic. Past 2 Opic. Past 3 Opic. Past 4 Opic. Past 3 Opic. Past 4 Opic. Past 5 Opic. Past 4 Opic. Past 5 Opic. Past 4 Opic. Past 4 Opic. Past 4 Opic. Past 5 Opic. Past 5 Opic. Past 4 Opic. Past 5 Opic. Past 4 Opic. Pa	Past organized by 1 most r	recent vear	s of cou	ıntv-	0	for compariso	n to	\
Face 30-day (Yorth vape use: maripuse (%) 5.4				,	0			\vee
Parts 30—day Youth vape user incidence (%) * 1.1.1 13.7 12.0 6.8 Action	Past: ing only (%)	iala avallal	JIC.		0	County-level (iala.	A
Median Household Income 2 \$51,000 \$55,022 \$58,695	Past 30-day Youth vape use: marijuana (%)	5.4	6.9		6.7		4.1	
Median Household Income 2 S51,000 S56,022 S56,065 Persons below powerly level (%) 3 16,0 17.7 18.8 Unemployment rates (%) 4 10,0 3.4 3.3 2.5 S53, 60.0 Fool Insecurity (%) 5 Fool Insecurity (%) 5 Fool Insecurity (%) 5 Fool Insecurity (%) 5 Discormedor Notification of Mobility (%) 1 Transitions and Mobility (%) 1 Discormedor Volum Insecurity (%) 5 Substance use realment administrons (per 10,000 population) 8 Substance use treatment administrons (per 10,000 population) 9 Tolacorous sales to minors (person of failed tobacco checks) Substance use realment administrons (per 10,000 population) 9 Tolacorous sales to minors (person of failed tobacco checks) Substance use realment administron (per 10,000 population) 9 Tolacorous sales to minors (person of failed tobacco checks) Substance use realment administron (per 10,000 population) 9 Tolacorous sales to minors (person of failed tobacco checks) Substance use realment administron (per 10,000 population) 9 Tolacorous device durines (per 10,000 population) 9 Tolacorous device	Past 30-day Youth vape use: nicotine (%)	11.1	13.7		12.0		6.8	A
Persons below poverty level (%) 3 16.0 17.7 18.8 16.0 17.7 18.8 16.0 17.7 18.8 16.0 17.7 18.8 16.0 17.7 18.8 16.0 17.7 18.8 16.0 17.7 18.8 17.9 14.7 17.9 14.7 17.9 14.7 17.9 14.7 17.9 14.7 17.9 14.7 18.8 18.	COMMUNITY							
Chemployment rates (%) Chemployment rates	Wedian Household meonic	\$51,000	\$55,022	\$58,695				
Unissurance (%) 2	Persons below poverty level (%) ³	16.0	17.7	18.8				
## APRILY Children Pring in foster care (per 1,000 population under 18 years of age) ## 100 10.2 9.7 8.4 8.9 9.2 ## 10.00 10.2 9.7 ## 10.00 10.	Unemployment rates (%) 4		3.4	3.3	2.5		3.3	
BABBs or higher among those 25 or older (%) 2 16.4 16.6 15.8 15.8 17. Transitions and Mobility (%) 1 8.2 0.4 7.3	. ,	5.3	6.0					
Transitions and Mobility (%) 1	* ` '							
Disconnected Youth measure 2 Mental Health Center clients (per 1,000 population) 4 Substance use treatment admissions (per 10,000 population) 7 Boer, wine, and liquor stores (per 10,000 population) 8 Substance use related arrests (per 1,000 population) 9 Traceac sales to minoris (percent of falled tobacco checks) Substance user-related arrests (per 1,000 population) 9 Total crime index offenses (per 1,000 population of enrolled injust offenses (per 1,000 populatio	BAVES OF HIGHER ATTIONS THOSE 25 OF GIGET (78)			15.8				
Mental Health Center clients (per 1,000 population) Beer, wine, and fliquor stores (per 10,000 population) Trend line visually summarizes the county-level data for the ast four years. 7.1 Substance use -related ariests (per 1,000 population) Tolaccios ales to milnors (percent of failed tobacco checks) Substance use -related ariests (per 1,000 population) Total crime index offenses (per 1,000 population of enrolled high school students) Total crime ind	Transitions and Mobility (%)				42.6		50.5	V
Substance use treatment admissions (per 10,000 population) Beer, wine, and liquor stores (per 10,000 population) Tobacco sales to minors (percent of failed tobacco checks) Substance user-felated arrests (per 1,000 population) Total crime index offiness (per 1,000 population of enrolled individes offiness (per 1,000 population) Total crime index offiness (per 1,000 population of enrolled individes offiness (per 1,000 population of enrolled individes offiness (per 1,000 population of enrolled individes for pro-social involvement (%) Total crime individes offiness (per 1,000 population of enrolled individes offiness (per 1,000 population of enrolled individence or process in individent (per 1,000 population of enrolled injin school students) Total crime individes offiness (per 1,000 population of enrolled injin school students) Total crime individes offine	Disconnected Youth measure ²							
The County - level Data For	Werital Fleatili Ceriter Clients (per 1,000 population)	nd line visu	ally sur	nmariz	es			
Substance user-related arrests (per 1,000 population) Total crime index offenees (per 1,000 population under 18 years of age) Total crime index offenees (per 1,000 population) Total crime index offenees (per 1,000 popu		county-lev	el data	for the				
Substance use-related arrests (per 1,000 population) 7.7. 8.4 8.9 9.2 8.5 A Fatal crashes with drivers aged 18-29 (per 10,000 population) 18-29 years old) 91.5 91.5 91.5 Fatal crashes with drivers aged 18-29 (per 10,000 population 18-29 years old) 10.0 10.2 9.7 Poor family management (%) 10.0 10.2 9.7 Poor family management (%) 10.0 10.2 9.7 Por family management (%) 10.0 10.2 9.7 Por family management (%) 10.0 10.2 9.7 Por family history of anti-social behavior (%) 10.0 10.2 9.7 Por family management (%) 10.0 1				101 1110				
Total crime index offenses (per 1,000 population) 7.7 8.4 8.9 9.2 8.5 A Fatal crashes with drivers aged 18-29 (per 1,000 population) 7.7 8.4 8.9 9.2 8.5 A Fatal crashes with drivers aged 18-29 (per 10,000 population) 8.6 9 9.5 8.7 91.5 8.7 91.5 8.8 8.9 9.2 8.5 A Fatal crashes with drivers aged 18-29 (per 1,000 population) 8.6 9 9.5 8.7 91.5 8.8 8.9 9.2 8.8 5 A Fatal crashes with drivers aged 18-29 (per 10,000 population) 8.8 8.9 9.2 8.9 9.2 8.5 A Fatal crashes with drivers aged 18-29 (per 10,000 population) 8.8 8.9 9.2 8.9 9.2 8.5 A Fatal crashes with drivers aged 18-29 (per 10,000 population) 91.5 91.5 91.5 91.5 91.5 91.5 91.5 91.5 92.9 92.9 92.9 93.4 94.9 95.9 97.9 98.8 8.9 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.2 99.4 90.2 90.5 90.7		iour years.						
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) 10 91.5 91.5 91.5 ————————————————————————————————————	Substance use-related arrests (per 1,000 population)	14.5		0.0	12.1			
Comparison 18-29 years old 10		7.7	8.4	8.9	9.2		8.5	A
Children living in foster care (per 1,000 population under 18 years of age) 10.0 10.2 9.7	<u> </u>							
Children living in foster care (per 1,000 population under 18 years of age) 10.0 10.2 9.7 10.0 10.2 9.7 10.0 Poor family management (%) 1 36.2 34.5 28.9 34.4 ▼ 10.0 10.2 10.0 10.2 9.7 10.0 10.0 10.2 9.7 10.0 10.0 10.2 9.7 10.0 10.0 10.2 9.7 10.0 10.0 10.2 9.7 10.0 10.0 10.2 9.7 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10	(per 100,000 population 10 20 years old)		91.5	91.5		<u> </u>		
Department Section S								
Poor family management (%)								
Family history of anti-social behavior (%) 1 27.9 29.4 22.5 25.9 Parental attitudes favorable toward drug use (%) 1 15.9 23.5 20.1 21.0 VINDIVIDUALPEERS Peer attitudes favorable to drug use (%) 1 21.0 Perceived availability of drugs (%) 1 22.9 Perceived				9.7				
Parental attitudes favorable toward drug use (%) 1 15.9 23.5 20.1 21.0 VINDIVIDAL/PEERS Perceived availability of drug use (%) 1 20.7 Perceived availability of drug (%) 1 20.8 Perceived availability of drug (%) 1 20.9 Perceived drisk of drug use (%) 1 20.9 Perceived dr								-
Per attitudes favorable to drug use (%) 1 Perceived availability of drugs (%) 1 Perceived availability of drug (%) 1 Perceived availability of drug (%) 1 Perceived availability of drug (%) 1 Outh who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Outh who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Outh who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Outh who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Outh who perceive utrying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Outh who perceive utrying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Outh who perceive occasionally vap								
Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Vouth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice but sa person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Sol-Oou High school dropouts (per 1,000) 11 Low academic performance (%) 1 Sol-Oou Data sources 15.7 School rewards for pro-social involvement (%) 1 School rewards		15.9	23.5		20.1		21.0	
Afrows: Color Indicates if county Value is Perceived availability of drug (%) 1 Low perceived availability of drug (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice pats a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Low academic performance (%) 1 Low academic performance (%) 1 Low academic performance (%) 1 Low commitment to school (%) 1 School students) 11 School students) 11 School students) 11 School rewards for pro-social involvement (%) 1							00.7	_
Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 13.0 2.0 1.1 Low academic performance (%) 1 40.2 43.1 39.2 44.0 Value academic performance (%) 1 40.2 43.1 39.2 44.0 Value academic performance (%) 1 40.2 43.1 39.2 44.0 Value academic performance (%) 1 40.2 43.1 39.2 44.0 Value academic performance infraction (per 1,000 population of enrolled high school students) 11 School opportunities for pro-social involvement (%) 1 School rewards for pro-social involvement (%) 1	Arrow	s: Color inc	licates i	if count	tv value	e is		
Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijunan once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying marijunan once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Solution of the description o								- 🝣
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 Low commitment to school (%) 1 School opportunities for pro-social involvement (%) 1 School rewards for pro-social involvement (%) 1							•	
Ower(down) than state value 78.4 Youth who perceive drinking one or two alcoholic beverages 78.4 Youth who perceive trying marijuana once or twice 78.5 78.6		ion indicate	es if cou	ınty val	lue is h	igher(up) or	47.5	_
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 56.2 55.6 62.6 64.4 \$\forall \text{Youth who perceive trying marijuana once or twice} \\ as "moderate" or "great risk" (%) 1 47.1 34.4 39.2 43.8 \$\forall \text{Youth who perceive trying prescription drugs once or} \\ twice puts a person at "moderate" or "great risk" (%) 1 69.8 72.0 76.2 78.0 \$\forall \text{Youth who perceive using a vaping product like e-cigarettes,} \\ e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 62.7 56.7 61.0 68.8 \$\forall \text{Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.1 52.9 57.8 65.7 \$\forall \text{Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 \$\forall \text{SCHOOL} \\ High school dropouts (per 1,000) \(^{11}\) 13.0 2.0 1.1 Low academic performance (%) 1 40.2 43.1 39.2 44.0 \$\forall \text{SCHOOL} \\ High school substance infraction (per 1,000 population of enrolled high school students) 11 Data sources 55.7 55.8 61.3 \$\forall \text{SCHOOl tensor} SCHOOl poportunities for pro-social involvement (%) 1 51.5 44.3 43.0 50.2 \$\forall \text{Value of the pro-social involvement (%) 1 51.5 44.3 43.0 50.2 \$\forall \text{Value of the pro-social involvement (%) 1 51.5 44.3 43.0 50.2 \$\forall \text{Value of the pro-social involvement (%) 1 51.5 44.3 43.0 50.2 \$\forall \text{Value of the pro-social involvement (%) 1 51.5 51.5 51.5 51.5 51.5 51.5 51.5 5	ower	down) than	state v	/alue			70.4	_
nearly every day as "moderate" or "great risk" (%) 1 56.2 55.6 62.6 64.4 ▼ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 47.1 34.4 39.2 43.8 ▼ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 69.8 72.0 76.2 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 62.7 56.7 61.0 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.1 52.9 57.8 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 1 1 13.0 2.0 1.1 Low academic performance (%) 1 40.2 43.1 39.2 44.0 ▼ Low commitment to school (%) 1 56.8 64.4 60.1 59.2 ▲ High school substance infraction (per 1,000 population of enrolled high school students) 11 School opportunities for pro–social involvement (%) 1 51.5 44.3 43.0 50.2 ▼		(down) than	otato t	varao			70.4	
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 47.1 34.4 39.2 43.8 ▼ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 69.8 72.0 76.2 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 62.7 56.7 61.0 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.1 52.9 57.8 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 13.0 2.0 1.1		FC 2	EE C		60.6		64.4	
as "moderate" or "great risk" (%) 1 47.1 34.4 39.2 43.8 ▼ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 69.8 72.0 76.2 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 62.7 56.7 61.0 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.1 52.9 57.8 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 13.0 2.0 1.1 Low academic performance (%) 1 40.2 43.1 39.2 44.0 ▼ Low commitment to school (%) 1 56.8 64.4 60.1 59.2 ★ High school substance infraction (per 1,000 population of enrolled high school students) 11 School opportunities for pro-social involvement (%) 1 51.5 44.3 43.0 50.2 ▼		56.2	0.00		02.0		04.4	•
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 69.8 72.0 76.2 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 62.7 56.7 61.0 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.1 52.9 57.8 65.7 Vouth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 Youth who perceive as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 Youth who perceive guilarly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.8 69.2 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.8 69.2 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.8 69.2 75.8 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth Who perceive or "great risk" (%) 1 75.4 Youth Who perceive or "great risk" (%) 1 75.4 Youth Who perceive or "great risk" (%) 1 75.4 Youth Who perceive or "great risk" (%) 1 75.4		47.1	24.4		20.2		12.0	~
twice puts a person at "moderate" or "great risk" (%) 1 69.8 72.0 76.2 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 62.7 56.7 61.0 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.1 52.9 57.8 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 YOUTH WHO perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 YOUTH WHO perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 YOUTH WHO PERCEIVED AND THE PROPERTY OF THE PROPERTY		47.1	34.4		39.2		43.0	•
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 62.7 56.7 61.0 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.1 52.9 57.8 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 YOUTH High school dropouts (per 1,000) 11 13.0 2.0 1.1 1 13.0 2.0 1.1 1 13.0 2.0 1.1 1 13.0 2.0 1.1 1 13.0 2.0 1.1 1 13.0 2.0 1.1 1 13.0 13.0 13.0 13.0 13.0 13.0 1		60.9	72.0		76.2		70.0	
e-cigars, and e-hookahs as "moderate" or "great risk" (%)		09.6	72.0		70.2		76.0	•
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.1 52.9 57.8 65.7 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 V SCHOOL High school dropouts (per 1,000) 11 13.0 2.0 1.1		62.7	56.7		61.0		68.8	V
nicotine as "moderate" or "great risk" (%) 1 58.1 52.9 57.8 665.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 13.0 2.0 1.1 Low academic performance (%) 1 40.2 43.1 39.2 44.0 ▼ Low commitment to school (%) 1 56.8 64.4 60.1 59.2 ★ High school substance infraction (per 1,000 population of enrolled high school students) 11		02.7	30.7		01.0		00.0	•
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 V SCHOOL High school dropouts (per 1,000) 11 13.0 2.0 1.1 Low academic performance (%) 1 40.2 43.1 39.2 44.0 V Low commitment to school (%) 1 56.8 64.4 60.1 59.2 A High school substance infraction (per 1,000 population of enrolled high school students) 11 School opportunities for pro-social involvement (%) 1 51.5 44.3 43.0 50.2 V	, , , , , , , , , , , , , , , , , , , ,	58.1	52.0		57.8		65.7	~
nicotine as "moderate" or "great risk" (%) 1 65.7 64.8 69.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 13.0 2.0 1.1 Low academic performance (%) 1 40.2 43.1 39.2 44.0 ▼ Low commitment to school (%) 1 56.8 64.4 60.1 59.2 ♣ High school substance infraction (per 1,000 population of enrolled high school students) 11 School opportunities for pro–social involvement (%) 1 51.5 44.3 43.0 50.2 ▼	• , ,	30.1	32.3		37.0		03.1	•
SCHOOL High school dropouts (per 1,000) 11		65.7	64.8		69.2		75.4	V
High school dropouts (per 1,000) 11		30.7	00		55. <u>L</u>			
Low academic performance (%) 1 40.2 43.1 39.2 44.0 V Low commitment to school (%) 1 56.8 64.4 60.1 59.2 A High school substance infraction (per 1,000 population of enrolled high school students) 11 School opportunities for pro–social involvement (%) 1 School rewards for pro–social involvement (%) 1 Hugh school substance infraction (per 1,000 population of enrolled high school students) 11 School opportunities for pro–social involvement (%) 1 School rewards for pro–social involvement (%) 1		13.0	2.0	1.1				
Low commitment to school (%) 1 56.8 64.4 60.1 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 11 School opportunities for pro–social involvement (%) 1 School rewards for pro–social involvement (%) 1 High school substance infraction (per 1,000 population of enrolled high school students) 11 School opportunities for pro–social involvement (%) 1 School rewards for pro–social involvement (%) 1					39.2		44.0	V
High school substance infraction (per 1,000 population of enrolled high school students) School opportunities for pro–social involvement (%) School rewards for pro–social involvement (%) 15.2 6.1 55.7 55.8 61.3 V								À
enrolled high school students) 11 School opportunities for pro–social involvement (%) 1 School rewards for pro–social involvement (%)	, ,		J		55.1			~
School opportunities for pro–social involvement (%) School rewards for pro–social involvement (%)	44	COLIFOR	15.2	6.1				
School rewards for pro–social involvement (%) 1 51.5 44.3 43.0 50.2		Sources			55.8		61.3	V
		51.5						Ÿ
								·

ARKANSAS COUNTY

Key Findings

Weakness

- Highest rate of tobacco sales to minors
- 6th and 12th highest percentage of youth vaping marijuana and nicotine, respectively

Strengths

- 4th lowest unemployment rate
- 10th lowest percent of youth using cigarettes

Consequences

■ County ■ State

Substance–use related arrests per 1,000 population						
Under 18	2.8	2.1				
18–24	24.5	16.0				
25–29	33.3	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	17,024
Population under 18	3,898
Population 18–24	1,226
Population 25–29	960
Youth with a guardian currently in the military (%)	11.6


(%)

Past 30-day Youth Substance Use

■ County ■ State







ARKANSAS COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	9.8	13.5		11.3		7.0	
Past 30-day Youth cigarette use (%)	0.9	3.7		0.7		1.5	¥
Past 30-day Youth chewing tobacco use (%)	0.9	1.2		2.1		1.7	A
Past 30–day Youth marijuana use (%)	7.6	7.8		7.0		4.4	
Past 30–day Youth heroin use (%)	0.0	0.0		0.0	•	0.1	V
Past 30–day Youth prescription drug use (%)	1.3	3.9		2.0		2.5	¥
Past 30-day Youth vape use: flavoring only (%)	7.1	6.5		6.0		4.0	A
Past 30-day Youth vape use: marijuana (%)	5.4	6.9		6.7		4.1	À
Past 30–day Youth vape use: nicotine (%)	11.1	13.7		12.0		6.8	
COMMUNITY							
Median Household Income ²	\$51,000	\$55,022	\$58,695				
Persons below poverty level (%) 3	16.0	17.7	18.8				
Unemployment rates (%) 4	4.0	3.4	3.3	2.5		3.3	
Uninsurance (%) ²	5.3	6.0					
Food Insecurity (%) 5	17.9	14.7					
BA/BS or higher among those 25 or older (%) ²	16.4	16.6	15.8				
Transitions and Mobility (%)	42.9	50.9		42.6		50.5	Y
Disconnected Youth measure ²	8.2	0.4	7.3				
Mental Health Center clients (per 1,000 population) 6		37.1	34.6				
Substance use treatment admissions (per 10,000 population) ⁶		49.2	17.6				
Beer, wine, and liquor stores (per 100,000 population) ⁷		188.0	164.5	152.7		74.2	
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	14.7	5.8	66.7		7.1	A
Substance use–related arrests (per 1,000 population)	14.9	10.7	8.8	12.1		9.2	
Total crime index offenses (per 1,000 population)	7.7	8.4	8.9	9.2		8.5	A
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		91.5	91.5				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	10.0	10.2	9.7				
Poor family management (%) 1	36.2	34.5		28.9		34.4	
Family history of anti–social behavior (%)	27.9	29.4		22.5		25.9	
Parental attitudes favorable toward drug use (%)	15.9	23.5		20.1		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	17.5	24.3		22.4		20.7	À
Early initiation of drug use (%)	13.5	20.8		13.2		12.9	A
Perceived availability of drugs (%)	18.0	21.3		16.4		16.9	Y
Low perceived risk of drug use (%) 1	55.8	58.7		54.8		47.5	A
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	74.7	70.7		71.4		78.4	
Youth who perceive drinking one or two alcoholic beverages					_		
nearly every day as "moderate" or "great risk" (%)	56.2	55.6		62.6		64.4	V
Youth who perceive trying marijuana once or twice					_		
as "moderate" or "great risk" (%)	47.1	34.4		39.2		43.8	V
	77.1	57.7		00.2		.0.0	•
Youth who perceive trying prescription drugs once or	77.1	54.4		00.2		10.0	
twice puts a person at "moderate" or "great risk" (%)	69.8	72.0		76.2		78.0	Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,				76.2			V
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)							Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	69.8	72.0		76.2		78.0 68.8	Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	69.8	72.0		76.2		78.0	Y Y Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	69.8 62.7 58.1	72.0 56.7 52.9		76.2 61.0 57.8		78.0 68.8 65.7	Y Y Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	69.8 62.7	72.0 56.7		76.2 61.0		78.0 68.8	* * * * * * * * * * * * * * * * * * *
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	69.8 62.7 58.1 65.7	72.0 56.7 52.9 64.8		76.2 61.0 57.8		78.0 68.8 65.7	Y Y Y Y Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	69.8 62.7 58.1	72.0 56.7 52.9	1.1	76.2 61.0 57.8		78.0 68.8 65.7 75.4	
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	69.8 62.7 58.1 65.7	72.0 56.7 52.9 64.8	1.1	76.2 61.0 57.8		78.0 68.8 65.7	* * * * * * * * * * * * * * * * * * *
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	69.8 62.7 58.1 65.7	72.0 56.7 52.9 64.8	1.1	76.2 61.0 57.8 69.2		78.0 68.8 65.7 75.4	
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	69.8 62.7 58.1 65.7	72.0 56.7 52.9 64.8 2.0 43.1	1.1	76.2 61.0 57.8 69.2		78.0 68.8 65.7 75.4	
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	69.8 62.7 58.1 65.7	72.0 56.7 52.9 64.8 2.0 43.1	1.1	76.2 61.0 57.8 69.2		78.0 68.8 65.7 75.4	
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	69.8 62.7 58.1 65.7 13.0 40.2 56.8	72.0 56.7 52.9 64.8 2.0 43.1 64.4		76.2 61.0 57.8 69.2		78.0 68.8 65.7 75.4	

ASHLEY COUNTY

Key Findings

Weakness

- · 3rd highest unemployment rate
- 10th highest rate of tobacco sales to minors
- 13th highest percentage of youth with peer attitudes favorable to drug use

Strengths

- 16th lowest percentage of youth prescription drug misuse
- · 18th lowest percentage of youth using cigarettes

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	0.5	2.1				
18–24	6.7	16.0				
25–29	24.5	18.7				


Rate of all-cause crashes with fatalities with drivers aged 18-29 per 100,000



High school dropout rate per 1,000



Demographics





(%)

1,022


9.7

Past 30-day Youth Substance Use


Youth with a guardian currently in the military (%)


Population 25–29

■ County ■ State









ASHLEY COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	9.7	15.2	10.8	7.6		7.0	
Past 30-day Youth cigarette use (%)	1.0	2.5	2.5	1.1		1.5	¥
Past 30-day Youth chewing tobacco use (%)	2.1	1.9	2.5	1.6		1.7	•
Past 30-day Youth marijuana use (%)	1.0	5.0	6.9	4.4		4.4	=
Past 30–day Youth heroin use (%)	0.0	0.2	0.0	0.0		0.1	V
Past 30–day Youth prescription drug use (%)	1.0	2.7	3.0	2.0		2.5	¥
Past 30-day Youth vape use: flavoring only (%)	6.7	7.5	8.0	4.8		4.0	A
Past 30-day Youth vape use: marijuana (%)	1.0	3.7	6.4	4.6		4.1	<u> </u>
Past 30–day Youth vape use: nicotine (%)	12.3	16.5	14.2	9.6		6.8	<u> </u>
COMMUNITY							
Median Household Income ²	\$43,601	\$42,683	\$44,804				
Persons below poverty level (%) 3	16.2	21.3	21.8				
Unemployment rates (%) 4	9.3	7.4	5.5	5.2		3.3	
Uninsurance (%) ²	7.7	8.4					
Food Insecurity (%) 5	19.3	16.7					
BA/BS or higher among those 25 or older (%) ²	12.2	12.0	11.6				
Transitions and Mobility (%) 1	41.9	39.7	34.5	38.8		50.5	V
Disconnected Youth measure ²	0.3	0.2	0.0				
Mental Health Center clients (per 1,000 population) ⁶		36.3	38.0				
Substance use treatment admissions (per 10,000 population) ⁶		50.1	36.3				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	•—•	74.2	V
Tobacco sales to minors (percent of failed tobacco checks) ⁸		12.5	32.7	6.3		7.1	V
Substance use–related arrests (per 1,000 population) ⁹	5.0	6.3	6.2	6.0		9.2	\forall
Total crime index offenses (per 1,000 population) ⁹	3.4	2.9	4.5	3.8		8.5	\forall
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		79.2	39.6				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	6.7	7.0	7.4				
Poor family management (%) ¹	34.6	29.1	35.0	34.1		34.4	V
Family history of anti-social behavior (%)	21.6	28.9	26.4	26.5		25.9	
Parental attitudes favorable toward drug use (%)	21.5	24.1	21.3	20.3		21.0	\forall
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	17.6	23.6	21.1	24.5		20.7	
Early initiation of drug use (%) 1	17.6	18.6	16.3	13.0		12.9	
Perceived availability of drugs (%) 1	15.5	15.6	16.5	16.3		16.9	\forall
Low perceived risk of drug use (%) ¹	44.6	50.1	51.5	48.6		47.5	
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	79.9	82.2	75.7	75.8		78.4	V
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	60.2	63.0	57.1	60.9		64.4	V
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%) 1	56.1	42.3	42.3	45.0		43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	81.0	78.5	75.3	76.2		78.0	V
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	69.4	63.6	63.1	69.4		68.8	A
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	68.6	59.8	61.1	69.0		65.7	A
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	78.0	72.1	71.7	75.0		75.4	Y
SCHOOL							
High school dropouts (per 1,000) ¹¹	8.0	2.0	2.0				
Low academic performance (%) 1	57.3	47.9	49.4	41.1		44.0	V
Low commitment to school (%)	47.8	58.4	66.0	66.6		59.2	Å
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	4.9	2.1	26.3				
School opportunities for pro–social involvement (%)	48.3	61.8	57.4	48.4		61.3	V
			~			00	•
School rewards for pro–social involvement (%)	53.9	48.2	42.8	38.4	-	50.2	\checkmark

BAXTER COUNTY

Key Findings

Weakness

10th highest percentage of youth perceiving availability of drugs

Strengths

- 5th highest percentage of youth perceiving moderate or great risk of smoking or regular vaping
- 6th highest percentage of youth perceiving moderate or great risk of trying prescription drugs once or twice
- 8th highest percentage of youth perceiving moderate or great risk of drinking 1 or 2 alcoholic beverages once or twice daily

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	5.2	2.1				
18–24	22.7	16.0				
25-29	26.0	18 7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	41,801
Population under 18	7,357
Population 18–24	2,466
Population 25–29	1,884
Youth with a guardian currently in the military (%)	13.0

Past 30-day Youth Substance Use

■ County ■ State







PARTICIPATION Comment	B DVIII COLUMN							
Substance Subs	BAXTER COUNTY	2020	2021	2022	2023	Trond Line	Arkansas	Vs.
Part 30day Youth pictoribul use (%)		2020	2021	2022	2023	Trenu Line	2023	State
Part 30-day Youth organette use (%) 16. 1.7		8.2	9.7	6.2	76		7.0	
Plast 30-day Youth referring tobacco use (%) 1	Table of day Touri alcorror acc (76)							
Plast 30-day Youth marigurina use (%)	, , , , , , , , , , , , , , , , , , , ,							
Plant 30-day Youth beroin use (%) 0.0	, ,							
Plact 30-day Youth prescription drug use (%)	, , ,							
Plast 30-day Youth vape use: Risporting only (%)	• • • • • • • • • • • • • • • • • • • •							_
Plast 30-day Youth vape use: marijuana (%)								V
Past 30-day Youth vape user income (%)	3 7 7							
Median Household Income S43,504 S43,503 S47,403	, , ,						6.8	
Persons below poverty level (%) 3 12,7 13,4 13,8 3	COMMUNITY							
Unemployment raises (%)	Median Household Income ²	\$43,504	\$43,530	\$47,403				
Uninsurance (%) 2	Persons below poverty level (%) 3	12.7	13.4	13.8				
Food Insecurity (%) 18.3 15.7	Unemployment rates (%) 4	5.9	3.7	3.6	3.4		3.3	A
BARBS or higher among those 25 or older (%) 2 17.8 18.6 18.2 —— Transitions and Mobilly (%) 1 65.7 61.2 6.0.1 58.4 50.5 —— Disconnected Youth measure 2 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9	Uninsurance (%) ²	5.8	6.2					
Transitions and Mobility (%)	Food Insecurity (%) ⁵	18.3	15.7					
Disconnected Youth measure 2	BA/BS or higher among those 25 or older (%) ²	17.8	18.6	18.2				
Mental Health Center clients (per 1,000 population) 15.5	Transitions and Mobility (%) 1	65.7	61.2	60.1	58.4		50.5	A
Substance use treatment admissions (per 10,000 population) Beer, wine, and liquor stores (per 100,000 population) 7		0.9	0.9	0.9				
Substance use relating authoristors (per ent 0,000 population) 145.9 155.5 150.7 74.2 A	Wichtai Ficaliti Octifici Cilcitis (per 1,000 population)		19.5	14.7				
See, with, and include size (see for concept optionation) 11.1 10.4 10.8 10.2 9.2 A	Substance use treatment admissions (per 10,000 population)		16.4	5.7				
Substance use-related arrests (per 1,000 population) 11.1 10.4 10.8 10.2 9.2 A Total crime index offenses (per 1,000 population) 8.4 6.6 6.5 6.2 8.5 Y Fatal crashes with drivers aged 18-29 (per 10,000 population 18-29 years old) 19 0.0 46.0	Beer, wine, and liquor stores (per 100,000 population)							
Solidate deservative disease part 1,000 population 1.00 1.0	Tobacco sales to minors (percent of failed tobacco checks)	0.0	7.8	2.0	0.0			¥
Fatal crashes with drivers aged 18-29 (per 10.000 population 18-29 years old) 19	Substance use-related arrests (per 1,000 population)		10.4					
Company Comp		8.4	6.6	6.5	6.2		8.5	V
FAMILY Children living in foster care (per 1,000 population under 18 years of age) 9,1 8,9 7,9	· · · · · · · · · · · · · · · · · · ·					_		
Children living in foster care (per 1,000 population under 18 years of age)	(per 100,000 population 10 20 years old)		0.0	46.0				
under 18 years of age) 6 9.1 8.9 7.9 Poor family management (%) 1 21.0 36.3 35.5 30.0 34.4 Y Parental phintory of anti-social behavior (%) 25.6 29.4 33.2 29.0 25.9 A Parental attitudes favorable toward drug use (%) 1 24.5 24.9 21.3 22.8 21.0 A Parental attitudes favorable to drug use (%) 1 18.8 20.1 21.5 22.5 20.7 A Early initiation of drug use (%) 1 19.4 15.3 14.3 14.2 12.9 A Perceived availability of drugs (%) 1 19.0 22.0 21.6 22.4 16.9 A Early initiation of drug use (%) 1 19.0 22.0 21.6 22.4 16.9 A Early initiation of drug use (%) 1 19.0 22.0 21.6 22.4 16.9 A Early perceived risk of drug use (%) 1 19.0 22.0 21.6 22.4 16.9 A Early initiation of or								
Poor family management (%) 1		0.4	0.0	7.0				
Family history of anti-social behavior (%) 1					00.0		24.4	
Parental attitudes favorable toward drug use (%) 1 24.5 24.9 21.3 22.8 21.0 A INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 18.8 20.1 21.5 22.5 20.7 A Early initiation of drug use (%) 1 19.0 22.0 21.6 22.4 16.9 A Perceived availability of drugs (%) 1 19.0 22.0 21.6 22.4 16.9 A Low perceived risk of drug use (%) 1 45.9 46.3 46.5 47.1 47.5 Y Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 86.7 84.8 82.3 85.7 78.4 A Youth who perceive drinking one or two alcoholic beverages rearry every day as "moderate" or "great risk" (%) 1 69.4 65.0 64.0 67.5 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 —— Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 A Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 Y High school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (pe								
NOINDIONAL/PEERS	i army history of artif—social behavior (70)							
Peer attitudes favorable to drug use (%) 1 18.8 20.1 21.5 22.5 22.5 20.7 A Early initiation of drug use (%) 1 9.4 15.3 14.3 14.2 12.9 A Perceived availability of drugs (%) 1 19.0 22.0 21.6 22.4 16.9 A Low perceived risk of drug use (%) 1 45.9 46.3 46.5 47.1 47.5 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 86.7 84.8 82.3 85.7 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 69.4 65.0 64.0 67.5 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 43.5 45.2 46.6 45.2 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive using a vaping product like e- cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 A SCHOOL High school substance (%) 1 80.0 1.2 1.2		24.5	24.9	21.3	22.8		21.0	
Early initiation of drug use (%) 1 9.4 15.3 14.3 14.2 12.9 A Perceived availability of drugs (%) 1 19.0 22.0 21.6 22.4 16.9 A Low perceived risk of drug use (%) 1 45.9 46.3 46.5 47.1 47.5 Y Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 86.7 84.8 82.3 85.7 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 69.4 65.0 64.0 67.5 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 8.0 12 12 L Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 A Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 Y High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 — School opportunities for pro-social involvement (%) 1 71.5 64.1 63.6 67.2 61.3 A		10.0	20.4	24.5	22.5		20.7	
Perceived availability of drugs (%) 1 19.0 22.0 21.6 22.4 16.9 A Low perceived risk of drug use (%) 1 45.9 46.3 46.5 47.1 47.5 Y Youth who perceives smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 86.7 84.8 82.3 85.7 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 69.4 65.0 64.0 67.5 64.4 A Youth who perceive trying marrijuana once or twice as "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2	Teer attitudes lavorable to urug use (70)							
Low perceived risk of drug use (%) 1	• • • • • • • • • • • • • • • • • • • •							
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 86.7 84.8 82.3 85.7 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 69.4 65.0 64.0 67.5 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 43.5 45.2 46.6 45.2 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 70.9 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2	, ,							
cigarettes per day as "moderate" or "great risk" (%) 1 86.7 84.8 82.3 85.7 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 69.4 65.0 64.0 67.5 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 43.5 45.2 46.6 45.2 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 A Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 V High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 School opportunities for pro-social involvement (%) 1 71.5 64.1 63.6 67.2 66.3	, , ,	-10.0	10.0	10.0			47.0	•
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 69.4 65.0 64.0 67.5 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 43.5 45.2 46.6 45.2 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 66.2 68.3 64.8 70.9 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2	· · · · · · · · · · · · · · · · · · ·	86.7	84 8	82.3	85.7		78 4	
nearly every day as "moderate" or "great risk" (%)		00.1	00	02.0	00		70	
Youth who perceive trying marijuana once or twice 43.5 45.2 46.6 45.2 43.8 ▲ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 ▲ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 ▲ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 66.2 68.3 64.8 70.9 65.7 ▲ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 ▲ SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 ▲ Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 School opportunities for pro–social involveme	· · · · · · · · · · · · · · · · · · ·	69.4	65.0	64.0	67.5		64.4	A
as "moderate" or "great risk" (%) 1								
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 88.0 84.6 82.8 85.4 78.0 ★ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 ★ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 66.2 68.3 64.8 70.9 65.7 ★ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 ★ SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 ★ Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 1 22.9 12.8 19.4 School opportunities for pro-social involvement (%) 1 71.5 64.1 <td< td=""><td></td><td>43.5</td><td>45.2</td><td>46.6</td><td>45.2</td><td></td><td>43.8</td><td></td></td<>		43.5	45.2	46.6	45.2		43.8	
twice puts a person at "moderate" or "great risk" (%)								
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.4 71.3 71.0 74.3 68.8 ★ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 66.2 68.3 64.8 70.9 65.7 ★ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 ★ SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 — — Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 ▲ Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 — — School opportunities for pro-social involvement (%) 1 71.5 64.1 63.6 67.2 61.3 ♠	, , , , , , , , , , , , , , , , , , , ,	88.0	84.6	82.8	85.4		78.0	
e-cigars, and e-hookahs as "moderate" or "great risk" (%)								, ,
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 66.2 68.3 64.8 70.9 65.7 ★ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 ★ SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 ★ Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 School opportunities for pro-social involvement (%) 1 71.5 64.1 63.6 67.2 61.3 ★		70.4	71.3	71.0	74.3		68.8	A
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 ★ SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 ★ Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 School opportunities for pro-social involvement (%) 1 71.5 64.1 63.6 67.2 61.3 ★								
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.3 78.8 78.8 83.6 75.4 ★ SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 ★ Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 School opportunities for pro-social involvement (%) 1 71.5 64.1 63.6 67.2 61.3 ★	nicotine as "moderate" or "great risk" (%)	66.2	68.3	64.8	70.9		65.7	
SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 — Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 ▲ Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 — — School opportunities for pro–social involvement (%) 1 71.5 64.1 63.6 67.2 61.3 ▲								
SCHOOL High school dropouts (per 1,000) 11 8.0 1.2 1.2 — Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 ▲ Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 — — School opportunities for pro–social involvement (%) 1 71.5 64.1 63.6 67.2 61.3 ▲	nicotine as "moderate" or "great risk" (%)	80.3	78.8	78.8	83.6		75.4	
Low academic performance (%) 1 48.2 46.9 48.5 45.6 44.0 ▲ Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 School opportunities for pro-social involvement (%) 1 71.5 64.1 63.6 67.2 61.3 ▲	SCHOOL							
Low commitment to school (%) 1 50.6 55.2 59.2 58.1 59.2 \$\frac{1}{2}\$ High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 School opportunities for pro-social involvement (%) 1 71.5 64.1 63.6 67.2 61.3 \$\frac{1}{2}\$	High school dropouts (per 1,000) 11	8.0	1.2	1.2				
High school substance infraction (per 1,000 population of enrolled high school students) 11 22.9 12.8 19.4 —— School opportunities for pro–social involvement (%) 1 71.5 64.1 63.6 67.2 61.3	Low academic performance (%) 1	48.2	46.9	48.5	45.6		44.0	A
enrolled high school students) 11 22.9 12.8 19.4 —— School opportunities for pro–social involvement (%) 1 71.5 64.1 63.6 67.2 61.3	Low commitment to school (%) 1	50.6	55.2	59.2	58.1		59.2	Y
School opportunities for pro–social involvement (%) 1 71.5 64.1 63.6 67.2 61.3								
71.5 04.1 05.0 07.2	chronica high school students)	22.9	12.8	19.4				
School rewards for pro–social involvement (%) 1 50.9 48.7 41.7 51.8 50.2	ochool opportunities for pro-social involvement (70)	71.5	64.1	63.6	67.2		61.3	
	School rewards for pro–social involvement (%)	50.9	48.7	41.7	51.8		50.2	

BENTON COUNTY

Key Findings

Weakness

· 11th highest rate of substance-related arrests

Strengths

- 2nd highest percentage of youth perceiving moderate or great risk of drinking 1 or 2 alcoholic beverages once or twice daily
- 5th lowest percentage of youth initiating drug use before age 15
- 7th lowest percentage of youth vaping nicotine
- 9th lowest percentage of youth perceiving low risk of drug use

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	3.2	2.1				
18–24	26.0	16.0				
25–29	25.7	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Total Population	286,528
Population under 18	73,638
Population 18–24	24,355
Population 25–29	20,334
Youth with a guardian currently in the military (%)	


(%)


50.3

Past 30-day Youth Substance Use

■ County ■ State







BENTON COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	7.2	6.2	5.9	5.8		7.0	V
Past 30-day Youth cigarette use (%)	1.0	8.0	1.0	1.1		1.5	Y
Past 30-day Youth chewing tobacco use (%)	1.3	0.9	0.8	1.1		1.7	V
Past 30–day Youth marijuana use (%)	4.4	4.2	4.5	3.4		4.4	
Past 30–day Youth heroin use (%)	0.0	0.0	0.0	0.0	•	0.1	X
Past 30-day Youth prescription drug use (%)	1.6	2.1	2.0	2.2		2.5	
Past 30-day Youth vape use: flavoring only (%)	4.4	3.3	3.6	3.0		4.0	
Past 30-day Youth vape use: marijuana (%)	3.5	3.7	4.2	3.8		4.1	X_
Past 30-day Youth vape use: nicotine (%)	6.6	6.2	5.2	4.3		6.8	
COMMUNITY Median Household Income 2	A=1.550	^	****				
Wedian Flousenoid income	\$71,556	\$76,887	\$85,269				
Total Bolow poverty level (70)	8.6	7.9	7.9				
Unemployment rates (%) 4	4.5	2.8	2.4	2.3		3.3	
Uninsurance (%) ²	8.7	9.3					
Food Insecurity (%) 5 BA/RS or higher among those 25 or older (%) 2	13.7	10.7	25.5				
BAVES OF Higher among those 25 of older (76)	34.6	34.6	35.5	E4.0		F0 F	
Transitions and Mobility (%) 1	55.1	52.5	50.5	51.9		50.5	A
Disconnected Youth measure 2 Mental Health Center clients (per 1 000 population) 6	0.8	0.6	0.4				
Mental Health Center clients (per 1,000 population) Substance use treatment admissions (per 10,000 population) 6		15.0 24.2	14.5 10.3				
Substance use treatment admissions (per 10,000 population)				64.6		74.0	
beer, wine, and industrators (per 100,000 population)	2.6	67.7	62.8	64.6		74.2	
Tobacco sales to Timors (percent of falled tobacco checks)	3.6	6.3	12.8	0.0		7.1	V
Substance use-related arrests (per 1,000 population)	14.4 9.1	13.0 8.1	12.2 7.4	12.4		9.2	- \$
Total crime index offenses (per 1,000 population)	9.1	0.1	7.4	6.8		8.5	•
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) 10		24.6	15.7				
FAMILY		24.0	13.7				
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	4.6	4.4	3.3				
Poor family management (%)	29.8	33.0	33.8	33.2		34.4	V
Family history of anti–social behavior (%)	24.3	22.9	21.3	22.1		25.9	Ý
Parental attitudes favorable toward drug use (%)	17.9	15.8	19.3	18.0		21.0	Ý
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	17.6	16.8	18.1	17.0		20.7	V
Early initiation of drug use (%) 1	11.9	10.9	10.7	9.6		12.9	Ÿ
Perceived availability of drugs (%)	16.4	16.7	16.1	15.4		16.9	V
Low perceived risk of drug use (%) 1	44.0	43.6	45.1	43.7		47.5	Y
Youth who perceive smoking one or more packs of					_		
cigarettes per day as "moderate" or "great risk" (%)	81.7	83.0	82.7	81.8		78.4	A
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	67.9	69.2	69.7	69.9		64.4	A
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	49.1	47.5	47.8	46.7		43.8	A
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	81.3	82.7	83.3	81.3		78.0	A
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	68.8	71.6	72.0	73.4		68.8	A
Versille substance and the control of the control o							
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	66.7	68.7	67.7	69.4		65.7	A
, , , , , ,	66.7	68.7	67.7	69.4		65.7	A
nicotine as "moderate" or "great risk" (%)	66.7 77.2	68.7 79.3	67.7 79.1	69.4 79.6		65.7 75.4	A
nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1							
nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	77.2	79.3	79.1				
nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11	77.2 6.0	79.3	79.1	79.6		75.4	
nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of	77.2 6.0 46.9	79.3 1.0 48.0	79.1 1.0 43.5	79.6 44.9		75.4 44.0	
nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of enrolled high school students) 11	77.2 6.0 46.9	79.3 1.0 48.0	79.1 1.0 43.5	79.6 44.9		75.4 44.0	
nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of	6.0 46.9 48.8	79.3 1.0 48.0 53.8	79.1 1.0 43.5 53.6	79.6 44.9		75.4 44.0	

BOONE COUNTY

Key Findings

Weakness

• N/A

Strengths

- 3rd lowest percentage of youth perceiving low risk of drug use
- 6th lowest percentage of you using smokeless tobacco
- 12th lowest percentage of youth using alcohol or marijuana

Consequences

County State

Substance-use related arrests						
per 1,000 population						
Under 18	2.1	2.1				
18–24	21.3	16.0				
25-29	18.7	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	37,662
Population under 18	8,549
Population 18–24	2,862
Population 25–29	2,243
Youth with a guardian currently in the military (%)	13.2


(%)

Past 30-day Youth Substance Use

■ County ■ State







Start Star	POONE COUNTY		_		_		Aukamaaa	Vo
Supers 30-day Youth disched use (%)	BOONE COUNTY	2020	2021	2022	2023	Trond Line	Arkansas	Vs.
Plant 30-day Youth placehal user (%)		2020	2021	2022	2023	Helia Lilie	2023	State
Plast 30-day Youth Cogneties use (%)		8.9	9.5	7 9	5.2	-	7.0	V
Piest 30-day Youth networks (chained use (%) 3.9	Tast of ady routh discript ass (78)							-
Pleat 30-day Youth morigunous use (%) 3.9								-
Past 30-day Youth beroin use (%)	, ,							-
Past 30-day Youth prescription drug use (%) 1	, , ,							
Past 30-day Youth vape use: mirror effection (%)								_
Plast 30-day Youth vape use: maritianan (%) 1, 14, 9, 5, 6, 9 6, 8								$\overline{}$
Past 30-day Youth vape user incoline (%)	, , , ,							
Median Household Income S46,332 \$48,625 \$52,275	• • • • • • • • • • • • • • • • • • • •							-
Median Household Income							-	
Persons below powerly lever (%) 3.3		\$46.392	\$48.625	\$52,275				
Unemplyment rates (%)								
Uninsurance (%) 2					2.9		3.3	Y
BABS or higher among those 25 or older (%) 2 17.8 17.8 15.6 Transitions and Mobilly (%) 1 43.1 46.0 46.3 45.0 50.5 V. Disconnected Youth measure 2 4.7 3.9 3.6 5.5 V. Disconnected Youth measure 3 4.7 15.9 5.6 V. Disconnected Youth measure 3 4.7 15.9 5.6 V. Disconnected Youth measure 4 4.7 15.9 5.6 S. T.		6.8	7.0					
Transitions and Mobility (%)	Food Insecurity (%) 5	18.2	15.4					
Disconnected Youth measure 2	BA/BS or higher among those 25 or older (%) ²	17.8	17.8	16.6				
Mental Health Center clients (per 1,000 population)	Transitions and Mobility (%) 1	43.1	46.0	46.3	45.0		50.5	Y
Substance use Teatment admissions (per 10,000 population) Beer, wine, and liquor stores (per 100,000 population) Possessing to minors (percent of failed tobacco checks) 0.0 11, 15, 0.0 7, 11 Substance use -related arrests (per 1,000 population) 9 1, 9, 7, 7, 1 10, 1 9 2 A Substance use -related arrests (per 1,000 population) 9 1, 9, 7, 7, 1 10, 1 9 2 A Total crime index offenesse (per 1,000 population) 9 3, 7, 1 7, 0 8, 2 8, 5 Y Fatal crashes with drivers aged 18-29 (per 100,000 population 18-29 years old) 18-29 years old) 11-9 11-9 10, 2 9 2 4 7 7 7 8 8 8 7 8 4 Parally Instruction (%) 11-9 11-9 10, 2 9 2 4 8 8 9 8 8 9 8 9 8 9 8 9 8 9 8 9 9 9 9	Disconnected Youth measure ²	4.7	3.9					
Substance use retained authorisation, percent of failed tobacco checks 111.5 59.5 103.6 74.2 A	Mental Health Center clients (per 1,000 population) 6		17.4	15.9				
See, with, and right of subsets (per 1000 population)	Substance use treatment admissions (per 10,000 population) 6		20.8	5.3				
Tobacco sales to minors (percent of failed tobacco checks) 9 0.0 1.1 1.5 0.0 7.1 Y Substance use-related arrests (per 1,000 population) 9 9.1 9.7 7.1 10.1 9.2 8.5 Total crime index offenses (per 1,000 population) 9 9.3 7.1 7.0 8.2 8.5 Y Fatal crashes with drivers aged 18-29 (per 10,000 population 18-29 years old) 10 58.8 78.4 ——PAMILY Children living in foster care (per 1,000 population under 18 years of age) 11.9 11.9 10.2 Poor family management (%) 24.2 29.1 29.0 34.8 34.4 A Parental attitudes favorable toward drug use (%) 1 19.3 21.5 18.4 21.2 21.0 A INDIVIDUALPEERS Per attitudes favorable to drug use (%) 1 16.5 21.7 18.6 18.0 20.7 V Early initiation of drug use (%) 1 19.2 20.2 18.1 19.4 10.7 Low apercieved waishlity of drug use (%) 1 19.2 20.2 18.1 19.4 16.9 Low perceived drinking one or two alcoholic beverages nearly very day as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 82.3 78.4 A Youth who perceive trinking one or two alcoholic beverages nearly very day as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 43.8 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 43.8 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 79.6 68.8 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 79.6 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 45.4 45.5 43.5 44.5 44.5 44.0 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 47.3 52.8 55.6 61.6 61.2 61.2 61.2 61.3 Y	Beer, wine, and liquor stores (per 100,000 population) ⁷		111.5	95.6	103.6		74.2	A
Social content deservation deservation and arrivative for index offenses (per 1,000 population) 9,3 7.1 7.0 8.2 8.5 V	Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	1.1	1.5	0.0		7.1	
Total crime index offenses (per 1,000 population) 9 9,3 7,1 7,0 8,2 8,5 \$ Fatal crashes with drivers aged 18-29 (per 100.000 population 18-29 years old) 19 58.8 78.4 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Substance use–related arrests (per 1,000 population)	9.1	9.7	7.1	10.1		9.2	A
FAMILY	Total crime index offenses (per 1,000 population)	9.3	7.1	7.0	8.2		8.5	
FAMILY Children living in foster care (per 1,000 population under 18 years of age) 6	Fatal crashes with drivers aged 18–29							
Children living in foster care (per 1,000 population under 18 years of age) 1 11.9 11.9 10.2	(per 100,000 population 18–29 years old) 10		58.8	78.4				
Under 18 years of age) 6	FAMILY							
Poor family management (%) 1	Children living in foster care (per 1,000 population							
Family history of anti-social behavior (%) 1 26.0 30.6 28.2 28.6 25.9 A Parental attitudes favorable toward drug use (%) 1 19.3 21.5 18.4 21.2 21.0 A INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 16.5 21.7 18.6 18.0 20.7 YEarly initiation of drug use (%) 1 14.0 15.2 14.4 14.7 12.9 A Perceived availability of drug (%) 1 19.2 20.2 18.1 19.4 16.9 A Perceived availability of drug (%) 1 19.2 20.2 18.1 19.4 16.9 A Low perceived risk of drug use (%) 1 43.7 45.6 43.6 42.3 47.5 YOUTH who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 84.4 84.1 84.1 82.3 78.4 A YOUTH who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 84.4 45.9 49.1 54.1 43.8 A YOUTH who perceive trying prescription drugs once or twice as "moderate" or "great risk" (%) 1 85.8 86.0 86.1 81.5 78.0 A YOUTH who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 71.8 68.7 73.7 72.6 68.8 A YOUTH who perceive cocasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 7.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	under 18 years of age) ⁶	11.9	11.9	10.2				
Perental attitudes favorable toward drug use (%) 1 19.3 21.5 18.4 21.2 21.0 A INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 16.5 21.7 18.6 18.0 20.7 Y Early initiation of drug use (%) 1 14.0 15.2 14.4 14.7 12.9 A Perceived availability of drugs (%) 1 19.2 20.2 18.1 19.4 16.9 A Low perceived fisk of drug use (%) 1 43.7 45.6 43.6 42.3 47.5 Y Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 84.4 84.1 84.1 82.3 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 67.5 65.9 69.4 67.7 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 85.8 86.0 86.1 81.5 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 71.8 68.7 73.7 72.6 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 7.0 1.0 1.0	Poor family management (%) ¹	24.2	29.1	29.0	34.8		34.4	
NOIVIDUAL/PEERS	Family history of anti-social behavior (%)	26.0	30.6	28.2	28.6		25.9	A
Peer attitudes favorable to drug use (%) 1 16.5 21.7 18.6 18.0 20.7 Early initiation of drug use (%) 1 14.0 15.2 14.4 14.7 12.9 A Perceived availability of drugs (%) 1 19.2 20.2 18.1 19.4 16.9 Low perceived availability of drug (%) 1 19.2 20.2 18.1 19.4 16.9 A Low perceives misk of drug use (%) 1 43.7 45.6 43.6 42.3 47.5 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 84.4 84.1 84.1 82.3 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 67.5 65.9 69.4 67.7 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 85.8 86.0 86.1 81.5 78.0 A Youth who perceive using a vaping product like e- cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 71.8 68.7 73.7 72.6 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 A CHOOL High school dropouts (per 1,000) 11 7.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	Parental attitudes favorable toward drug use (%)	19.3	21.5	18.4	21.2		21.0	
Early initiation of drug use (%) 1 14.0 15.2 14.4 14.7 12.9 A Perceived availability of drugs (%) 1 19.2 20.2 18.1 19.4 16.9 A Low perceived risk of drug use (%) 1 43.7 45.6 43.6 42.3 47.5 Y Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 84.4 84.1 84.1 82.3 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 67.5 65.9 69.4 67.7 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 85.8 86.0 86.1 81.5 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 71.8 68.7 73.7 72.6 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 A SCHOOL **CHOOL** Low academic performance (%) 1 41.4 45.5 43.5 44.5 44.0 A Low commitment to school (%) 1 47.3 52.8 55.6 61.6 59.2 A High school substance infraction (per 1,000) population of enrolled high school students) 11 18.4 12.9 16.4 — School opportunities for pro-social involvement (%) 1 62.5 61.6 61.2 61.2 61.2	INDIVIDUAL/PEERS							
Perceived availability of drugs (%) 1 19.2 20.2 18.1 19.4 16.9 A Low perceived risk of drug use (%) 1 43.7 45.6 43.6 42.3 47.5 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 84.4 84.1 84.1 82.3 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 67.5 65.9 69.4 67.7 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 85.8 86.0 86.1 81.5 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 71.8 68.7 73.7 72.6 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 7.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	Peer attitudes favorable to drug use (%) 1	16.5	21.7	18.6	18.0		20.7	Y
Low perceived risk of drug use (%) 1	Early initiation of drug use (%) 1	14.0	15.2	14.4	14.7		12.9	
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 84.4 84.1 84.1 82.3 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 67.5 65.9 69.4 67.7 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 85.8 86.0 86.1 81.5 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 71.8 68.7 73.7 72.6 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.1 65.5 69.4 70.9 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 7.0 1.0 1.0	Perceived availability of drugs (%)	19.2	20.2	18.1	19.4		16.9	
Section Cigarettes per day as "moderate" or "great risk" (%) 1	Low perceived risk of drug use (%) 1	43.7	45.6	43.6	42.3		47.5	\forall
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 67.5 65.9 69.4 67.7 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 45.4 45.9 49.1 54.1 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 85.8 86.0 86.1 81.5 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 71.8 68.7 73.7 72.6 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.1 65.5 69.4 70.9 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 A SCHOOL High school dropouts (per 1,000) 11 7.0 1.0 1.0	Youth who perceive smoking one or more packs of							
nearly every day as "moderate" or "great risk" (%)	cigarettes per day as "moderate" or "great risk" (%)	84.4	84.1	84.1	82.3		78.4	
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1	Youth who perceive drinking one or two alcoholic beverages							
as "moderate" or "great risk" (%) 1	nearly every day as "moderate" or "great risk" (%)	67.5	65.9	69.4	67.7		64.4	
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 85.8 86.0 86.1 81.5 78.0 ★ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 71.8 68.7 73.7 72.6 68.8 ★ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.1 65.5 69.4 70.9 65.7 ★ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 ★ SCHOOL High school dropouts (per 1,000) ¹¹ 7.0 1.0 1.0 Low commitment to school (%) 1 41.4 45.5 43.5 44.5 44.0 ★ High school substance infraction (per 1,000 population of enrolled high school students) 1 18.4 12.9 16.4 School opportunities for pro-social involvement (%) 1 62.5 61.6 61.2 61.2 61.3 ▼						_		
twice puts a person at "moderate" or "great risk" (%)	as "moderate" or "great risk" (%) 1	45.4	45.9	49.1	54.1		43.8	
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 71.8 68.7 73.7 72.6 68.8 ★ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.1 65.5 69.4 70.9 65.7 ★ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 ★ SCHOOL High school dropouts (per 1,000) ¹¹ 7.0 1.0 1.0 Low academic performance (%) ¹ 41.4 45.5 44.5 44.0 ♠ Low commitment to school (%) ¹ 47.3 52.8 55.6 61.6 59.2 ♠ High school substance infraction (per 1,000 population of enrolled high school students) ¹¹ 18.4 12.9 16.4 School opportunities for pro-social involvement (%) ¹ 62.5 61.6 61.2 61.2 61.3 ▼	Youth who perceive trying prescription drugs once or							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	twice puts a person at "moderate" or "great risk" (%)	85.8	86.0	86.1	81.5		78.0	
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)								
nicotine as "moderate" or "great risk" (%)	e-cigars, and e-hookahs as "moderate" or "great risk" (%)	71.8	68.7	73.7	72.6		68.8	A
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 80.1 78.6 81.1 79.6 75.4 ★ SCHOOL High school dropouts (per 1,000) 11 7.0 1.0 1.0 Low academic performance (%) 1 41.4 45.5 43.5 44.5 44.0 ★ Low commitment to school (%) 1 47.3 52.8 55.6 61.6 59.2 ★ High school substance infraction (per 1,000 population of enrolled high school students) 11 18.4 12.9 16.4 School opportunities for pro-social involvement (%) 1 62.5 61.6 61.2 61.2 61.3 ▼						_		
nicotine as "moderate" or "great risk" (%)	nicotine as "moderate" or "great risk" (%)	67.1	65.5	69.4	70.9		65.7	
SCHOOL High school dropouts (per 1,000) 11 7.0 1.0 1.0 — Low academic performance (%) 1								
High school dropouts (per 1,000) 11 7.0 1.0 1.0 — Low academic performance (%) 1 41.4 45.5 43.5 44.5 44.0 ▲ Low commitment to school (%) 1 47.3 52.8 55.6 61.6 59.2 ▲ High school substance infraction (per 1,000 population of enrolled high school students) 11 18.4 12.9 16.4 — School opportunities for pro–social involvement (%) 1 62.5 61.6 61.2 61.2 61.3 ▼		80.1	78.6	81.1	79.6		75.4	A
Low academic performance (%) 1 41.4 45.5 43.5 44.5 44.0 ▲ Low commitment to school (%) 1 47.3 52.8 55.6 61.6 59.2 ▲ High school substance infraction (per 1,000 population of enrolled high school students) 11 18.4 12.9 16.4 School opportunities for pro–social involvement (%) 1 62.5 61.6 61.2 61.2 61.3 ▼								
Low commitment to school (%) 1 47.3 52.8 55.6 61.6 59.2 ★ High school substance infraction (per 1,000 population of enrolled high school students) 11 18.4 12.9 16.4 — — School opportunities for pro–social involvement (%) 1 62.5 61.6 61.2 61.2 61.3 ▼								
High school substance infraction (per 1,000 population of enrolled high school students) 11 18.4 12.9 16.4 School opportunities for pro-social involvement (%) 1 62.5 61.6 61.2 61.2 61.3 ▼								
enrolled high school students) 11 18.4 12.9 16.4	. ,	47.3	52.8	55.6	61.6		59.2	A
School opportunities for pro–social involvement (%) 1 62.5 61.6 61.2 61.2 61.3	a contract of the contract of							
01.0 01.2 01.2 01.2 01.2 01.2 01.2 01.2	emolica mgm school stadems)		12.9					
School rewards for pro–social involvement (%) 1 59.1 52.4 53.7 50.0	Certoor opportunities for pro-social involvement (70)							
	School rewards for pro–social involvement (%)	59.1	52.4	53.7	50.0		50.2	V

BRADLEY COUNTY

Key Findings

Weakness

 11th highest percentage of youth perceiving low risk of drug use

Strengths

- 1st lowest percentage of youth using cigarettes
- 1st lowest percentage of youth perceiving availability of drugs
- 2nd lowest percentage of youth with peer or parental attitudes favorable to drug use

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	0.8	2.1				
18–24	11.3	16.0				
25–29	8.0	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	10,461
Population under 18	2,563
Population 18–24	795
Population 25–29	623
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







PRADIEV COUNTY						Automore	
BRADLEY COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Trend Line	2023	State
Past 30–day Youth alcohol use (%)	4.0	6.7	7.8	7.6	-	7.0	A
Past 30–day Youth cigarette use (%)	0.7	2.5	2.2	0.0		1.5	Ŷ
Past 30–day Youth chewing tobacco use (%)	1.4	1.4	2.5	1.5		1.7	Ť
Past 30–day Youth marijuana use (%)	1.3	2.1	3.3	3.1		4.4	Ť
Past 30–day Youth heroin use (%)	0.0	0.5	0.6	0.0		0.1	¥
Past 30–day Youth prescription drug use (%)	1.3	3.1	1.2	3.1		2.5	Ă
Past 30–day Youth vape use: flavoring only (%)	4.7	4.5	5.7	3.1		4.0	- Ş
Past 30–day Youth vape use: marijuana (%)	1.4	1.8	4.8	4.6		4.1	Ă
Past 30–day Youth vape use: nicotine (%)	4.0	10.6	9.3	6.2		6.8	Ŷ
COMMUNITY	4.0	10.0	3.3	0.2		0.0	_
Median Household Income ²	\$41,808	\$41,972	\$43,688				
Persons below poverty level (%)	15.7	19.6	21.9				
Unemployment rates (%)	5.8	4.7	5.0	4.4		3.3	<u> </u>
Uninsurance (%) ²	10.8	11.3	5.0	7.7		5.5	
Food Insecurity (%) ⁵	19.3	14.9					
BA/BS or higher among those 25 or older (%)	13.8	12.5	12.5				
Transitions and Mobility (%)	40.6	36.7	32.5	42.6		50.5	V
Disconnected Youth measure ²	3.0	1.3	0.0	0		33.0	
Mental Health Center clients (per 1,000 population) 6	3.0	31.1	34.6				
Substance use treatment admissions (per 10,000 population) 6		36.8	93.7				
Beer, wine, and liquor stores (per 100,000 population) 7		0.0	0.0	0.0		74.2	V
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	9.1	20.6	33.3		7.1	Ă
Substance use–related arrests (per 1,000 population) 9	3.2	5.4	2.0	4.4		9.2	Ŷ
Total crime index offenses (per 1,000 population) 9	3.4	3.8	3.5	4.2		8.5	Ť
Fatal crashes with drivers aged 18–29	5. т	5.0	0.0	7.2		0.5	•
(per 100,000 population 18–29 years old) ¹⁰		70.5	70.5				
FAMILY		7 0.0	70.0				
Children living in foster care (per 1,000 population							
under 18 years of age) 6	8.5	8.4	10.5				
Poor family management (%) ¹	47.1	32.1	38.5	34.9		34.4	A
Family history of anti–social behavior (%)	23.9	20.1	21.3	14.1		25.9	V
Parental attitudes favorable toward drug use (%)	22.5	19.8	21.5	13.1		21.0	Ý
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	28.7	23.1	28.0	8.6		20.7	V
Early initiation of drug use (%)	17.8	10.6	13.1	12.7		12.9	V
Perceived availability of drugs (%)	19.1	10.9	14.8	6.3		16.9	Ÿ
Low perceived risk of drug use (%) 1	55.4	54.2	50.7	55.9		47.5	À
Youth who perceive smoking one or more packs of							, ,
cigarettes per day as "moderate" or "great risk" (%)	57.0	70.5	65.5	65.2		78.4	V
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	49.3	50.0	53.8	49.2		64.4	V
Youth who perceive trying marijuana once or twice							·
as "moderate" or "great risk" (%)	41.0	41.2	39.9	46.2		43.8	A
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	56.6	68.4	67.5	64.5		78.0	V
Youth who perceive using a vaping product like e-cigarettes,				•			•
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	50.4	57.9	56.7	63.1		68.8	Y
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	48.1	55.9	55.7	62.5		65.7	V
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	51.9	64.4	59.9	62.5		75.4	V
SCHOOL							
High school dropouts (per 1,000) 11	7.0	1.6	2.0				
Low academic performance (%)	46.2	48.2	42.3	50.0		44.0	A
Low commitment to school (%)	63.8	62.0	62.3	71.6		59.2	Â
High school substance infraction (per 1,000 population of	33.0	02.0	02.0	0			~
enrolled high school students) ¹¹	5.4	3.2	18.0				
School opportunities for pro–social involvement (%)	35.0	54.4	48.7	56.3		61.3	Y
School rewards for pro–social involvement (%)	37.9	47.1	40.2	39.4		50.2	Ť
School rewards for pro-social involvement (%)							

CALHOUN COUNTY

Key Findings

Weakness

- 3rd lowest percentage of youth perceiving low risk of drug use
- 8th highest percentage of youth misusing prescription drugs

Strengths

- 1st lowest percentage of youth using or vaping marijuana
- 1st lowest percentage of youth using cigarettes, using smokeless tobacco, or vaping nicotine

Consequences

■ County ■ State

Substance–use related arrests per 1,000 population						
Under 18	0.0	2.1				
18–24	23.8	16.0				
25–29	15.2	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	4,773
Population under 18	893
Population 18–24	
Population 25–29	263
Youth with a guardian currently in the military (%)	13.2

Past 30-day Youth Substance Use

■ County ■ State







Statistical Color Stat	CALHOUN COUNTY						Aukomono	Vs.
Substance Use Substance		2020	2021	2022	2023	Trend Line	Arkansas	
Past 3094 youth attachmol use (%)		2020	2021	2022	2023	Heliu Lille	2023	State
Past 30194 Youth organeters use (%) Past 30194 Youth manipuans use (%) Past 30194 Youth prescription fung use (%) Past 30194 Youth prescription fung use (%) Past 30194 Youth prescription fung use (%) Past 30194 Youth value prescription fung use (%) Past 30194 Youth value puse efficiently only (%) Past 30194 Youth value puse efficiently (%) Past 30194 Youth value puse efficiently only (%) Past 30194 Youth value puse efficiently (%) Past 30194 Youth value puse efficiently only (%) Past 30194 Youth value puse efficiently (%) Past		9.2	6.8	10.3	21		7.0	V
Past 30 - say Youth Chewing Induaceo use (%) ' 11, 23	· · · · · · · · · · · · · · · · · · ·							
Past 30-day Youth mariginaria use (%)	, ,							-
Plact 30-day Youth percinipion drug use (%) 1 12 0,0 0,0 0,0 0,1 1 Plact 30-day Youth varge use through growly (%) 1 6,9 5,7 3,5 2,1 4,0 V Plact 30-day Youth varge use through growly (%) 1 6,9 5,7 3,5 2,1 4,0 V Plact 30-day Youth varge use incitione (%) 1 1,0 0,0 1,1 0,0 0 4,1 V Plact 30-day Youth varge use incitione (%) 1 1,0 0,0 0,0 6,8 V Plact 30-day Youth varge use incitione (%) 1 1,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0	, ,							-
Part 30								
Plast 30-day Youth vape user. Influenting only (%) 6.9 5.7 3.5 2.1 4.0 V Plast 30-day Youth vape user incrine (%) 1.1 0.0 1.1 0.0 4.1 V Plast 30-day Youth vape user incrine (%) 1.4 9.1 1.0 0.0 0.0 6.8 V Plast 30-day Youth vape user incrine (%) 1.4 8.5 8.5 8.5 8.5 V Plast 30-day Youth vape user incrine (%) 1.2 1.2 1.2 1.3 1	` ` ` ` ` ` ` .							
Plact 30-day Youth vape user incictore (%)								
Past 30 - day Youth vape user, income (%) 14 0 9.1 8.0 0.0 0.0 6.8 Volume Community Volume Communi	, , ,				0.0			Ÿ
Median Household Income 2 S80,441 S85,904 S80,237				8.0	0.0		6.8	V
Persons below governy level (%) 3 12.8 14.8 15.9								
Unemployment rates (%)	Median Household Income ²	\$50,441	\$55,904	\$60,237				
Uninsurance (%) 2	Persons below poverty level (%) 3	12.8	14.6	15.9				
Food Insecurity (%) 5	Unemployment rates (%) 4	5.2	3.3	3.1	2.7		3.3	Y
BABS or higher among those 25 or older (%) 2 10.7 12.2 12.5	Uninsurance (%) ²	8.3	8.6					
Transitions and Mobility (%) 1 30.0 35.4 86.8 36.1 50.5 V Disconnected Youth measure 2 4.5 5.3 0.0	Food Insecurity (%) ⁵	15.4	13.0					
Disconnected Youth measure 2	BA/BS or higher among those 25 or older (%) ²	10.7	12.2	12.5				
Mantal Health Center clients (per 1,000 population) 1.5	Transitions and Mobility (%) 1	30.0	35.4	36.8	36.1		50.5	Y
Substance use treatment admissions (per 10,000 population) Beer, wine, and liquor stores (per 100,000 population) 16.6 12.6 146.7 146.7 74.2 A A Tobacco sales to minors (percent of failed tobacco-checks) 0.0 42.9 0.0 7.1 Y Substance use-related arrests (per 10,000 population) 6.7 5.4 5.9 11.9 9.2 A Total crime index offenees (per 1,000 population) 9.2 6.6 12.8 9.0 8.5 A Fatal crashes with drivers aged 18-29 (per 10,000 population) 146.4 292.8 146.4 292.8 74.2 A Tobacco sales to define see (per 1,000 population) 146.4 292.8 75.4 5.9 11.9 75.4 5.9 11.9 75.4 5.9 75.4 5.9 11.9 75.4 5.9		4.5	5.3	0.0				
Subsance user dearmine authorshore by 1,000 population)	Mental Health Center clients (per 1,000 population) ⁶		13.5	15.3				
Substance use-related arrests (per 1,000 population) 9, 2, 6, 6 12, 8 9, 0 7.1 V Substance use-related arrests (per 1,000 population) 9, 2, 6, 6 12, 8 9, 0 8.5 A Falta crashes with drivers aged 18–29 (per 1,000 population) 9, 2, 6, 6 12, 8 9, 0 8.5 A Falta crashes with drivers aged 18–29 (per 10,000 population) 9, 2, 6, 6 12, 8 9, 0 8.5 A Falta crashes with drivers aged 18–29 (per 10,000 population) 9, 2, 6, 6 12, 8 9, 0 8.5 A Falta crashes with drivers aged 18–29 (per 10,000 population) 9, 2, 6, 6 12, 8 9, 0 8.5 A Falta crashes with drivers aged 18–29 (per 10,000 population) 9, 2, 6, 6 12, 8 9, 0 8.5 A Falta crashes with drivers aged 18–29 (per 10,000 population) 9, 2, 2, 2, 2, 2, 3, 2, 3, 2, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3,	Substance use treatment admissions (per 10,000 population) ⁶		16.6	12.6				
Substance use-related arrests (per 1,000 population) 9 9.2 6.6 12.8 9.0 8.5 A Total crime index offenses (per 1,000 population) 9 9.2 6.6 12.8 9.0 8.5 A Total crime index offenses (per 1,000 population) 9 9.2 6.6 12.8 9.0 8.5 A Total crime index offenses (per 1,000 population) 9 9.2 6.6 12.8 9.0 8.5 A Total crime index offenses (per 1,000 population) 9 9.2 6.6 12.8 9.0 8.5 A Total crime index offenses (per 1,000 population) 9 9.2 6.6 12.8 9.0 8.5 A Total crime index offenses (per 1,000 population) 9 9.2 6.6 12.8 9.0 8.5 A Total crime index offenses (per 1,000 population) 9 9.2 May 1 9.2 Ma	Beer, wine, and liquor stores (per 100,000 population) ⁷		146.7	146.7	146.7	•—•	74.2	A
10 10 10 10 10 10 10 10	Tobacco sales to minors (percent of failed tobacco checks) ⁸		0.0	42.9	0.0		7.1	V
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) 19	Substance use–related arrests (per 1,000 population) ⁹	6.7	5.4	5.9	11.9		9.2	A
146.4 292.8	Total crime index offenses (per 1,000 population) ⁹	9.2	6.6	12.8	9.0		8.5	A
Children living in foster care (per 1,000 population under 18 years of age) 6	Fatal crashes with drivers aged 18–29							
Children living in foster care (per 1,000 population under 18 years of age) \$ 0.0 0.0 6.7	(per 100,000 population 18–29 years old) ¹⁰		146.4	292.8				
under 18 years of age) \$ 0.0 0.0 6.7	FAMILY							
Poor family management (%) 1	Children living in foster care (per 1,000 population							
Family history of anti–social behavior (%) 1	under 18 years of age) ⁶	0.0	0.0	6.7				
Pariental attitudes favorable toward drug use (%) 1 17.3 13.1 19.7 21.1 21.0 A INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 21.6 20.2 22.0 7.4 20.7 Yeart intitudes favorable to drug use (%) 1 19.6 13.5 16.5 14.8 12.9 A Perceived availability of drugs (%) 1 19.6 13.5 16.5 14.8 12.9 A Perceived availability of drugs (%) 1 19.6 13.5 16.5 14.8 12.9 A Perceived availability of drugs (%) 1 19.6 13.5 16.5 14.8 12.9 A Perceived intitudes favorable to drug use (%) 1 19.6 13.5 16.5 14.8 12.9 A Perceived availability of drugs (%) 1 19.6 13.5 15.4 52.8 60.4 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 1 65.9 77.6 70.1 62.0 78.4 Youth who perceive drinking one or two aicoholic beverages nearly every day as "moderate" or "great risk" (%) 1 1 66.9 53.7 46.8 63.3 64.4 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 36.1 40.7 37.3 40.8 43.8 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 55.8 55.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 55.8 55.8 55.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 55.8 55.8 55.8 55.9 55.9 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0	, ,	39.5	43.2	31.6	37.8		34.4	
Peer attitudes favorable to drug use (%) 1	Family history of anti–social behavior (%)	25.9	20.2	23.4	23.7		25.9	
Peer attitudes favorable to drug use (%) 1 21.6 20.2 22.0 7.4 20.7 \$\footnote{\text{Early initiation of drug use (%) 1} 19.6 13.5 16.5 14.8 12.9 \$\text{Application of drug use (%) 1} 19.6 13.5 16.5 14.8 12.9 \$\text{Application of drug use (%) 1} 17.1 14.3 17.9 14.6 16.9 \$\text{Application of drug use (%) 1} 58.1 53.4 52.8 60.4 47.5 \$\text{Application of drug use (%) 1} 58.1 53.4 52.8 60.4 47.5 \$\text{Application of drug use (%) 1} 65.9 77.6 70.1 62.0 78.4 \$\text{Application of drug use (%) 1} 65.9 77.6 70.1 62.0 78.4 \$\text{Application of drug use (%) 1} 65.9 77.6 70.1 62.0 78.4 \$\text{Application of drug use (%) 1} 65.9 77.6 70.1 62.0 78.4 \$\text{Application of drug use (%) 1} 65.9 77.6 70.1 62.0 78.4 \$\text{Application of drug use (%) 1} 66.9 78.4 \$\text{Application of drug use (%) 1} 66.9 77.6 70.1 62.0 78.4 \$\text{Application of drug use (%) 1} 66.9 77.6 70.1 62.0 78.4 \$\text{Application of drug use (%) 1} 66.9 77.6 70.1 62.0 78.4 \$\text{Application of drug use (%) 1} 66.4 \$\text{Application of drug use (%) 1} 66.9 77.6 70.1 62.0 78.4 \$\text{Application of drug use (%) 1} 66.4 \$\text{Application of drug use (%) 1} 66.1 \$\text{Application of drug use (%) 1} 66.9 70.1 70.1 70.1 70.1 70.1 70.1 70.1 70.1	Parental attitudes favorable toward drug use (%)	17.3	13.1	19.7	21.1		21.0	
Early initiation of drug use (%) 1 19.6 13.5 16.5 14.8 12.9 A Perceived availability of drugs (%) 1 17.1 14.3 17.9 14.6 16.9 Y Low perceived risk of drug use (%) 1 58.1 53.4 52.8 60.4 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 65.9 77.6 70.1 62.0 78.4 Y Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 46.1 53.7 46.8 63.3 64.4 Y Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 36.1 40.7 37.3 40.8 43.8 Y Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 Y Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 Y Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 Y Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Y SCHOOL **CHOOL** **High school dropouts (per 1,000) 11 4.0 3.9 4.0								
Perceived availability of drugs (%) 1 17.1 14.3 17.9 14.6 16.9 V Low perceived risk of drug use (%) 1 58.1 53.4 52.8 60.4 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 65.9 77.6 70.1 62.0 78.4 V Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 46.1 53.7 46.8 63.3 64.4 V Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 V Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 V Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 V SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0	r cer attitudes lavorable to urug use (70)							Y
Low perceived risk of drug use (%) 1 58.1 53.4 52.8 60.4 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 65.9 77.6 70.1 62.0 78.4 Y Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 46.1 53.7 46.8 63.3 64.4 Y Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 Y Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 Y Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 Y Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 Y Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Y SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0		19.6	13.5	16.5	14.8		12.9	A
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 65.9 77.6 70.1 62.0 78.4 ▼ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 46.1 53.7 46.8 63.3 64.4 ▼ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 36.1 40.7 37.3 40.8 43.8 ▼ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0	, , ,							
cigarettes per day as "moderate" or "great risk" (%) 1 65.9 77.6 70.1 62.0 78.4 ▼ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 46.1 53.7 46.8 63.3 64.4 ▼ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 36.1 40.7 37.3 40.8 43.8 ▼ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0 Low academic performance (%) 1 46.9 43.3 42.9 44.4 44.0 A Low commitment to school (%) 1 61.1 66.7 58.7 66.7 59.2 A High school substance infraction (per 1,000 population of enrolled high school students) 11 11.7 0.0 0.0 School opportunities for pro-social involvement (%) 1 61.2 42.9 55.4 45.6 61.3 ▼	, ,	58.1	53.4	52.8	60.4		47.5	A
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 46.1 53.7 46.8 63.3 64.4 \$\forall \text{Y}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 36.1 40.7 37.3 40.8 43.8 \$\forall \text{Y}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 \$\forall \text{Y}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 \$\forall \text{Y}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 \$\forall \text{Y}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 \$\forall \text{SCHOOL}\$ High school dropouts (per 1,000) 11 4.0 3.9 4.0 \$\forall \text{Low commitment to school (%) 1 61.1 66.7 58.7 66.7 59.2 \$\hforall \text{High school substance infraction (per 1,000 population of enrolled high school students) 11 11.7 0.0 0.0 0.0 \$\forall \text{Low commitment for pro-social involvement (%) 1 61.2 42.9 55.4 45.6 61.3 \$\forall \text{V}\$								
nearly every day as "moderate" or "great risk" (%) 1 46.1 53.7 46.8 63.3 64.4 ▼ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 36.1 40.7 37.3 40.8 43.8 ▼ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 40.0 3.9 4.0 Low academic performance (%) 1 46.9 43.3 42.9 44.4 44.0 44.0		65.9	77.6	70.1	62.0		78.4	
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 36.1 40.7 37.3 40.8 43.8 ▼ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0	· · · · · · · · · · · · · · · · · · ·					_		
as "moderate" or "great risk" (%) 1 36.1 40.7 37.3 40.8 43.8 ¥ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 ¥ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 ¥ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 ¥ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 ¥ SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0		46.1	53.7	46.8	63.3		64.4	V
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 75.4 Youth who perceive								
twice puts a person at "moderate" or "great risk" (%) 1 70.1 76.8 63.2 60.4 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 57.0 61.7 60.3 54.0 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0	· · · ·	36.1	40.7	37.3	40.8		43.8	
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)								
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	, , ,	70.1	76.8	63.2	60.4		78.0	V
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 52.3 63.6 53.2 48.9 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0 Low academic performance (%) 1 46.9 43.3 42.9 44.4 44.0 A Low commitment to school (%) 1 61.1 66.7 58.7 66.7 59.2 A High school substance infraction (per 1,000 population of enrolled high school students) 11 11.7 0.0 0.0 School opportunities for pro-social involvement (%) 1 61.2 42.9 55.4 45.6 61.3 ▼								
nicotine as "moderate" or "great risk" (%)	c-cigars, and c-nookans as moderate or great risk (70)	57.0	61.7	60.3	54.0		68.8	
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0 Low academic performance (%) 1 46.9 43.3 42.9 44.4 44.0 ♣ Low commitment to school (%) 1 61.1 66.7 58.7 66.7 59.2 ♣ High school substance infraction (per 1,000 population of enrolled high school students) 11 11.7 0.0 0.0 School opportunities for pro-social involvement (%) 1 61.2 42.9 55.4 45.6 61.3 ▼								
nicotine as "moderate" or "great risk" (%) 1 62.8 73.1 64.5 57.8 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0 Low academic performance (%) 1 46.9 43.3 42.9 44.4 44.0 ♣ Low commitment to school (%) 1 61.1 66.7 58.7 66.7 59.2 ♣ High school substance infraction (per 1,000 population of enrolled high school students) 11 11.7 0.0 0.0 School opportunities for pro–social involvement (%) 1 61.2 42.9 55.4 45.6 61.3 ▼	• , ,	52.3	63.6	53.2	48.9		65.7	V
SCHOOL High school dropouts (per 1,000) 11 4.0 3.9 4.0 — Low academic performance (%) 1 46.9 43.3 42.9 44.4 44.0 A Low commitment to school (%) 1 61.1 66.7 58.7 66.7 59.2 A High school substance infraction (per 1,000 population of enrolled high school students) 11 11.7 0.0 0.0 — — School opportunities for pro–social involvement (%) 1 61.2 42.9 55.4 45.6 61.3 ¥								
High school dropouts (per 1,000) 11		62.8	73.1	64.5	57.8		75.4	Y
Low academic performance (%) 1 46.9 43.3 42.9 44.4 44.0 ▲ Low commitment to school (%) 1 61.1 66.7 58.7 66.7 59.2 ▲ High school substance infraction (per 1,000 population of enrolled high school students) 11 11.7 0.0 0.0 - - School opportunities for pro–social involvement (%) 1 61.2 42.9 55.4 45.6 61.3 ▼								
Low commitment to school (%)								
High school substance infraction (per 1,000 population of enrolled high school students) 11 1.7 0.0 0.0 School opportunities for pro-social involvement (%) 1 61.2 42.9 55.4 45.6 61.3 ¥	1 ,							
enrolled high school students) 11 11.7 0.0 0.0	. ,	61.1	66.7	58.7	66.7		59.2	A
School opportunities for pro–social involvement (%) 1 61.2 42.9 55.4 45.6 61.3								
01.2 42.0 30.4 40.0	chroned high school students)							
School rewards for pro–social involvement (%) 55.7 34.1 49.5 43.9 50.2	denote opportunities for pro-social involvement (70)							
	School rewards for pro–social involvement (%)	55.7	34.1	49.5	43.9		50.2	•

CARROLL COUNTY

Key Findings

Weakness

- 2nd highest rate of tobacco sales to minors
- 3rd highest percentage of youth perceiving availability of drugs
- 5th and 9th highest percentage of youth using and vaping marijuana, respectively

Strengths

• N/A

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	1.8	2.1				
18–24	21.5	16.0				
25_20	33.6	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	28,362
Population under 18	6,240
Population 18–24	1,957
Population 25–29	1,547
Youth with a guardian currently in the military (%)	7.4

Past 30-day Youth Substance Use

■ County ■ State







CARROLL COUNTY	2020	2024	2022	2023	Towns I fine	Arkansas	Vs.
Indicator SUBSTANCE USE	2020	2021	2022	2023	Trend Line	2023	State
Past 30–day Youth alcohol use (%)	8.3	13.8	13.9	11.2		7.0	A
Past 30–day Youth cigarette use (%)	2.8	3.4	3.5	2.8		1.5	Â
Past 30–day Youth chewing tobacco use (%)	2.5	2.2	1.7	1.7		1.7	
Past 30–day Youth marijuana use (%)	6.3	8.0	7.6	8.2		4.4	
Past 30–day Youth heroin use (%)	0.0	0.0	0.0	0.1		0.1	
Past 30–day Youth prescription drug use (%)	2.5	3.8	2.6	3.2		2.5	
Past 30–day Youth vape use: flavoring only (%)	5.2	7.4	7.1	5.2		4.0	Â
Past 30–day Youth vape use: marijuana (%)	4.4	7.9	8.0	6.2		4.1	Â
Past 30–day Youth vape use: nicotine (%)	10.0	12.6	12.8	10.2		6.8	Â
COMMUNITY	10.0	12.0	12.0	10.2		0.0	
Median Household Income ²	\$48,249	\$53,366	\$56,826		-		
Persons below poverty level (%)	15.2	16.8	16.0				
Unemployment rates (%)	5.7	3.4	2.9	2.7		3.3	V
Uninsurance (%) ²	11.5	12.5	2.0	,		0.0	
Food Insecurity (%) ⁵	16.7	14.0					
BA/BS or higher among those 25 or older (%)	21.2	22.0	21.4				
Transitions and Mobility (%)	48.3	42.7	48.5	44.2		50.5	V
Disconnected Youth measure ²	7.6	5.4	4.3			22.0	
Mental Health Center clients (per 1,000 population) 6		17.7	12.4				
Substance use treatment admissions (per 10,000 population) ⁶		86.0	69.8				
Beer, wine, and liquor stores (per 100,000 population) ⁷		102.3	109.3	105.8		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	4.8	6.7	37.5		7.1	Â
Substance use–related arrests (per 1,000 population) 9	14.6	18.7	16.1	12.4		9.2	Â
Total crime index offenses (per 1,000 population)	6.9	5.7	8.1	7.2		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) 10		28.5	57.1				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	14.3	14.1	13.3				
Poor family management (%) 1	33.1	37.0	26.7	40.3		34.4	A
Family history of anti–social behavior (%)	28.8	32.6	30.6	30.0		25.9	A
Parental attitudes favorable toward drug use (%)	19.2	24.5	27.2	26.9		21.0	A
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	19.3	24.4	25.1	24.3		20.7	A
Early initiation of drug use (%)	13.0	16.9	18.9	19.8		12.9	A
Perceived availability of drugs (%)	20.2	25.2	25.4	23.3		16.9	A
Low perceived risk of drug use (%) 1	46.5	51.5	50.0	47.3		47.5	\forall
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	79.8	79.7	86.0	80.0		78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	64.7	62.8	64.9	64.8		64.4	A
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	44.7	40.1	42.1	45.4		43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	80.8	81.2	87.8	81.1		78.0	A
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	66.5	65.9	71.4	69.4		68.8	A
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	63.4	64.6	69.8	66.7		65.7	A
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	74.1	76.3	82.3	77.2		75.4	A
SCHOOL							
High school dropouts (per 1,000) 11	11.0	1.0	1.0				
Low academic performance (%) 1	50.2	49.5	47.0	41.2		44.0	V
Low commitment to school (%) 1	50.4	58.8	58.7	61.9		59.2	A
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	11.2	13.7	29.7				
School opportunities for pro–social involvement (%)	52.0	58.9	56.4	57.8		61.3	Y
School rewards for pro–social involvement (%)	48.9	48.9	47.1	47.1		50.2	V

CHICOT COUNTY

Key Findings

Weakness

- Highest percentage of youth perceiving low risk of drug use
- 13th highest percentage of youth using smokeless tobacco

Strengths

- 1st lowest percentage of youth using cigarettes
- 4th lowest percentage of youth using or vaping marijuana
- 6th lowest percentage of youth perceiving availability of drugs

Consequences

■ County ■ State

	Substance-use related arrests						
	per 1,000 population						
U	nder 18	0.0	2.1				
18	8–24	8.7	16.0				
2	5–29	6.1	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Total Population	10,234
Population under 18	2,241
Population 18–24	921
Population 25–29	492
Youth with a guardian currently in the military (%)	


(%)


50.3

Past 30-day Youth Substance Use

■ County ■ State







CHICOT COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Trend Line	2023	State
Past 30–day Youth alcohol use (%)	6.1	4.4	5.6	4.4		7.0	V
Past 30–day Youth cigarette use (%)	0.0	1.8	0.0	0.0		1.5	Ť
Past 30–day Youth chewing tobacco use (%)	0.0	1.8	1.4	3.4		1.7	Ă
Past 30–day Youth marijuana use (%)	3.0	3.8	5.6	1.1		4.4	Ŷ
Past 30–day Youth heroin use (%)	0.0	0.0	0.9	0.0		0.1	Ť
Past 30–day Youth prescription drug use (%)	7.6	3.8	2.8	2.3		2.5	Ť
Past 30-day Youth vape use: flavoring only (%)	1.5	4.4	7.9	2.2		4.0	Ý
Past 30–day Youth vape use: marijuana (%)	0.0	2.5	6.5	1.1		4.1	Ý
Past 30–day Youth vape use: nicotine (%)	0.0	3.1	6.9	4.4		6.8	Ý
COMMUNITY						-	
Median Household Income ²	\$33,523	\$33,770	\$36,593				
Persons below poverty level (%) ³	28.2	27.9	27.0				
Unemployment rates (%) 4	10.3	8.6	6.2	5.3		3.3	A
Uninsurance (%) ²	10.6	10.0					
Food Insecurity (%) 5	24.4	20.7					
BA/BS or higher among those 25 or older (%) ²	14.6	14.8	17.6				
Transitions and Mobility (%) 1	36.7	31.1	36.6	43.4		50.5	V
Disconnected Youth measure ²	0.0	0.0	0.0				
Mental Health Center clients (per 1,000 population) 6		37.3	41.9				
Substance use treatment admissions (per 10,000 population) 6		33.6	21.5				
Beer, wine, and liquor stores (per 100,000 population) 7		254.1	234.5	224.7		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8		13.6	0.0	0.0		7.1	V
Substance use–related arrests (per 1,000 population) 9	1.0	0.8	1.3	2.5		9.2	V
Total crime index offenses (per 1,000 population) 9	1.6	2.1	3.4	3.2		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		141.5	0.0				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	8.9	9.1	8.9				
Poor family management (%) 1	39.0	50.4	45.5	57.1		34.4	
Family history of anti-social behavior (%)	25.0	30.1	28.5	30.9		25.9	A
Parental attitudes favorable toward drug use (%)	15.0	17.2	18.8	21.3		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	22.2	21.9	17.3	22.2		20.7	A
Early initiation of drug use (%)	12.7	18.2	14.6	16.1		12.9	
Perceived availability of drugs (%)	8.2	10.8	15.2	12.3		16.9	Y
Low perceived risk of drug use (%) 1	55.7	58.4	66.4	64.0		47.5	
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	57.8	56.0	52.1	53.9		78.4	Y
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	49.2	47.9	45.6	46.7		64.4	Y
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%) 1	46.8	43.5	28.7	32.9		43.8	Y
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	58.1	53.1	49.8	57.6		78.0	V
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	50.8	51.3	42.1	48.3		68.8	Y
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	51.6	54.3	40.5	52.4		65.7	V
Youth who perceive regularly vaping an e-liquid with					_		
nicotine as "moderate" or "great risk" (%)	52.5	56.5	45.4	53.0		75.4	Y
SCHOOL							
High school dropouts (per 1,000) 11	6.0	0.0	0.0				
Low academic performance (%) ¹	60.3	54.7	50.8	67.4		44.0	A
Low commitment to school (%) ¹	60.3	57.8	55.1	55.9		59.2	Y
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	2.5	0.0	0.0				
School opportunities for pro–social involvement (%)	58.7	51.9	56.5	44.1		61.3	V
School rewards for pro–social involvement (%)	65.3	53.6	56.3	50.5		50.2	

CLARK COUNTY

Key Findings

Weakness

- 11th highest percentage of youth misusing prescription drugs
- 13th highest percentage of youth perceiving availability of drugs

Strengths

- 7th lowest percentage of youth using cigarettes
- 10th lowest percentage of youth with parental attitudes favorable to drug use

Consequences

County State

Substance–use related arrests per 1,000 population						
Under 18	0.2	2.1				
18–24	4.9	16.0				
25–29	13.7	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	21,469
Population under 18	4,165
Population 18–24	4,873
Population 25–29	1,238
Youth with a guardian currently in the military (%)	9.9


(%)

Past 30-day Youth Substance Use

■ County ■ State







CLARK COUNTY	****					Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE Past 30-day Youth alcohol use (%) 1	0.0	0.7	7.5	7.4		7.0	
Past 30–day Youth alcohol use (%) Past 30–day Youth cigarette use (%) 1	6.0 0.9	8.7 1.4	7.5 1.3	7.4 0.2		7.0 1.5	_
rast 50-day routh eigarette disc (70)							V
Past 30–day Youth chewing tobacco use (%) Past 30–day Youth marijuana use (%) 1	0.6	1.6	1.6	2.3		1.7	- \$
, , , ,	3.2	6.2	6.3	4.3		4.4	Y
Past 30–day Youth prescription drug use (%)	0.0	0.0	0.0	0.0		0.1	
r ast so-day routh prescription and use (70)	0.9	2.7	2.1	4.0		2.5	^
Past 30-day Youth vape use: flavoring only (%)	5.4	7.0	3.6	4.5		4.0	Ŷ
Past 30 day Youth yare year plactice (%)	1.6 5.7	4.6	4.7	3.4 7.2		4.1	
Past 30–day Youth vape use: nicotine (%) COMMUNITY	5.7	11.1	9.1	1.2		6.8	
Median Household Income ²	\$39,500	\$45,351	\$48,071				
Persons below poverty level (%)	20.9	20.0	20.3				
Unemployment rates (%)	5.9	4.7	4.5	4.4		3.3	
Uninsurance (%) ²	9.0	9.0	4.5	4.4		3.3	
Food Insecurity (%) ⁵	19.0	16.9					
BA/BS or higher among those 25 or older (%)	25.2	27.9	26.4				
Transitions and Mobility (%)	62.6	49.3	51.8	51.9		50.5	<u> </u>
Disconnected Youth measure ²	0.0	0.0	1.1	31.3		30.3	
Mental Health Center clients (per 1,000 population) 6	0.0	19.2	12.7				
Substance use treatment admissions (per 10,000 population) 6		29.7	11.6				
Beer, wine, and liquor stores (per 100,000 population) 7		158.4	158.4	153.7		74.2	<u> </u>
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	18.5	5.3	0.0		7.1	- Ş
Substance use–related arrests (per 1,000 population)	6.8	5.7	5.0	5.7		9.2	Š
Total crime index offenses (per 1,000 population)	6.3	5.2	5.1	6.2		8.5	V
Fatal crashes with drivers aged 18–29	0.5	J.Z	J. I	0.2		0.5	•
(per 100,000 population 18–29 years old) ¹⁰		81.8	16.4				
FAMILY		01.0	10.1				
Children living in foster care (per 1,000 population							
under 18 years of age) 6	10.6	10.9	12.5				
Poor family management (%) ¹	30.0	31.2	30.5	28.5		34.4	V
Family history of anti–social behavior (%)	25.1	30.6	28.4	28.1		25.9	À
Parental attitudes favorable toward drug use (%)	15.3	23.1	16.5	19.1		21.0	V
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	15.5	21.1	20.8	22.4		20.7	
Early initiation of drug use (%)	8.9	12.9	12.9	13.0		12.9	A
Perceived availability of drugs (%)	15.6	17.7	16.1	21.0		16.9	A
Low perceived risk of drug use (%) 1	45.4	50.8	48.5	49.2		47.5	A
Youth who perceive smoking one or more packs of					_		
cigarettes per day as "moderate" or "great risk" (%)	79.8	82.4	78.1	77.0		78.4	V
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	63.6	65.6	65.8	65.3		64.4	A
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	41.6	40.9	42.6	42.7		43.8	Y
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	79.0	82.1	78.7	77.8		78.0	V
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	65.0	66.2	65.1	67.4		68.8	Y
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	61.6	63.8	58.4	68.0		65.7	A
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	73.3	77.6	72.4	74.9		75.4	Y
SCHOOL							
High school dropouts (per 1,000) 11	8.0	2.0	1.0				
Low academic performance (%) 1	44.5	43.8	37.0	35.3		44.0	Y
Low commitment to school (%) 1	50.9	52.8	58.7	61.2		59.2	A
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	15.9	5.3	16.5				
School opportunities for pro–social involvement (%)	54.0	68.8	60.0	63.3		61.3	
School rewards for pro–social involvement (%)	47.4	51.3	48.5	51.2		50.2	A

CLAY COUNTY

Key Findings

Weakness

- 3rd and 4th highest percentage of youth using and vaping marijuana, respectively
- 4th highest percentage of youth initiating drug use before age 15
- 5th highest percentage of youth using heroin, misusing prescription drugs, or vaping nicotine
- 6th highest percentage of youth using alcohol or cigarettes

Strengths

• N/A

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	0.7	2.1				
18–24	7.8	16.0				
25-29	17 7	18 7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	14,537
Population under 18	3,038
Population 18–24	1,148
Population 25–29	849
Youth with a guardian currently in the military (%)	


(%)

Past 30-day Youth Substance Use

■ County ■ State







CLAY COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	ITERIA LIRE	2023	State
Past 30–day Youth alcohol use (%)	11.4	18.7	9.8	14.6		7.0	A
Past 30–day Youth cigarette use (%)	4.5	2.7	3.8	4.1		1.5	Â
Past 30–day Youth chewing tobacco use (%)	3.0	5.3	4.6	4.4		1.7	Â
Past 30–day Youth marijuana use (%)	4.0	6.8	3.0	8.7		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.0	0.8	0.3		0.1	Â
Past 30–day Youth prescription drug use (%)	3.0	2.9	1.5	4.8		2.5	Ā
Past 30-day Youth vape use: flavoring only (%)	6.0	8.5	7.5	7.2		4.0	A
Past 30-day Youth vape use: marijuana (%)	5.0	6.8	2.3	7.2		4.1	A
Past 30-day Youth vape use: nicotine (%)	9.5	18.2	16.5	15.7		6.8	A
COMMUNITY							
Median Household Income ²	\$37,933	\$39,817	\$44,685				
Persons below poverty level (%) 3	20.4	17.9	20.0				
Unemployment rates (%) ⁴	6.0	4.0	4.0	3.9		3.3	A
Uninsurance (%) ²	5.8	7.6					
Food Insecurity (%) ⁵	22.1	18.8					
BA/BS or higher among those 25 or older (%)	13.6	14.0	15.4				
Transitions and Mobility (%) 1	35.2	41.4	32.6	35.9		50.5	Y
Disconnected Youth measure 2	2.4	3.0	3.6				
Mental Health Center clients (per 1,000 population) Substance use treatment admissions (per 10,000 population) 6		33.8	29.0				
Substance use treatment aumissions (per 10,000 population)		13.6	6.2				
Beer, wine, and liquor stores (per 100,000 population) 7 Tobacco sales to minors (percent of failed tobacco checks)		0.0	0.0	0.0		74.2	X
Tobacco sales to militors (percent of falled tobacco checks)	0.0	11.9	3.1	0.0		7.1	- Ž
Substance use-related arrests (per 1,000 population)	9.6	8.3	6.2	6.9		9.2	- Ž
Total crime index offenses (per 1,000 population)	4.0	5.2	5.4	5.2		8.5	¥
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) 10		100.2	100.2				
FAMILY		100.2	100.2				
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	8.7	8.8	6.3				
Poor family management (%)	28.0	34.6	42.4	33.7		34.4	V
Family history of anti–social behavior (%)	29.8	34.8	36.4	37.5		25.9	À
Parental attitudes favorable toward drug use (%)	26.0	27.2	25.4	34.8		21.0	Ā
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	17.4	27.5	28.1	25.6		20.7	A
Early initiation of drug use (%)	15.0	18.4	14.8	20.8		12.9	A
Perceived availability of drugs (%)	17.9	19.2	28.6	19.8		16.9	A
Low perceived risk of drug use (%) 1	39.7	49.7	47.0	53.8		47.5	A
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	83.2	76.9	86.2	77.7		78.4	Y
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	64.8	54.5	59.3	61.4		64.4	V
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%) 1	54.0	47.0	41.2	36.0		43.8	Y
Youth who perceive trying prescription drugs once or					_		
twice puts a person at "moderate" or "great risk" (%)	87.5	80.4	82.0	77.4		78.0	Y
Youth who perceive using a vaping product like e-cigarettes,					_		
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	73.4	60.0	68.5	62.5		68.8	
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	68.8	58.0	63.6	61.9		65.7	Y
Youth who perceive regularly vaping an e-liquid with	70.0	07.4	77.6	70.0		75 .	
nicotine as "moderate" or "great risk" (%)	78.2	67.1	77.6	72.8		75.4	
SCHOOL High paper dramaute (pag 1 000) 11	4.0	0.0	0.0				
High school dropouts (per 1,000) 11	4.0	0.0	0.0	44.0		44.0	
Low academic performance (%) 1 Low commitment to school (%) 1	47.3	50.8	47.3	41.2		44.0	
High school substance infraction (per 1,000 population of	53.9	62.7	65.9	62.8		59.2	A
enrolled high school students) 11	26.5	1.5	3.1				
School opportunities for pro–social involvement (%)	56.5	56.0	57.1	62.8		61.3	
School rewards for pro–social involvement (%)	51.0	43.2	41.4	46.6		50.2	- Ş
	01.0	10.2	71.7	10.0		00.2	•

CLEBURNE COUNTY

Key Findings

Weakness

- 13th lowest percentage of youth perceiving moderate or great risk of drinking 1 or 2 alcoholic beverages once or twice daily
- 14th lowest percentage of youth perceiving moderate or great risk of trying prescription drugs once or twice

Strengths

- 1st lowest percentage of youth using alcohol, smokeless tobacco, or marijuana
- 1st lowest percentage of youth misusing prescription drugs or vaping marijuana

Consequences

County State

Substance-use related arrests						
per 1,000 population						
Under 18	2.5	2.1				
18–24	33.3	16.0				
25-29	28.2	18 7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	24,948
Population under 18	4,715
Population 18–24	1,622
Population 25–29	1,100
Youth with a guardian currently in the military (%)	


(%)

Past 30-day Youth Substance Use

■ County ■ State







CLEBURNE COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Treflu Line	2023	State
Past 30–day Youth alcohol use (%)	11.4	12.5	8.8	1.9		7.0	V
Past 30–day Youth cigarette use (%)	5.0	0.0	2.1	3.8		1.5	Ă
Past 30–day Youth chewing tobacco use (%)	5.0	4.0	3.2	0.0		1.7	Ŷ
Past 30–day Youth marijuana use (%)	8.7	0.0	4.0	0.0		4.4	Ť
Past 30–day Youth heroin use (%)	0.3	0.0	0.0	0.0		0.1	¥
Past 30–day Youth prescription drug use (%)	5.8	0.0	2.7	0.0		2.5	Ý
Past 30-day Youth vape use: flavoring only (%)	9.2	0.0	3.4	3.8		4.0	Ý
Past 30-day Youth vape use: marijuana (%)	6.4	0.0	3.4	0.0		4.1	Ÿ
Past 30-day Youth vape use: nicotine (%) 1	15.4	12.5	8.7	1.9		6.8	Ÿ
COMMUNITY							
Median Household Income ²	\$45,563	\$48,400	\$52,780				
Persons below poverty level (%) 3	14.3	16.7	13.0				
Unemployment rates (%) 4	7.6	4.6	4.2	3.7		3.3	A
Uninsurance (%) ²	7.6	7.0					
Food Insecurity (%) ⁵	19.1	16.1					
BA/BS or higher among those 25 or older (%) 2	16.7	17.0	17.2				
Transitions and Mobility (%) 1	47.0	29.2	47.6	29.2		50.5	Y
Disconnected Youth measure ²	2.3	3.2	1.9				
Mental Health Center clients (per 1,000 population) ⁶		27.3	18.0				
Substance use treatment admissions (per 10,000 population) ⁶		23.7	16.8				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	•	74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	0.0	0.0	0.0	•	7.1	¥
Substance use–related arrests (per 1,000 population) ⁹	7.6	10.3	8.5	10.5		9.2	A
Total crime index offenses (per 1,000 population) ⁹	5.9	6.5	6.7	7.1		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		0.0	36.7				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	17.7	17.8	14.0				
Poor family management (%) 1 Family history of anti-social behavior (%) 1	34.4	4.2	28.6	29.2		34.4	-
i army history of artif—social behavior (70)	41.7	25.0	24.7	24.5		25.9	—
Parental attitudes favorable toward drug use (%)	28.2	25.0	24.0	22.4		21.0	
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	20.4	0.0	45.7	40.0		00.7	Y
Teer attitudes lavorable to drug use (70)	26.1	8.0	15.7	13.0		20.7	V
Early initiation of drug use (%)	21.3	4.0	12.0	7.4		12.9	
Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	29.1 51.0	16.7 32.0	14.0 49.1	23.5 49.1		16.9 47.5	A
Youth who perceive smoking one or more packs of	51.0	32.0	49.1	49.1		47.5	^
cigarettes per day as "moderate" or "great risk" (%)	81.4	84.0	81.7	73.1		78.4	~
Youth who perceive drinking one or two alcoholic beverages	01.4	04.0	01.7	75.1		70.4	_
nearly every day as "moderate" or "great risk" (%)	58.7	72.0	58.4	56.9		64.4	V
Youth who perceive trying marijuana once or twice	30.7	72.0	30.4	50.5		04.4	•
as "moderate" or "great risk" (%)	45.0	48.0	47.0	48.0		43.8	A
Youth who perceive trying prescription drugs once or	40.0	40.0	47.0	40.0		40.0	
twice puts a person at "moderate" or "great risk" (%)	84.2	88.0	80.3	72.5		78.0	Y
Youth who perceive using a vaping product like e-cigarettes,	01.2	00.0	00.0	72.0		70.0	•
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	66.5	72.0	71.2	63.5		68.8	Y
Youth who perceive occasionally vaping an e-liquid with	00.0	72.0	, , , _	00.0		00.0	
nicotine as "moderate" or "great risk" (%)	61.2	62.5	66.3	62.7		65.7	Y
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	74.2	83.3	75.6	70.6		75.4	Y
SCHOOL							
High school dropouts (per 1,000) 11	6.0	0.0	0.0				
Low academic performance (%) ¹	56.4	36.0	44.8	31.5		44.0	Y
Low commitment to school (%)	51.3	60.0	51.6	50.0		59.2	Ý
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	29.9	8.7	9.4				
School opportunities for pro–social involvement (%)	61.3	72.0	65.5	66.7		61.3	A
School rewards for pro–social involvement (%)	48.5	60.0	63.3	72.2		50.2	A
, ,							

CLEVELAND COUNTY

Key Findings

Weakness

 N/A based on limited data available

Strengths

 1st lowest rate of substance-related arrests

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	0.0	2.1				
18–24	0.0	16.0				
25–29	0.0	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	7,548
Population under 18	1,555
Population 18–24	581
Population 25–29	357
Youth with a guardian currently in the military (%)	. NA

Past 30-day Youth Substance Use

■ County ■ State







CLEVELAND COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)		16.5	8.9			7.0	
Past 30-day Youth cigarette use (%)		3.7	2.9			1.5	
Past 30-day Youth chewing tobacco use (%)		2.8	3.0			1.7	
Past 30-day Youth marijuana use (%)		5.5	2.2			4.4	
Past 30–day Youth heroin use (%)		0.9	0.0			0.1	
Past 30–day Youth prescription drug use (%)		1.8	3.0			2.5	
Past 30-day Youth vape use: flavoring only (%)		11.9	1.5			4.0	
Past 30-day Youth vape use: marijuana (%)		3.7	1.5			4.1	
Past 30–day Youth vape use: nicotine (%)		18.3	9.0			6.8	
COMMUNITY							
Median Household Income ²	\$46,349	\$48,183	\$48,913				
Persons below poverty level (%) 3	14.7	14.1	15.1				
Unemployment rates (%)	6.1	4.0	3.9	3.2		3.3	
Uninsurance (%) ²	3.7	5.1					
Food Insecurity (%) 5	19.1	14.6					
BA/BS or higher among those 25 or older (%)	15.9	16.7	15.9				
Transitions and Mobility (%)		44.9	41.1			50.5	
Disconnected Youth measure ²	4.0	5.7	0.0				
Mental Health Center clients (per 1,000 population) 6		17.8	15.4				
Substance use treatment admissions (per 10,000 population) ⁶		19.7	9.3				
Beer, wine, and liquor stores (per 100,000 population) ⁷		39.8	39.8	39.8	-	74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) 8		25.0	0.0	0.0		7.1	V
Substance use-related arrests (per 1,000 population) 9	0.9	1.2	2.8	0.3		9.2	¥
Total crime index offenses (per 1,000 population)	1.1	1.6	2.3	0.9		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		213.2	213.2				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	3.3	3.8	4.5				
Poor family management (%) 1 Family history of anti-social behavior (%) 1		32.0	27.9			34.4	
raming mistory of anti–social behavior (70)		37.7	29.6			25.9	
Parental attitudes favorable toward drug use (%)		28.6	14.5			21.0	
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1							
Teer attitudes lavorable to urug use (70)		30.9	16.7			20.7	
Early initiation of drug use (%)		20.9	15.2			12.9	
Perceived availability of drugs (%)		18.5	12.5			16.9	
Low perceived risk of drug use (%)		55.0	49.3			47.5	
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)		82.1	71.0			78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)		54.3	62.3			64.4	
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)		39.0	43.4			43.8	
Youth who perceive trying prescription drugs once or					_		
twice puts a person at "moderate" or "great risk" (%)		84.8	76.0			78.0	
Youth who perceive using a vaping product like e-cigarettes,					_		
e-cigars, and e-hookahs as "moderate" or "great risk" (%)		57.7	63.6			68.8	
Youth who perceive occasionally vaping an e-liquid with					_		
nicotine as "moderate" or "great risk" (%)		57.0	59.2			65.7	
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)		70.3	70.1			75.4	
SCHOOL	5.0	0.0	0.0				
High school dropouts (per 1,000) ¹¹	5.0	0.0	0.0			4	
Low academic performance (%) 1		52.7	40.1			44.0	
Low commitment to school (%) 1		58.2	54.3			59.2	
High school substance infraction (per 1,000 population of							
enrolled high school students) School apportunities for pro-social involvement (%)	14.3	0.0	6.9				
Consol apportunities for pro-social involvement (78)		55.5	47.8			61.3	
School rewards for pro–social involvement (%)		56.4	46.4			50.2	

COLUMBIA COUNTY

Key Findings

Weakness

18th highest unemployment rate

Strengths

 N/A based on limited data available

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	2.1	2.1				
18–24	11.7	16.0				
2F 20	10.4	40.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	22,707
Population under 18	4,768
Population 18–24	3,747
Population 25–29	1,730
Youth with a guardian currently in the military (%)	NA

Past 30-day Youth Substance Use

■ County ■ State







COLUMBIA COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)		13.7	5.4			7.0	
Past 30–day Youth cigarette use (%)		1.1	1.8			1.5	
Past 30-day Youth chewing tobacco use (%)		3.0	2.2			1.7	
Past 30-day Youth marijuana use (%)		3.0	2.5			4.4	
Past 30–day Youth heroin use (%)		0.4	0.0			0.1	
Past 30-day Youth prescription drug use (%)		3.7	2.9			2.5	
Past 30-day Youth vape use: flavoring only (%)		5.6	4.7			4.0	
Past 30-day Youth vape use: marijuana (%)		1.9	1.1			4.1	
Past 30-day Youth vape use: nicotine (%)		13.8	6.2			6.8	
COMMUNITY							
Median Household Income 2	\$37,609	\$41,115	\$47,441				
Persons below poverty level (%) 3	24.3	23.2	22.2				
Unemployment rates (%)	6.8	5.3	4.4	4.0		3.3	
Uninsurance (%) ²	7.3	6.9					
Food Insecurity (%) 5	20.1	17.4					
BA/BS or higher among those 25 or older (%)	20.5	20.2	19.0				
Transitions and Mobility (%)		33.1	41.8			50.5	
Disconnected Youth measure ²	0.0	1.0	1.5				
Mental Health Center clients (per 1,000 population) 6		28.1	33.0				
Substance use treatment admissions (per 10,000 population) ⁶		27.5	18.5				
Beer, wine, and liquor stores (per 100,000 population) ⁷		118.9	132.1	136.5		74.2	
Tobacco sales to minors (percent of failed tobacco checks) 8		23.5	12.9	0.0		7.1	¥
Substance use–related arrests (per 1,000 population)	9.5	7.8	6.9	7.0		9.2	¥
Total crime index offenses (per 1,000 population)	10.1	6.4	10.1	10.4		8.5	A
Fatal crashes with drivers aged 18–29					_		
(per 100,000 population 18–29 years old) 10		54.8	91.3				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	7.8	8.1	9.9				
Poor family management (%)		22.9	18.2			34.4	
Family history of anti–social behavior (%)		25.8	25.4			25.9	
Parental attitudes favorable toward drug use (%)		20.6	19.4			21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)		18.8	16.3			20.7	
Early initiation of drug use (%)		15.2	8.9			12.9	
Perceived availability of drugs (%)		15.6	12.9			16.9	
Low perceived risk of drug use (%)		40.2	44.3			47.5	
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)		85.5	82.1			78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)		67.7	62.4			64.4	
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)		54.2	48.7			43.8	
Youth who perceive trying prescription drugs once or					_		
twice puts a person at "moderate" or "great risk" (%)		84.6	81.6			78.0	
Youth who perceive using a vaping product like e-cigarettes,					_		
e-cigars, and e-hookahs as "moderate" or "great risk" (%)		73.5	68.9			68.8	
Youth who perceive occasionally vaping an e-liquid with					_		
nicotine as "moderate" or "great risk" (%)		66.5	67.3			65.7	
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)		79.8	79.8		-	75.4	
SCHOOL							
High school dropouts (per 1,000) ¹¹	8.0	1.9	2.0				
Low academic performance (%)		44.9	42.7			44.0	
Low commitment to school (%) 1		41.1	47.0			59.2	
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	8.2	6.5	9.0				
School opportunities for pro–social involvement (%)		72.1	69.8			61.3	
School rewards for pro-social involvement (%)		65.9	70.7			50.2	

CONWAY COUNTY

Key Findings

Weakness

- 4th rate of substance-related arrests
- 12th highest percentage of youth with parental attitudes favorable to drug use
- · 15th highest percentage of youth initiating drug use before age 15

Strengths

 20th lowest percentage of youth misusing prescription drugs

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	0.4	2.1				
18–24	24.1	16.0				
25-29	33.9	18 7				


Rate of all-cause crashes with fatalities with drivers aged 18-29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	20,782
Population under 18	4,676
Population 18–24	1,621
Population 25–29	1,210
Youth with a guardian currently in the military (%)	13.4


(%)

Past 30-day Youth Substance Use

■ County ■ State







CONWAY COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	rrena Line	2023	State
Past 30–day Youth alcohol use (%)	13.6	8.8	9.6	9.5		7.0	A
Past 30–day Youth cigarette use (%)	4.6	2.3	0.6	2.1		1.5	Â
Past 30–day Youth chewing tobacco use (%)	5.3	1.7	1.3	2.1		1.7	Â
Past 30–day Youth marijuana use (%)	7.8	4.8	4.5	5.0		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.4	0.0	0.0		0.1	Ŷ
Past 30–day Youth prescription drug use (%)	2.6	4.2	3.4	2.1		2.5	Ť
Past 30–day Youth vape use: flavoring only (%)	8.7	8.3	5.6	5.5		4.0	× ×
Past 30–day Youth vape use: marijuana (%)	6.8	4.0	4.1	5.0		4.1	Â
Past 30–day Youth vape use: nicotine (%)	14.1	10.8	9.4	8.5		6.8	Â
COMMUNITY	14.1	10.0	5.4	0.5		0.0	
Median Household Income ²	\$44,456	\$45,812	\$50,282				
Persons below poverty level (%)	19.8	16.9	18.0				
Unemployment rates (%) 4	6.0	4.2	3.7	3.5		3.3	A
Uninsurance (%) ²	5.7	6.5	0.7	0.0		0.0	
Food Insecurity (%) ⁵	20.2	18.0					
BA/BS or higher among those 25 or older (%)	17.7	18.7	19.1				
Transitions and Mobility (%)	47.2	44.9	53.1	48.9		50.5	V
Disconnected Youth measure ²	1.7	2.0	0.1			22.0	
Mental Health Center clients (per 1,000 population) 6		48.5	44.8				
Substance use treatment admissions (per 10,000 population) 6		32.9	17.3				
Beer, wine, and liquor stores (per 100,000 population) ⁷		120.3	125.1	125.1		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8	2.7	13.7	6.5	0.0		7.1	$\sim \hat{\forall}$
Substance use–related arrests (per 1,000 population)	13.5	16.0	13.5	16.6		9.2	À
Total crime index offenses (per 1,000 population)	9.5	8.6	9.3	6.4		8.5	Ŷ
Fatal crashes with drivers aged 18–29	0.0	0.0	0.0	0		0.0	
(per 100,000 population 18–29 years old) ¹⁰		35.3	35.3		•—•		
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	23.2	23.7	20.1				
Poor family management (%) 1	32.3	33.7	34.6	32.8		34.4	Y
Family history of anti–social behavior (%)	33.8	32.7	29.2	27.3		25.9	A
Parental attitudes favorable toward drug use (%)	28.9	24.8	20.9	26.8		21.0	A
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	24.3	27.4	22.8	21.1		20.7	A
Early initiation of drug use (%)	17.6	20.2	14.1	17.2		12.9	A
Perceived availability of drugs (%)	20.8	20.6	19.3	20.3		16.9	A
Low perceived risk of drug use (%) 1	48.3	53.8	51.9	51.9		47.5	A
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	81.0	77.8	80.4	78.6		78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	61.6	61.3	61.7	63.3		64.4	V
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	44.3	37.6	43.0	42.5		43.8	Y
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	80.7	77.5	80.7	80.5		78.0	A
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	67.2	58.7	64.3	71.0		68.8	A
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	62.9	55.0	61.5	65.5		65.7	Y
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	75.5	68.2	73.0	76.2		75.4	A
SCHOOL							
High school dropouts (per 1,000) 11	7.0	3.0	3.0				
Low academic performance (%) 1	37.8	45.4	43.9	43.3		44.0	Y
Low commitment to school (%) 1	47.5	57.8	60.0	58.7		59.2	V
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	2.8	3.0	9.3				
School opportunities for pro–social involvement (%)	57.0	55.5	58.4	59.8		61.3	Y
School rewards for pro–social involvement (%)	48.2	49.6	46.6	45.5		50.2	Ÿ
, , , , , , ,							

CRAIGHEAD COUNTY

Key Findings

Weakness

- 3rd highest rate of substance-related arrests
- 14th highest percentage of youth using heroin

Strengths

- 5th lowest unemployment rate
- · 13th lowest rate of academic failure
- 18th lowest percentage of youth using cigarettes

Consequences

■ County ■ State

Substance–use related arrests per 1,000 population						
Under 18	2.0	2.1				
18–24	29.6	16.0				
25–29	29.8	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000




Demographics





Total Population	111,038
Population under 18	27,648
Population 18–24	
Population 25–29	8,435
Youth with a guardian currently in the military (%)	8.9

Past 30-day Youth Substance Use

■ County ■ State







CD ALCULEAD COUNTY						Automone	V-
CRAIGHEAD COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	LULL	2023	TICHU LINC	2025	Otate
Past 30–day Youth alcohol use (%)	7.8	9.6	8.0	6.7		7.0	V
Past 30–day Youth cigarette use (%)	1.2	1.7	1.4	1.1		1.5	Ť
Past 30–day Youth chewing tobacco use (%)	1.2	1.6	1.4	1.6		1.7	Ť
Past 30–day Youth marijuana use (%)	4.6	4.8	4.7	4.4		4.4	=
Past 30–day Youth heroin use (%)	0.0	0.2	0.1	0.1		0.1	
Past 30–day Youth prescription drug use (%)	2.2	2.5	3.3	3.0		2.5	
Past 30-day Youth vape use: flavoring only (%)	3.8	4.1	4.0	5.1		4.0	Â
Past 30-day Youth vape use: marijuana (%)	2.9	4.0	4.2	4.2		4.1	Ā
Past 30-day Youth vape use: nicotine (%)	8.0	9.3	8.1	7.6		6.8	A
COMMUNITY							
Median Household Income ²	\$49,730	\$51,788	\$55,169				
Persons below poverty level (%) ³	17.7	18.2	17.1				
Unemployment rates (%) 4	5.3	3.3	2.8	2.5		3.3	Y
Uninsurance (%) ²	8.6	8.1					
Food Insecurity (%) 5	18.3	16.0					
BA/BS or higher among those 25 or older (%) ²	27.1	28.9	28.2				
Transitions and Mobility (%) 1	51.5	50.7	49.6	50.9		50.5	A
Disconnected Youth measure ²	2.4	2.0	1.6				
Mental Health Center clients (per 1,000 population) ⁶		37.0	33.7				
Substance use treatment admissions (per 10,000 population) ⁶		37.3	25.2				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	•	74.2	\forall
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	7.6	6.4	0.0		7.1	\forall
Substance use–related arrests (per 1,000 population) ⁹	16.1	20.8	18.7	17.8		9.2	A
Total crime index offenses (per 1,000 population) ⁹	10.5	10.1	11.0	11.2		8.5	
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		43.6	77.5				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	5.6	5.4	5.9				
Poor family management (%)	26.9	31.8	31.9	33.1		34.4	
Family history of anti–social behavior (%)	27.2	25.3	25.4	26.6		25.9	
Parental attitudes favorable toward drug use (%)	18.7	19.1	20.8	22.2		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	19.0	23.6	22.3	22.8		20.7	
Early initiation of drug use (%)	11.9	12.8	12.3	12.5		12.9	¥
Perceived availability of drugs (%)	18.1	17.9	17.6	16.4		16.9	¥
Low perceived risk of drug use (%) 1	46.8	48.2	48.8	47.8		47.5	_
Youth who perceive smoking one or more packs of	00.5	00.0	00.4	70.5		70.4	
cigarettes per day as "moderate" or "great risk" (%)	80.5	80.8	80.1	79.5		78.4	A
Youth who perceive drinking one or two alcoholic beverages	05.0	00.0	00.0	64.4		04.4	
nearly every day as "moderate" or "great risk" (%)	65.3	62.6	62.8	64.4		64.4	=
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1	40.0	40.0	44.7	44.5		40.0	
	43.8	43.2	41.7	44.5		43.8	A
Youth who perceive trying prescription drugs once or	00.4	70.0	70.0	77.0	-	70.0	
twice puts a person at "moderate" or "great risk" (%)	80.1	79.8	78.3	77.8		78.0	V
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	67.7	CE 4	CE C	67.0		60.0	_
Youth who perceive occasionally vaping an e-liquid with	67.7	65.4	65.6	67.8		68.8	Y
nicotine as "moderate" or "great risk" (%)	63.4	62.7	63.2	65.9		65.7	A
	03.4	02.7	03.2	05.9		03.7	
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	75.8	74.5	75.7	75.3		75.4	Y
SCHOOL	7 3.0	77.0	10.1	70.0		7 3.4	
High school dropouts (per 1,000) 11	6.0	1.0	1.0		_		
Low academic performance (%)	44.3	41.1	42.4	39.6		44.0	
Low commitment to school (%)	48.6	55.1	57.2	59.7		59.2	× A
High school substance infraction (per 1,000 population of	70.0	55.1	01 .Z	00.1		00.Z	
enrolled high school students) 11	8.3	5.0	14.6				
School opportunities for pro–social involvement (%)	65.4	65.9	65.4	66.0		61.3	<u> </u>
School rewards for pro–social involvement (%)	59.1	53.8	52.7	53.7		50.2	Â
2.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	30.1	55.5	J	JJ.1		00. <u>L</u>	~

CRAWFORD COUNTY

Key Findings

Weakness

 N/A based on limited data available

Strengths

 22nd lowest unemployment rate

Consequences

■ County ■ State

Substance-use related arrests					
per 1,000 population					
Under 18	2.4	2.1			
18–24	11.3	16.0			
25_29	17.0	18 7			


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	60,593
Population under 18	14,542
Population 18–24	4,969
Population 25–29	3,657
Youth with a guardian currently in the military (%)	NA

Past 30-day Youth Substance Use

■ County ■ State







Search S	CRAWFORD COUNTY						Arkansas	Vs.
Substance Subs		2020	2021	2022	2023	Trend Line		
Past 30-day Youth alcohol use								O IIII O
Past 30-day Youth cigarette use (%)		9.7	7.7	10.9			7.0	
Plast 30-day Youth Intervine tobacco use (%) 5.4 3.0 3.7 1.7	, , ,							
Plast 30-day Youth marquian use (%)	, , , , , , , , , , , , , , , , , , , ,		3.0					
Plast 30-day Youth beroin use (%)								
Past 30-day Youth prescription droy use (%)								
Past 30-day Youth vape use: marriagnam (%) 2.7 10.6 3.1 4.1 4.1	* * * * * * * * * * * * * * * * * * * *	1.8	1.0	4.5			2.5	
Past 30-day Youth vape user incotine (%)		8.8	4.8	4.5			4.0	
Median Household Income S48,800 S62,057 S68,702	Past 30-day Youth vape use: marijuana (%)	2.7	10.6	9.1			4.1	
Median Household Income	Past 30-day Youth vape use: nicotine (%)	10.6	14.4	20.9			6.8	
Persons below poverty level (%) 3 17.8 14.7 16.1	COMMUNITY							
Unemplyment rates (%)	Median Household Income ²	\$48,980	\$52,057	\$56,702				
Uninsurance (%) 2	Persons below poverty level (%) 3	17.8	14.7	16.1				
Food Insecurity (%) 18,7	Unemployment rates (%) 4	5.4	3.6	3.2	3.2		3.3	\
BABS or higher among those 25 or older (%) 2 18,2 19,1 20,3 — Transitions and Mobility (%) 1 45,1 57,1 46,3 50,5 — Disconnected Youth measure 2 0,9 1,1 2,2 — Martial Health Centrer clients (per 1,000 population) 4,41,1 18,3 — Substance use treatment admissions (per 10,000 population) 7 0,0 0,0 0,0 0,0 74,2 — Beer, wine, and liquor stores (per 10,000 population) 8 7,9 8,6 6,9 6,3 9,2 — Youth critical results (per 1,000 population) 9 7,9 8,6 6,9 6,3 9,2 — Youth critical results (per 1,000 population) 9 7,9 8,6 6,9 6,3 9,2 — Youth critical results (per 1,000 population) 9 6,2 6,4 5,7 5,8 8,5 — Youth critical results (per 1,000 population) 9 6,2 6,4 5,7 5,8 8,5 — Youth who perceive using and 19-29 (per 1,000 population) 9 7,9 8,6 6,9 6,3 9,2 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 5,7 5,8 9,8 8,5 — Youth results (per 1,000 population) 9 7,9 8,6 6,4 8,7 9 7,9 8,6 8,9 9,9 9,8 9,9 9,9 9,9 9,9 9,9 9,9 9,9	Uninsurance (%) ²	8.4	8.8					
Transitions and Mobility (%)	Food Insecurity (%) ⁵	18.7	15.9					
Disconnected Youth measure 2	BA/BS or higher among those 25 or older (%) ²	18.2	19.1	20.3				
Mential Health Center clients (per 1,000 population)	• • •	45.1	57.1	46.3			50.5	
Substance use treatment admissions (ser 10,000) oppulation) Beer, wine, and liquor stores (per 100,000) oppulation) Peer, wine, and liquor stores (per 100,000) oppulation) Peer, wine, and liquor stores (per 10,000) oppulation) Possible of the period		0.9	1.1					
Selection Sele	Wertai Fleatif Center cherits (per 1,000 population)							
Tobacco sales to minors (percent of failed tobacco checks) 13.0 6.7 15.0 0.0 7.1 V	Substance use treatment aumissions (per 10,000 population)							
Substance use-related arrests (per 1.000 population)								
Total ciraine index offenses (per 1,000 population) 9 6.2 6.4 5.7 5.8 8.5 ▼ Fatal cirashes with drivers aged 18-29 (see 10,000 population) 9 46.4 23.2	Tobacco sales to militors (percent of falled tobacco checks)							
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) 10								
PAMILY Standard	* ' ' '	6.2	6.4	5.7	5.8		8.5	•
FAMILY Children Invige in foster care (per 1,000 population under 18 years of age) 6								
Children living in foster care (per 1,000 population under 18 years of age)	(per 100,000 population 10 20 years old)		46.4	23.2				
Section Sect								
Poor family management (%)		0.4	0.4	0.7				
Family history of anti-social behavior (%)							24.4	
Parental attitudes favorable toward drug use (%)								
Peer attitudes favorable to drug use (%)								
Peer attitudes favorable to drug use (%) 1 20.0 20.0 20.5 25.0 20.7 — Early initiation of drug use (%) 1 18.4 26.7 25.0 12.9 — Perceived availability of drugs (%) 1 14.2 19.8 23.4 16.9 — Low perceived risk of drug use (%) 1 57.9 49.0 55.9 47.5 — Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 78.4 81.4 77.8 78.4 78.4 — Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 52.8 67.6 57.8 64.4 — Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 32.7 39.8 33.7 43.8 — Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 80.6 81.8 75.9 78.0 — Youth who perceive using a vaping product like e-cigarettes, e-cigarets, and e-hookahs as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.6 77.8 74.3 75.4 — SUNDOLL High school dropouts (per 1,000) 11 70.0 0.1 0.1 — Low academic performance (%) 1 33.3 50.5 37.3 44.0 — Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 popu		21.2	27.0	10.7			21.0	
Early initiation of drug use (%) 1 18.4 26.7 25.0 12.9 — Perceived availability of drugs (%) 1 14.2 19.8 23.4 16.9 — Perceived risk of drug use (%) 1 57.9 49.0 55.9 47.5 — Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 78.4 81.4 77.8 78.4 78.4 — Youth who perceive drinking one or two alcoholic beverages rearly every day as "moderate" or "great risk" (%) 1 52.8 67.6 57.8 67.6 57.8 64.4 — Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 32.7 39.8 33.7 43.8 — Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 80.6 81.8 75.9 78.0 — Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.6 77.8 74.3 75.4 — SCHOOL Low academic performance (%) 1 33.3 50.5 37.3 44.0 — Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school dropouts (per 1,000) 11 50.1 50.2 — Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) 11 60.3 63.8 67.9 61.3 — School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9		20.0	20.0	20.5			20.7	
Perceived availability of drugs (%) 1 14.2 19.8 23.4 16.9 — Low perceived risk of drug use (%) 1 57.9 49.0 55.9 47.5 — Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 78.4 81.4 77.8 78.4 78.4 — Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 52.8 67.6 57.8 64.4 — Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 32.7 39.8 33.7 43.8 — Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 80.6 81.8 75.9 78.0 — Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 65.1 72.5 69.4 68.8 — Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — Youth who perceive rigeral risk" (%) 1 70.0 1 0.1 75.4 — SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 75.4 — Low academic performance (%) 1 33.3 50.5 37.3 44.0 — Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) 11 60.3 63.8 67.9 61.3 — School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9								
Low perceived risk of drug use (%) 1 57.9 49.0 55.9 47.5 — Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 78.4 81.4 77.8 78.4 — Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 52.8 67.6 57.8 64.4 — Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 32.7 39.8 33.7 43.8 — Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 80.6 81.8 75.9 78.0 — Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 7.0 0.1 0.1 7.4 — SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 — Low academic performance (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) 11 26.9 14.8 28.1 — School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9 61.3 —								
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 78.4 81.4 77.8 78.4 78.4 78.4 78.4 78.4 78.4 78								
Transmission Tran	, , ,	07.0	40.0	00.0			47.0	
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 52.8 67.6 57.8 64.4 — Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 32.7 39.8 33.7 43.8 — Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 80.6 81.8 75.9 78.0 — Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 65.1 72.5 69.4 68.8 — Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — SCHOOL 4 67.6 77.8 74.3 75.4 — SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 — Low commitment to school (%) 1 33.3 50.5 37.3 44.0 — High school substance infraction (per 1,000 population of enrolled high school students) 1 26.9 14.8 28.1 — School opportunities for pr	The state of the s	78 4	81 4	77.8			78 4	
nearly every day as "moderate" or "great risk" (%)			•				70.1	
Youth who perceive trying marijuana once or twice 32.7 39.8 33.7 43.8 — Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 80.6 81.8 75.9 78.0 — Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 65.1 72.5 69.4 68.8 — Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.6 77.8 74.3 75.4 — SCHOOL High school dropouts (per 1,000) ¹¹ 7.0 0.1 0.1 — Low cademic performance (%) 1 33.3 50.5 37.3 44.0 — Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) 1 60.3 63.8 67.9 61.3 —	, ,	52.8	67.6	57.8			64.4	
as "moderate" or "great risk" (%) 1 32.7 39.8 33.7 43.8 — Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 80.6 81.8 75.9 78.0 — Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 65.1 72.5 69.4 68.8 — Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.6 77.8 74.3 75.4 — SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 75.4 — Low academic performance (%) 1 33.3 50.5 37.3 44.0 — Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) 11 26.9 14.8 28.1 — School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9 61.3 —								
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 80.6 81.8 75.9 78.0 — Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 65.1 72.5 69.4 68.8 — Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 — Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.6 77.8 74.3 75.4 — SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 — Low academic performance (%) 1 33.3 50.5 37.3 44.0 — Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) 1 26.9 14.8 28.1 — School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9 61.3 —	, , , , ,	32.7	39.8	33.7			43.8	
twice puts a person at "moderate" or "great risk" (%)								
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 65.1 72.5 69.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.6 77.8 74.3 75.4 SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 Low academic performance (%) 1 33.3 50.5 37.3 44.0 Low commitment to school (%) 1 43.6 52.9 53.6 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 11 26.9 14.8 28.1 School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9 61.3		80.6	81.8	75.9			78.0	
e-cigars, and e-hookahs as "moderate" or "great risk" (%)						_		
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.9 70.3 59.8 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.6 77.8 74.3 75.4 SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 Low academic performance (%) 1 33.3 50.5 37.3 44.0 Low commitment to school (%) 1 43.6 52.9 53.6 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 11 26.9 14.8 28.1 School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9 61.3		65.1	72.5	69.4			68.8	
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 67.6 77.8 74.3 75.4 SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 Low academic performance (%) 1 33.3 50.5 37.3 44.0 Low commitment to school (%) 1 43.6 52.9 53.6 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 26.9 14.8 28.1 School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9 61.3	Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%) 1 67.6 77.8 74.3 75.4 SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 Low academic performance (%) 1 33.3 50.5 37.3 44.0 Low commitment to school (%) 1 43.6 52.9 53.6 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 11 26.9 14.8 28.1 School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9 61.3	nicotine as "moderate" or "great risk" (%)	58.9	70.3	59.8			65.7	
SCHOOL High school dropouts (per 1,000) 11 7.0 0.1 0.1 — Low academic performance (%) 1	Youth who perceive regularly vaping an e-liquid with							
High school dropouts (per 1,000) 11 7.0 0.1 0.1 — Low academic performance (%) 1 33.3 50.5 37.3 44.0 — Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) 11 26.9 14.8 28.1 — School opportunities for pro–social involvement (%) 1 60.3 63.8 67.9 61.3 —	nicotine as "moderate" or "great risk" (%)	67.6	77.8	74.3			75.4	
Low academic performance (%) 1 33.3 50.5 37.3 44.0 — Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) 11 26.9 14.8 28.1 — School opportunities for pro–social involvement (%) 1 60.3 63.8 67.9 61.3 —	SCHOOL							
Low commitment to school (%) 1 43.6 52.9 53.6 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) 11 26.9 14.8 28.1 — School opportunities for pro–social involvement (%) 1 60.3 63.8 67.9 61.3 —	High school dropouts (per 1,000) 11	7.0	0.1	0.1				
High school substance infraction (per 1,000 population of enrolled high school students) 11 26.9 14.8 28.1 — School opportunities for pro-social involvement (%) 1 60.3 63.8 67.9 61.3 —	Low academic performance (%) 1	33.3	50.5	37.3			44.0	
enrolled high school students) 11 26.9 14.8 28.1 ——School opportunities for pro–social involvement (%) 1 60.3 63.8 67.9 61.3 ——	Low commitment to school (%) 1	43.6	52.9	53.6			59.2	
School opportunities for pro–social involvement (%) 1 60.3 63.8 67.9 61.3 —								
30.00 opportunities for pro-social involvement (%) 00.5 05.0 07.9	official right scriper stadents)	26.9	14.8	28.1				
School rewards for pro–social involvement (%) 1 65.8 65.4 50.5 50.2	School opportunities for pro-social involvement (%)	60.3	63.8	67.9			61.3	
	School rewards for pro–social involvement (%)	65.8	65.4	50.5			50.2	

CRITTENDEN COUNTY

Key Findings

Weakness

• 5th highest percentage of youth perceiving low risk of drug use

Strengths

- 1st lowest percentage of youth with parental attitudes favorable to drug use
- 1st lowest percentage of youth using smokeless tobacco, cigarettes, or marijuana
- 3rd lowest percentage of youth using alcohol

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	1.9	2.1				
18–24	23.4	16.0				
25–29	29.5	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	47,945
Population under 18	12,993
Population 18–24	4,363
Population 25–29	3,188
Youth with a guardian currently in the military (%)	10.3

Past 30-day Youth Substance Use

■ County ■ State







CRITTENDEN COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	3.1	0.0	0.0	2.4		7.0	¥_
Past 30–day Youth cigarette use (%) Past 30–day Youth chewing tobacco use (%)	4.3	0.0	0.0	0.0		1.5	X
rast so-day routin chewing tobacco use (70)	1.4	0.0	0.0	0.0		1.7	
Past 30–day Youth marijuana use (%)	1.5	0.0	0.0	0.0		4.4	- Ž
Past 30–day Youth prescription drug use (%)	0.0	0.0	0.0	0.0		0.1	
rast so-day routil prescription drug use (70)	0.0	0.0	0.0	2.4		2.5	- Ž
Past 30–day Youth vape use: flavoring only (%)	0.0	0.0	3.7	0.0		4.0	-
Past 30–day Youth vape use: marijuana (%)	0.0	0.0	5.6	0.0		4.1	- Ž
Past 30–day Youth vape use: nicotine (%)	0.0	0.0	1.9	2.4		6.8	
COMMUNITY Median Household Income 2	040.004	040.450	054.000				
Wedan Floudenda Meeme	\$42,384	\$46,452	\$51,860				
Totalia below poverty level (70)	21.0	23.0	21.8	0.0		0.0	
Unemployment rates (%) 4	8.3	5.4	4.0	3.9		3.3	
Uninsurance (%) ²	8.0	8.8					
Food Insecurity (%) ⁵ BA/BS or higher among those 25 or older (%) ²	19.7	16.7	47.0				
Erved of higher among mode 20 of older (70)	17.4	17.5	17.6	40.4		50.5	
Transitions and Mobility (%) 1	32.3	30.4	46.7	18.4		50.5	V
Disconnected Youth measure Mental Health Center clients (per 1 000 population) 6	2.7	3.2	4.9				
Wertai Fleatif Center cherts (per 1,000 population)		37.0	32.8				
Substance use treatment aumissions (per 10,000 population)		117.7	138.3	400.5		740	
beer, wirie, and liquor stores (per 100,000 population)		141.8	133.5	133.5		74.2	_
robacco sales to minors (percent of failed tobacco checks)	0.0	17.3	3.8	0.0		7.1	
Substance use-related arrests (per 1,000 population)	24.7	19.0	16.3	13.1		9.2	
Total crime index offenses (per 1,000 population)	20.6	19.8	21.6	16.9		8.5	_
Fatal crashes with drivers aged 18–29 (per 100 000 population 18–29 years old)		40.0	00.0				
(per 100,000 population 18–29 years old) ¹⁰ FAMILY		13.2	66.2				
Children living in foster care (per 1,000 population under 18 years of age) ⁶	70	7.9	0 E				
Poor family management (%)	7.8 27.4	33.3	8.5 31.8	31.6		34.4	<u></u>
Family history of anti–social behavior (%)	22.2	8.3	18.8	20.5		25.9	- V
raminy mistory of anti-social behavior (70)	12.7	17.4		10.5			<u> </u>
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS	12.7	17.4	12.8	10.5		21.0	
Peer attitudes favorable to drug use (%)	8.2	12.9	13.8	22.7		20.7	A
Early initiation of drug use (%)	11.0	0.0	10.3	4.5			
Perceived availability of drugs (%)	11.1	0.0					
Low perceived risk of drug use (%)	11.1	12				12.9	Ŷ
Low perceived risk of drug use (76)	58.6	4.2	18.0	15.4		12.9 16.9	Ŷ
Vouth who perceive empling one or more peaks of	58.6	4.2 82.1				12.9	Ŷ A
Youth who perceive smoking one or more packs of		82.1	18.0 58.2	15.4 59.1		12.9 16.9 47.5	Š A
cigarettes per day as "moderate" or "great risk" (%)	58.6 50.7		18.0	15.4		12.9 16.9	*
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	50.7	82.1 25.9	18.0 58.2 44.9	15.4 59.1 61.9		12.9 16.9 47.5 78.4	* * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1		82.1	18.0 58.2	15.4 59.1		12.9 16.9 47.5	*
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	50.7 47.8	82.1 25.9 33.3	18.0 58.2 44.9 43.8	15.4 59.1 61.9 58.1		12.9 16.9 47.5 78.4	*
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	50.7	82.1 25.9	18.0 58.2 44.9	15.4 59.1 61.9		12.9 16.9 47.5 78.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	50.7 47.8 30.2	82.1 25.9 33.3 22.2	18.0 58.2 44.9 43.8 39.1	15.4 59.1 61.9 58.1 31.0		12.9 16.9 47.5 78.4 64.4 43.8	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	50.7 47.8	82.1 25.9 33.3	18.0 58.2 44.9 43.8	15.4 59.1 61.9 58.1		12.9 16.9 47.5 78.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	50.7 47.8 30.2 53.0	82.1 25.9 33.3 22.2 33.3	18.0 58.2 44.9 43.8 39.1 50.0	15.4 59.1 61.9 58.1 31.0		12.9 16.9 47.5 78.4 64.4 43.8 78.0	Y A Y Y Y Y Y Y Y Y Y Y
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	50.7 47.8 30.2	82.1 25.9 33.3 22.2	18.0 58.2 44.9 43.8 39.1	15.4 59.1 61.9 58.1 31.0		12.9 16.9 47.5 78.4 64.4 43.8	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	50.7 47.8 30.2 53.0 46.2	82.1 25.9 33.3 22.2 33.3 25.9	18.0 58.2 44.9 43.8 39.1 50.0	15.4 59.1 61.9 58.1 31.0 60.0 53.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	50.7 47.8 30.2 53.0	82.1 25.9 33.3 22.2 33.3	18.0 58.2 44.9 43.8 39.1 50.0	15.4 59.1 61.9 58.1 31.0		12.9 16.9 47.5 78.4 64.4 43.8 78.0	Y A Y Y Y Y Y Y Y Y Y Y
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	50.7 47.8 30.2 53.0 46.2 46.9	82.1 25.9 33.3 22.2 33.3 25.9 25.9	18.0 58.2 44.9 43.8 39.1 50.0 41.7	15.4 59.1 61.9 58.1 31.0 60.0 53.5 54.8		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	50.7 47.8 30.2 53.0 46.2	82.1 25.9 33.3 22.2 33.3 25.9	18.0 58.2 44.9 43.8 39.1 50.0	15.4 59.1 61.9 58.1 31.0 60.0 53.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	50.7 47.8 30.2 53.0 46.2 46.9 48.4	82.1 25.9 33.3 22.2 33.3 25.9 25.9 33.3	18.0 58.2 44.9 43.8 39.1 50.0 41.7 51.1	15.4 59.1 61.9 58.1 31.0 60.0 53.5 54.8		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	50.7 47.8 30.2 53.0 46.2 46.9 48.4	82.1 25.9 33.3 22.2 33.3 25.9 25.9 33.3	18.0 58.2 44.9 43.8 39.1 50.0 41.7 51.1 50.0	15.4 59.1 61.9 58.1 31.0 60.0 53.5 54.8 59.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low academic performance (%)	50.7 47.8 30.2 53.0 46.2 46.9 48.4 12.0 33.8	82.1 25.9 33.3 22.2 33.3 25.9 25.9 33.3	18.0 58.2 44.9 43.8 39.1 50.0 41.7 51.1 50.0 1.0 36.1	15.4 59.1 61.9 58.1 31.0 60.0 53.5 54.8 59.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) 1	50.7 47.8 30.2 53.0 46.2 46.9 48.4	82.1 25.9 33.3 22.2 33.3 25.9 25.9 33.3	18.0 58.2 44.9 43.8 39.1 50.0 41.7 51.1 50.0	15.4 59.1 61.9 58.1 31.0 60.0 53.5 54.8 59.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	50.7 47.8 30.2 53.0 46.2 46.9 48.4 12.0 33.8 43.8	82.1 25.9 33.3 22.2 33.3 25.9 25.9 33.3 1.0 31.3 48.5	18.0 58.2 44.9 43.8 39.1 50.0 41.7 51.1 50.0 1.0 36.1 39.7	15.4 59.1 61.9 58.1 31.0 60.0 53.5 54.8 59.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive rigularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	50.7 47.8 30.2 53.0 46.2 46.9 48.4 12.0 33.8 43.8	82.1 25.9 33.3 22.2 33.3 25.9 25.9 33.3 1.0 31.3 48.5	18.0 58.2 44.9 43.8 39.1 50.0 41.7 51.1 50.0 1.0 36.1 39.7 17.5	15.4 59.1 61.9 58.1 31.0 60.0 53.5 54.8 59.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low commitment to school (%) High school substance infraction (per 1,000 population of	50.7 47.8 30.2 53.0 46.2 46.9 48.4 12.0 33.8 43.8	82.1 25.9 33.3 22.2 33.3 25.9 25.9 33.3 1.0 31.3 48.5	18.0 58.2 44.9 43.8 39.1 50.0 41.7 51.1 50.0 1.0 36.1 39.7	15.4 59.1 61.9 58.1 31.0 60.0 53.5 54.8 59.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *

CROSS COUNTY

Key Findings

Weakness

- 12th highest percentage of youth perceiving low risk of drug use
- 14th highest percentage of youth misusing prescription drugs

Strengths

- 11th lowest percentage of youth using cigarettes
- 16th lowest percentage of youth initiating drug use before age 15
- 16th lowest percentage of youth vaping marijuana

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	0.2	2.1				
18–24	20.6	16.0				
25–29	20.4	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000




Demographics





Total Population	16,827
Population under 18	4,038
Population 18–24	1,212
Population 25–29	1,080
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







SUBSTANCE USE Past 30-day Youth alcohol use (%) 1	CROSS COUNTY						Arkansas	Vs.
Part 309a Youth Inched Leave (%)	Indicator	2020	2021	2022	2023	Trend Line	2023	State
Part 30	SUBSTANCE USE							
Past 30 - day Youth Chewing Debacou use (%) 3.5	Past 30-day Youth alcohol use (%)	9.3	7.5	7.8	7.1		7.0	A
See 150-047 Continue Conti	rast so-day routi eigerette use (70)	2.3	1.6	1.3	0.8		1.5	Y
Plact 30-day Youth Percention of Use (%) 27 1.9 27 3.7 2.5 A Plact 30-day Youth Varge use: Risporting coley (%) 8.3 5.6 6.5 5.2 4.0 A Plact 30-day Youth Varge use: Risporting coley (%) 8.3 5.6 6.5 5.2 4.0 A Plact 30-day Youth Varge use: Incidente (%) 8.3 5.6 6.5 5.2 4.0 A Plact 30-day Youth Varge use: Incidente (%) 8.3 5.6 6.5 5.2 4.0 A Plact 30-day Youth Varge use: Incidente (%) 8.3 5.6 6.5 7.3 6.8 A Plact 30-day Youth Varge use: Incidente (%) 9.1 7.2 16.7 8.9 6.7 3 6.8 A Plact 30-day Youth Varge use: Incidente (%) 9.1 7.2 16.7 8.9 6.7 3 8.4 1.2 Plact 30-day Youth Varge use: Incidente (%) 9.1 7.2 16.7 8.9 6.6 7.3 8.4 1.2 Plact 30-day Youth Varge use: Incidente (%) 9.1 7.2 16.7 8.9 6.6 7.3 8.4 1.2 Plact 30-day Youth Varge use: Incidente (%) 9.1 7.2 16.7 8.9 6.6 Plact 30-day Youth Varge use: Incidente (%) 9.1 7.2 16.7 8.9 6.6 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.6 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.6 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.6 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.8 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.8 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.1 16.1 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5 16.9 Plact 30-day Youth Varge use: Incidente (%) 9.1 8.4 16.5	Past 30-day Youth chewing tobacco use (%)	3.5	2.2	1.1	1.8		1.7	A
Part 30-day Youth prescription drug use (%)	Past 30-day Youth marijuana use (%) 1	4.6	4.4	4.4	4.2		4.4	V
Part 30 - day Youth vape user (Bisoring only (%) 83 5.6 6.5 5.2 4.0		0.2	0.0	0.2	0.3		0.1	A
Past 30-day Youth vage user inartipana (%) 1 3.9 4.0 4.0 3.1 4.1 V 3 4.1 V 3 4.2 C 3.1 C 3.1 V 3 4.2 C 3.1 C 3.1 V 3 4.2 V 3 5.2 V 3 5	Past 30-day Youth prescription drug use (%)	2.7	1.9	2.7	3.7		2.5	A
Packs 30-day. Youth vape user incolne (%) 11.5 7.8 8.6 7.3 6.8 COMMUNITY	Past 30-day Youth vape use: flavoring only (%) 1	8.3	5.6	6.5	5.2		4.0	A
Median Household Income	Past 30-day Youth vape use: marijuana (%)	3.9	4.0	4.0	3.1		4.1	
Median Household Income	Past 30-day Youth vape use: nicotine (%)	11.5	7.8	9.6	7.3		6.8	
Persons below poverly level (%) 17.2 16.7 21.9	·							
Dremployment rates (%)	Wedian Flousehold meonic		\$45,247					
Unissurance (%) 2	r crooks below poverty level (70)	17.2	16.7					
Food Insecurity (%) 5				3.7	3.2		3.3	
BABS or higher among those 25 or older (%) 2 14,7 14,1 15,1 15,1 15,1 15,1 15,1 15,1 15,1	. ,							
Transitions and Mobility (%) 1	• • •							
Disconnected Youth measure 2	DAVIDO OF HIGHER ATTIONS THOSE 23 OF OIGET (70)							
Mental Health Center clients (per 1,000 population) 6	, , ,				44.2		50.5	¥
Substance use treatment admissions (per 10,000 population) 8eer, wine, and liquor stores (per 100,000 population) 7 1486 1426 124.8 74.2 74.2 74.2 74.2 74.1 74.1 75.8 74.1 78.4 74.2 74.2 74.2 74.2 74.2 74.2 74.2 74		1.7						
Subsance user dealment authorsshors (per 100,000 population) 74.1 14.5 14.6 14.6 14.8 74.2 14.8 14.	Wertai Fleatif General (per 1,000 population)							
To Tobacco sales to minors (per cent of failed tobacco checks) 8.3 3.1 3.9 0.0 7.1 Visuation out the control of the control of failed tobacco checks) 8.3 3.1 3.9 0.0 7.1 Visuation out the control of failed tobacco checks) 8.5 Visuation out the control of failed tobacco checks) 8.5 Visuation out the control of failed tobacco checks) 8.5 Visuation out the control of failed tobacco checks of the control of failed tobacco checks of the control of failed to f	Substance use treatment admissions (per 10,000 population)							
Substance use-related arrests (per 1,000 population)	beer, wire, and inquer stores (per 100,000 population)							
10.3 10.3	Tobacco sales to minors (percent of failed tobacco checks)							V
Fatal crashes with drivers aged 18–29 (ger 100,000 population 18–29 years old) 19	Substance use-related arrests (per 1,000 population)							
Circle 10,000 population 18–29 years old 10		9.1	8.4	7.1	7.1		8.5	V
Children living in foster care (per 1,000 population under 18 years of age) 6	· · · · · · · · · · · · · · · · · · ·							
Children living in foster care (per 1,000 population under 18 years of age) 1 21.9 21.7 17.1 ———————————————————————————————	(per 100,000 population 10 25 years old)		43.6	0.0				
Under 18 years of age) Section								
Poor family management (%) 1								
Family history of anti–social behavior (%)								
Parental attitudes favorable toward drug use (%) 1 22.7 15.7 18.2 20.8 21.0 ▼ INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 25.1 25.4 20.4 22.2 2.0.7 A Early initiation of drug use (%) 1 18.5 13.9 13.0 12.3 12.9 ▼ Perceived availability of drugs (%) 1 19.7 20.7 17.8 18.7 16.9 A Low perceived risk of drug use (%) 1 19.7 20.7 17.8 18.7 16.9 A Low perceived risk of drug use (%) 1 19.7 20.7 17.8 18.7 16.9 A Low perceived risk of drug use (%) 1 19.7 20.7 17.8 18.7 16.9 A Low perceived risk of drug use (%) 1 19.7 20.7 17.8 18.7 16.9 A Low perceived risk of drug use (%) 1 19.7 20.7 17.8 18.7 16.9 A Low perceived risk of drug use (%) 1 19.7 20.7 17.8 18.7 16.9 A Low perceived risk of unguise (%) 1 19.7 20.7 17.8 18.7 16.9 A Low perceived risk of unguise (%) 1 19.7 20.7 17.8 18.7 18.7 16.9 A Vouth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 1 74.4 73.1 75.8 74.1 78.4 ▼ Vouth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 1 59.1 58.8 59.7 53.9 64.4 ▼ Vouth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 78.0 ▼ Vouth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 ▼ Vouth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 ▼ Vouth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 6.0 2.0 1.0								
Peer attitudes favorable to drug use (%)	anily history of anti-social behavior (70)							
Peer attitudes favorable to drug use (%) 1 25.1 25.4 20.4 22.2 2.2 2.7		22.7	15.7	18.2	20.8		21.0	
Early initiation of drug use (%) 1 18.5 13.9 13.0 12.3 12.9 V Perceived availability of drugs (%) 1 19.7 20.7 17.8 18.7 16.9 Low perceived risk of drug use (%) 1 19.7 20.7 17.8 18.7 16.9 Art. Low perceived risk of drug use (%) 1 19.7 20.7 17.8 18.7 16.9 Art. Vouth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 74.4 73.1 75.8 74.1 78.4 Vouth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.8 59.7 53.9 64.4 Vouth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 42.6 42.8 39.1 39.9 43.8 Vouth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 78.0 Vouth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 Vouth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 Vouth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Vouth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 60. 2.0 1.0 Low academic performance (%) 1 44.3 50.3 47.9 42.0 44.0 Vouth who perceive regularly								
Perceived availability of drugs (%) 1 19.7 20.7 17.8 18.7 16.9 Low perceived risk of drug use (%) 1 51.1 54.1 53.8 55.1 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 74.4 73.1 75.8 74.1 75.8 74.1 78.4 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.8 59.7 53.9 64.4 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 78.0 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 7	Teer attitudes ravorable to drug use (70)							
Low perceived risk of drug use (%) 1 51.1 54.1 53.8 55.1 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 74.4 73.1 75.8 74.1 78.4 Y Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.8 59.7 53.9 64.4 Y Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 42.6 42.8 39.1 39.9 43.8 Y Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 78.0 Y Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 Y Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 Y Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 Y SCHOOL High school dropouts (per 1,000) 11 6.0 2.0 1.0								V
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 74.4 73.1 75.8 74.1 78.4 \$\foxed{Y}\$ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.8 59.7 53.9 64.4 \$\foxed{Y}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 42.6 42.8 39.1 39.9 43.8 \$\foxed{Y}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 73.4 78.0 \$\foxed{Y}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 \$\foventy\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 \$\foxed{Y}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 \$\forestyle{Y}\$ SCHOOL High school dropouts (per 1,000) 11 6.0 2.0 1.0	• • • • • • • • • • • • • • • • • • • •							
cigarettes per day as "moderate" or "great risk" (%) 1 74.4 73.1 75.8 74.1 78.4 78.4 79.4 73.1 75.8 74.1 78.4 79.4 79.4 73.1 75.8 74.1 78.4 79.4 79.4 79.4 79.4 79.4 79.4 79.4 79		51.1	54.1	53.8	55.1		47.5	A
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.8 59.7 53.9 64.4 \$\forall \text{Y}\$ Youth who perceive trying marijuan once or twice as "moderate" or "great risk" (%) 1 42.6 42.8 39.1 39.9 43.8 \$\forall \text{Y}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 78.0 \$\forall \text{Y}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 \$\forall \text{Y}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 \$\forall \text{Y}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 \$\forall \text{SCHOOL}\$ High school dropouts (per 1,000) 11 6.0 2.0 1.0								
nearly every day as "moderate" or "great risk" (%) 1 59.1 58.8 59.7 53.9 64.4 ▼ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 42.6 42.8 39.1 39.9 43.8 ▼ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 44.3 50.3 47.9 42.0 44.0 ▼ Low academic performance (%) 1 44.3 50.3 47.9 42.0 44.0 ▼ Low commitment to school (%) 1 59.3 62.6 68.4 65.7 59.2 ▲ High school substance infraction (per 1,000 population of enrolled high school students) 11 27.3 7.3 9.4 School opportunities for pro-social involvement (%) 1 50.8 55.9 58.8 64.3 61.3 ▲		74.4	/3.1	75.8	74.1		78.4	
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1	· ·							
as "moderate" or "great risk" (%) 1		59.1	58.8	59.7	53.9		64.4	•
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH WHO PERCEIVED AND THE PROPOSED AND THE								
twice puts a person at "moderate" or "great risk" (%) 1 74.4 72.6 75.4 73.4 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 YOUTH WHO PERCEIVED AND STAN AN		42.6	42.8	39.1	39.9		43.8	
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.6 56.7 63.4 61.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 6.0 2.0 1.0								
e-cigars, and e-hookahs as "moderate" or "great risk" (%)		74.4	72.6	75.4	73.4		78.0	
Vouth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 55.8 58.4 59.7 62.2 65.7 ▼ Section 1.4 59.7 62.2 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 6.0 2.0 1.0								
nicotine as "moderate" or "great risk" (%)	c-cigars, and c-nockans as inoderate or great risk (70)	59.6	56.7	63.4	61.4		68.8	_
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.2 65.4 68.7 71.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 6.0 2.0 1.0 Low academic performance (%) 1 44.3 50.3 47.9 42.0 44.0 ▼ Low commitment to school (%) 1 59.3 62.6 68.4 65.7 59.2 ★ High school substance infraction (per 1,000 population of enrolled high school students) 11 27.3 7.3 9.4 School opportunities for pro-social involvement (%) 1 50.8 55.9 58.8 64.3 61.3 ★	, , , , , , , , , , , , , , , , , , , ,		50 /	50 5	00.0		05 =	
nicotine as "moderate" or "great risk" (%)		55.8	58.4	59.7	62.2		65.7	V
SCHOOL High school dropouts (per 1,000) 11 6.0 2.0 1.0 — Low academic performance (%) 1 44.3 50.3 47.9 42.0 44.0 ▼ Low commitment to school (%) 1 59.3 62.6 68.4 65.7 59.2 ▲ High school substance infraction (per 1,000 population of enrolled high school students) 11 27.3 7.3 9.4 — School opportunities for pro–social involvement (%) 1 50.8 55.9 58.8 64.3 61.3 ▲			05.1	00 =	74.0		 .	L.
High school dropouts (per 1,000) 11 6.0 2.0 1.0 —— Low academic performance (%) 1 44.3 50.3 47.9 42.0 44.0 ▼ Low commitment to school (%) 1 59.3 62.6 68.4 65.7 59.2 ★ High school substance infraction (per 1,000 population of enrolled high school students) 11 27.3 7.3 9.4 —— School opportunities for pro–social involvement (%) 1 50.8 55.9 58.8 64.3 61.3 ★		68.2	65.4	68.7	/1.3		/5.4	
Low academic performance (%) 1 44.3 50.3 47.9 42.0 44.0 ▼ Low commitment to school (%) 1 59.3 62.6 68.4 65.7 59.2 ▲ High school substance infraction (per 1,000 population of enrolled high school students) 11 27.3 7.3 9.4 School opportunities for pro-social involvement (%) 1 50.8 55.9 58.8 64.3 61.3 ▲		0.0	0.0	4.0				
Low commitment to school (%) 1 59.3 62.6 68.4 65.7 59.2					40.0		44.5	
High school substance infraction (per 1,000 population of enrolled high school students) 11 27.3 7.3 9.4 — School opportunities for pro-social involvement (%) 1 50.8 55.9 58.8 64.3 61.3	. ,							V
enrolled high school students) 11 27.3 7.3 9.4 ——School opportunities for pro–social involvement (%) 1 50.8 55.9 58.8 64.3 61.3	` ,	59.3	62.6	68.4	65.7		59.2	A
School opportunities for pro–social involvement (%) 1 50.8 55.9 58.8 64.3 61.3		07.0	7.0	0.4				
30.00 35.9 30.0 04.3 101.00 01.3	chiolica riigh school students)							
School rewards for pro–social involvement (%) 46.5 45.9 42.6 42.4 50.2	School opportunities for pro-social involvement (76)							
	School rewards for pro-social involvement (%)	46.5	45.9	42.6	42.4		50.2	▼

DALLAS COUNTY

Key Findings

Weakness

- 2nd highest percentage of youth misusing prescription drugs
- 3rd highest percentage of youth perceiving low risk of drug use

Strengths

- 1st lowest percentage of youth using cigarettes or smokeless tobacco
- 4th lowest percentage of youth using alcohol, or vaping nicotine

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	0.8	2.1				
18–24	12.4	16.0				
25–29	16.7	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	6,472
Population under 18	1,314
Population 18–24	. 485
Population 25–29	180
Youth with a guardian currently in the military (%)	23.7

Past 30-day Youth Substance Use

■ County ■ State







DALLAS COUNTY				_		Arkonooo	Vo
DALLAS COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Helia Lille	2023	State
Past 30–day Youth alcohol use (%)		4.1	4.7	2.5	-	7.0	V
Past 30-day Youth cigarette use (%)		1.0	1.6	0.0		1.5	Ý
Past 30–day Youth chewing tobacco use (%)		2.1	3.2	0.0		1.7	¥
Past 30–day Youth marijuana use (%)		3.1	3.1	2.5		4.4	Ÿ
Past 30-day Youth heroin use (%)		0.0	0.0	0.0		0.1	Ÿ
Past 30-day Youth prescription drug use (%)		0.0	2.3	7.5		2.5	A
Past 30-day Youth vape use: flavoring only (%)		4.1	3.1	2.5		4.0	\
Past 30-day Youth vape use: marijuana (%)		3.1	2.3	2.5		4.1	Y
Past 30-day Youth vape use: nicotine (%)		4.1	5.4	2.5		6.8	\forall
COMMUNITY							
Median Household Income ²	\$35,134	\$34,337	\$40,085				
Persons below poverty level (%) ³	13.4	20.2	20.1				
Unemployment rates (%) ⁴	5.3	4.1	4.0	3.7		3.3	
Uninsurance (%) ²	7.7	8.1					
Food Insecurity (%) ⁵	17.6	14.1					
BA/BS or higher among those 25 or older (%) ²	11.0	11.5	13.0				
Transitions and Mobility (%) 1		27.2	36.1	35.9		50.5	Y
Disconnected Youth measure ²	0.0	0.0	0.0		•—•		
Mental Health Center clients (per 1,000 population) ⁶		12.2	12.5				
Substance use treatment admissions (per 10,000 population) ⁶		28.6	17.0				
Beer, wine, and liquor stores (per 100,000 population) ⁷		231.8	247.2	231.8		74.2	
Tobacco sales to minors (percent of failed tobacco checks) ⁸		0.0	10.9	0.0		7.1	V
Substance use–related arrests (per 1,000 population)	4.0	2.5	0.9	4.0		9.2	Y
Total crime index offenses (per 1,000 population)	7.4	7.7	4.3	6.3		8.5	V
Fatal crashes with drivers aged 18–29					_		
(per 100,000 population 18–29 years old) 10		150.4	0.0				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	12.8	14.0	16.7				
Poor family management (%)		36.3	35.0	30.8		34.4	
Family history of anti–social behavior (%)		15.1	26.4	43.6		25.9	
Parental attitudes favorable toward drug use (%)		18.5	16.5	23.1		21.0	<u> </u>
INDIVIDUAL/PEERS		40.0	47.0	00.5		00.7	
Peer attitudes favorable to drug use (%)		10.8	17.9	20.5		20.7	×
Early initiation of drug use (%) Perceived availability of drugs (%)		4.9	9.7	7.5		12.9	
1 crocived availability of drugs (70)		6.4 48.5	16.3 64.3	25.0 55.0		16.9 47.5	
Low perceived risk of drug use (%) ¹ Youth who perceive smoking one or more packs of		40.0	04.3	55.0		47.5	_
cigarettes per day as "moderate" or "great risk" (%)		75.3	68.0	78.9		78.4	A
Youth who perceive drinking one or two alcoholic beverages		75.5	00.0	70.9		70.4	
nearly every day as "moderate" or "great risk" (%)		61.7	56.7	65.8		64.4	_
Youth who perceive trying marijuana once or twice		01.7	30.7	05.0		04.4	
as "moderate" or "great risk" (%)		37.6	32.8	43.2		43.8	V
Youth who perceive trying prescription drugs once or		37.0	32.0	40.Z		40.0	•
twice puts a person at "moderate" or "great risk" (%)		72.8	65.6	70.3		78.0	V
Youth who perceive using a vaping product like e-cigarettes,		72.0	00.0	70.0		70.0	•
e-cigars, and e-hookahs as "moderate" or "great risk" (%)		63.4	61.3	71.1		68.8	A
Youth who perceive occasionally vaping an e-liquid with		00.1	01.0			00.0	
nicotine as "moderate" or "great risk" (%)		64.5	55.4	62.2		65.7	V
Youth who perceive regularly vaping an e-liquid with							•
nicotine as "moderate" or "great risk" (%)		69.2	63.7	72.2		75.4	Y
SCHOOL							
High school dropouts (per 1,000) ¹¹	11.0	1.3	1.4				
Low academic performance (%) 1		40.4	36.4	42.5		44.0	V
Low commitment to school (%) 1		54.5	57.5	80.0		59.2	A
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	10.8	4.5	0.0				
School opportunities for pro–social involvement (%)		58.7	63.2	46.2		61.3	Y
School rewards for pro–social involvement (%)		61.5	47.8	35.0		50.2	Y

DESHA COUNTY

Key Findings

Weakness

- 4th highest percentage of youth using marijuana
- 7th highest percentage of youth perceiving low risk of drug use

Strengths

- 1st lowest percentage of youth using cigarettes
- 2nd lowest percentage of youth perceiving availability of drugs

Consequences

■ County ■ State

Substance–use related arrests per 1,000 population						
Under 18	1.1	2.1				
18–24	34.9	16.0				
25–29	14.7	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000




Demographics





Population 25–29 747 Youth with a guardian currently in the military (%) 10.3

Past 30-day Youth Substance Use

■ County ■ State







DESHA COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)		14.1	9.1	7.1		7.0	A
Past 30-day Youth cigarette use (%)		1.0	0.6	0.0		1.5	V
Past 30-day Youth chewing tobacco use (%)		2.2	3.6	0.9		1.7	V
Past 30-day Youth marijuana use (%)		6.7	6.7	8.6		4.4	À
Past 30-day Youth heroin use (%) 1		0.0	0.0	0.5		0.1	A
Past 30-day Youth prescription drug use (%)		1.9	6.1	1.4		2.5	Y
Past 30-day Youth vape use: flavoring only (%)		10.9	7.8	7.3		4.0	A
Past 30-day Youth vape use: marijuana (%)		5.8	7.8	7.8		4.1	A
Past 30-day Youth vape use: nicotine (%)		13.4	7.8	8.3		6.8	A
COMMUNITY							
Median Household Income ²	\$31,855	\$33,295	\$38,067				
Persons below poverty level (%) ³	25.5	27.6	27.9				
Unemployment rates (%) 4	7.0	5.9	5.3	4.3		3.3	A
Uninsurance (%) ²	7.7	9.3					
Food Insecurity (%) ⁵	21.6	17.4					
BA/BS or higher among those 25 or older (%) 2	14.0	13.7	13.1				
Transitions and Mobility (%) 1		36.0	39.2	42.6		50.5	Y
Disconnected Youth measure ²	1.7	2.0	0.0				
Mental Health Center clients (per 1,000 population) 6		38.9	41.7				
Substance use treatment admissions (per 10,000 population) ⁶		50.3	30.1				
Beer, wine, and liquor stores (per 100,000 population) ⁷		248.1	265.8	248.1		74.2	
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	13.6	0.0	0.0		7.1	¥
Substance use–related arrests (per 1,000 population) 9	3.0	4.6	5.5	10.3		9.2	
Total crime index offenses (per 1,000 population)	4.2	4.8	6.7	8.0		8.5	V
Fatal crashes with drivers aged 18–29					_		
(per 100,000 population 18–29 years old) ¹⁰		0.0	67.0				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	5.7	5.7	5.3				
Poor family management (%) 1 Family history of anti-social behavior (%) 1		36.0	45.3	39.4		34.4	- 3
raminy mistory of anti-social behavior (70)		31.8	35.7	20.7		25.9	
Parental attitudes favorable toward drug use (%)		26.1	20.3	21.4		21.0	
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1		00.5	00.0	40.7		20.7	Y
r cer attitudes lavorable to urug use (70)		26.5 21.0	23.3 15.1	16.7 12.3		20.7 12.9	
Early initiation of drug use (%) Perceived availability of drugs (%) 1		17.1	21.4	9.0		16.9	¥
Low perceived risk of drug use (%)		60.1	54.8	58.7		47.5	
Youth who perceive smoking one or more packs of		00.1	54.0	36.7		47.5	^
cigarettes per day as "moderate" or "great risk" (%)		71.2	68.6	66.5	-	78.4	٧
Youth who perceive drinking one or two alcoholic beverages		71.2	00.0	00.5		70.4	
nearly every day as "moderate" or "great risk" (%)		51.3	60.7	53.3		64.4	_
Youth who perceive trying marijuana once or twice		31.3	00.7	55.5			•
						•	
· · · · · · · · · · · · · · · · · · ·		32.0	37 7	21 1			_
as "moderate" or "great risk" (%)		32.0	37.7	31.1	<u> </u>	43.8	Y
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or						43.8	V
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)		32.0 68.2	37.7 68.4	31.1			Y
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes,		68.2	68.4	61.5		43.8 78.0	Y
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1						43.8	Y Y Y
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with		68.2 54.1	68.4 60.5	61.5 54.7		43.8 78.0 68.8	Y Y Y
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1		68.2	68.4	61.5		43.8 78.0	* * *
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with		68.2 54.1 52.2	68.4 60.5 60.8	61.5 54.7 51.7		43.8 78.0 68.8 65.7	* * * *
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)		68.2 54.1	68.4 60.5	61.5 54.7		43.8 78.0 68.8	* * * *
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	13.0	68.2 54.1 52.2 63.9	68.4 60.5 60.8 65.6	61.5 54.7 51.7		43.8 78.0 68.8 65.7	* * * * * * * * * * * * * * * * * * *
as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11	13.0	68.2 54.1 52.2 63.9	68.4 60.5 60.8 65.6	61.5 54.7 51.7 57.6		43.8 78.0 68.8 65.7 75.4	
as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	13.0	68.2 54.1 52.2 63.9 2.0 45.1	68.4 60.5 60.8 65.6 0.5 36.8	61.5 54.7 51.7 57.6		43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1	13.0	68.2 54.1 52.2 63.9	68.4 60.5 60.8 65.6	61.5 54.7 51.7 57.6		43.8 78.0 68.8 65.7 75.4	
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of		68.2 54.1 52.2 63.9 2.0 45.1 62.5	68.4 60.5 60.8 65.6 0.5 36.8 60.2	61.5 54.7 51.7 57.6		43.8 78.0 68.8 65.7 75.4	
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	13.0	68.2 54.1 52.2 63.9 2.0 45.1 62.5	68.4 60.5 60.8 65.6 0.5 36.8 60.2	61.5 54.7 51.7 57.6 36.2 54.6		43.8 78.0 68.8 65.7 75.4 44.0 59.2	
as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of enrolled high school students) 11		68.2 54.1 52.2 63.9 2.0 45.1 62.5	68.4 60.5 60.8 65.6 0.5 36.8 60.2	61.5 54.7 51.7 57.6		43.8 78.0 68.8 65.7 75.4	

DREW COUNTY

Key Findings

Weakness

 22nd highest unemployment rate

Strengths

 N/A due to limited available data

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18 0.3 2.1						
18–24	9.9	16.0				
25_29	127	18 7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	17,309
Population under 18	3,981
Population 18–24	2,423
Population 25–29	863
Youth with a guardian currently in the military (%)	NA


(%)

Past 30-day Youth Substance Use

■ County ■ State







DREW COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							J
Past 30–day Youth alcohol use (%)	5.1		9.2			7.0	
Past 30–day Youth cigarette use (%)	1.5		2.5			1.5	
Past 30-day Youth chewing tobacco use (%)	1.0		3.1			1.7	
Past 30–day Youth marijuana use (%)	3.6		7.8			4.4	
Past 30–day Youth heroin use (%)	0.0		0.0		•——•	0.1	
Past 30-day Youth prescription drug use (%)	1.6		4.3		•	2.5	
Past 30-day Youth vape use: flavoring only (%)	6.8		5.6			4.0	
Past 30-day Youth vape use: marijuana (%)	3.1		7.2			4.1	
Past 30-day Youth vape use: nicotine (%)	9.4		12.9			6.8	
COMMUNITY							
Median Household Income ²	\$42,924	\$42,891	\$44,968				
Persons below poverty level (%) ³	20.4	16.5	20.8				
Unemployment rates (%) 4	6.9	5.0	4.4	3.8		3.3	A
Uninsurance (%) ²	4.8	4.8			•—•		
Food Insecurity (%) ⁵	18.1	15.5					
BA/BS or higher among those 25 or older (%) ²	22.6	23.7	25.0				
Transitions and Mobility (%) 1	35.1		43.6			50.5	
Disconnected Youth measure ²	0.7	1.9	1.3				
Mental Health Center clients (per 1,000 population) ⁶		29.1	29.5				
Substance use treatment admissions (per 10,000 population) 6		53.1	31.2				
Beer, wine, and liquor stores (per 100,000 population)		17.3	17.3	17.3		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	6.5	17.6	0.0		7.1	V
Substance use–related arrests (per 1,000 population)	9.5	13.2	6.2	7.3		9.2	
Total crime index offenses (per 1,000 population)	5.4	7.3	6.2	5.2		8.5	•
Fatal crashes with drivers aged 18–29 (per 100 000 population 18–29 years old) 10							
(per 100,000 population 10 20 years old)		91.3	30.4				
FAMILY Children living in factor care (per 1,000 penulation)							
Children living in foster care (per 1,000 population	6.4	6.0	12		-		
under 18 years of age) ⁶	6.4	6.8	4.3			3/1 //	
under 18 years of age) ⁶ Poor family management (%) ¹	22.7	6.8	34.5			34.4	
under 18 years of age) ⁶ Poor family management (%) ¹ Family history of anti-social behavior (%) ¹	22.7 24.0	6.8	34.5 29.6			25.9	
under 18 years of age) ⁶ Poor family management (%) ¹ Family history of anti–social behavior (%) ¹ Parental attitudes favorable toward drug use (%) ¹	22.7	6.8	34.5				
under 18 years of age) 6 Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS	22.7 24.0 23.3	6.8	34.5 29.6 22.5			25.9 21.0	
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	22.7 24.0 23.3 22.5	6.8	34.5 29.6 22.5			25.9 21.0 20.7	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) 1 1 1 1 1 1 1 1 1 1 1 1 1	22.7 24.0 23.3 22.5 12.8	6.8	34.5 29.6 22.5 22.2 16.7			25.9 21.0 20.7 12.9	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%)	22.7 24.0 23.3 22.5 12.8 15.9	6.8	34.5 29.6 22.5 22.2 16.7 15.5			25.9 21.0 20.7 12.9 16.9	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	22.7 24.0 23.3 22.5 12.8	6.8	34.5 29.6 22.5 22.2 16.7			25.9 21.0 20.7 12.9	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	22.7 24.0 23.3 22.5 12.8 15.9	6.8	34.5 29.6 22.5 22.2 16.7 15.5			25.9 21.0 20.7 12.9 16.9	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	22.7 24.0 23.3 22.5 12.8 15.9 43.7	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4			25.9 21.0 20.7 12.9 16.9 47.5	-
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	22.7 24.0 23.3 22.5 12.8 15.9 43.7	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4			25.9 21.0 20.7 12.9 16.9 47.5	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	22.7 24.0 23.3 22.5 12.8 15.9 43.7	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1			25.9 21.0 20.7 12.9 16.9 47.5	-
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Low perceived availability of drugs (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)	22.7 24.0 23.3 22.5 12.8 15.9 43.7	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1			25.9 21.0 20.7 12.9 16.9 47.5	-
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1			25.9 21.0 20.7 12.9 16.9 47.5 78.4	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1			25.9 21.0 20.7 12.9 16.9 47.5 78.4	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Low perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3 84.9	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3 77.7			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Low perceived availability of drugs (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3 84.9	6.8	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3 77.7			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3 84.9 71.0 68.7 79.2		34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3 77.7 69.3 62.1			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3 84.9 71.0 68.7 79.2	2.0	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3 77.7 69.3 62.1 74.2			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low academic performance (%) 1	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3 84.9 71.0 68.7 79.2		34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3 77.7 69.3 62.1 74.2			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) 1	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3 84.9 71.0 68.7 79.2		34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3 77.7 69.3 62.1 74.2			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
under 18 years of age) Poor family management (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low commitment to school (%) High school substance infraction (per 1,000 population of	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3 84.9 71.0 68.7 79.2 10.0 36.3 61.1	2.0	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3 77.7 69.3 62.1 74.2 0.4 40.5 61.6			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth sohool dropouts (per 1,000) High school dropouts (per 1,000) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3 84.9 71.0 68.7 79.2 10.0 36.3 61.1		34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3 77.7 69.3 62.1 74.2 0.4 40.5 61.6			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
under 18 years of age) Poor family management (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low commitment to school (%) High school substance infraction (per 1,000 population of	22.7 24.0 23.3 22.5 12.8 15.9 43.7 81.3 60.8 50.3 84.9 71.0 68.7 79.2 10.0 36.3 61.1	2.0	34.5 29.6 22.5 22.2 16.7 15.5 52.4 78.1 59.6 43.3 77.7 69.3 62.1 74.2 0.4 40.5 61.6			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	

FAULKNER COUNTY

Key Findings

Weakness

- · 8th highest rate of academic failure
- 14th highest percentage of youth using heroin
- 16th highest percentage of youth misusing prescription drugs

Strengths

- 15th lowest percentage of youth perceiving low risk of drug use
- 15th lowest percentage of youth using smokeless tobacco
- 16th lowest percentage of youth using cigarettes

Consequences

County State

Substance–use related arrests per 1,000 population						
Under 18	2.8	2.1				
18–24	7.4	16.0				
25–29 13.0 18.7						


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Past 30-day Youth Substance Use


Population 25–29


Youth with a guardian currently in the military (%)

■ County ■ State



Protective Factors ■ County ■ State





8,944

..... 14.5

FAULKNER COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	11.3	13.9	8.2	7.6		7.0	A
Past 30-day Youth cigarette use (%)	2.4	3.6	1.1	1.0		1.5	V
Past 30-day Youth chewing tobacco use (%)	2.4	2.2	1.4	1.3		1.7	V
Past 30–day Youth marijuana use (%)	5.0	6.1	4.2	4.0		4.4	Ý
Past 30–day Youth heroin use (%)	0.0	0.0	0.2	0.1		0.1	=
Past 30–day Youth prescription drug use (%)	2.8	3.5	3.2	3.6		2.5	
Past 30-day Youth vape use: flavoring only (%)	4.8	6.4	4.6	4.2		4.0	A
Past 30-day Youth vape use: marijuana (%)	4.0	5.6	3.3	4.1		4.1	=
Past 30-day Youth vape use: nicotine (%)	10.3	14.2	8.7	6.9		6.8	A
COMMUNITY							
Median Household Income ²	\$54,191	\$54,845	\$61,273				
Persons below poverty level (%) 3	15.7	13.6	14.6				
Unemployment rates (%) 4	5.4	3.5	2.9	2.7		3.3	Y
Uninsurance (%) ²	8.3	8.0					
Food Insecurity (%) 5	17.6	14.3					
BA/BS or higher among those 25 or older (%) ²	32.1	32.9	32.5				
Transitions and Mobility (%) 1	61.0	54.5	43.3	48.0		50.5	V
Disconnected Youth measure ²	0.2	0.2	0.6				
Mental Health Center clients (per 1,000 population) ⁶		22.2	21.7				
Substance use treatment admissions (per 10,000 population) ⁶		26.6	14.0				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	• • • • • • • • • • • • • • • • • • • •	74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) ⁸	3.2	15.1	9.2	0.0		7.1	V
Substance use–related arrests (per 1,000 population) ⁹	8.1	8.2	7.2	6.4		9.2	V
Total crime index offenses (per 1,000 population)	6.8	7.2	7.5	5.8	-	8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		53.1	35.4				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	7.4	7.4	8.9				
Poor family management (%) ¹	26.1	28.4	36.6	32.5		34.4	\forall
Family history of anti–social behavior (%)	22.4	26.0	30.8	27.4		25.9	A
Parental attitudes favorable toward drug use (%)	19.6	23.1	26.1	22.8		21.0	A
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	20.2	22.2	20.6	19.8		20.7	\forall
Early initiation of drug use (%) 1	12.7	15.8	17.0	15.6		12.9	
Perceived availability of drugs (%)	16.4	22.0	17.1	17.6		16.9	
Low perceived risk of drug use (%) 1	42.9	47.8	49.6	45.3		47.5	\forall
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	84.9	84.2	82.5	81.7		78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	66.3	62.0	62.3	65.4		64.4	
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%) 1	47.7	42.4	44.0	47.9		43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	84.6	84.6	84.6	82.9		78.0	
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	69.0	67.4	70.9	76.5		68.8	
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	64.4	63.1	64.8	71.5		65.7	
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	78.3	77.8	78.7	81.9		75.4	A
SCHOOL							
High school dropouts (per 1,000) 11	10.0	3.0	1.0				
Low academic performance (%) 1	40.0	41.5	48.0	49.2		44.0	A
Low commitment to school (%) 1	54.3	60.6	66.1	61.1		59.2	A
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	8.0	3.6	19.6				
School opportunities for pro-social involvement (%)	61.4	65.5	58.3	59.9		61.3	Y
School rewards for pro-social involvement (%)	54.9	52.9	51.9	49.6		50.2	Y

FRANKLIN COUNTY

Key Findings

Weakness

- 5th highest rate of substance-related arrests
- 5th highest percentage of youth using heroin
- 19th highest percentage of youth using alcohol or cigarettes

Strengths

 4th lowest percentage of youth perceiving low risk of drug use

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	4.9	2.1				
18–24	29.5	16.0				
25–29	32.8	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	17,160
Population under 18	3,878
Population 18–24	1,253
Population 25–29	. 884
Youth with a guardian currently in the military (%)	


(%)

Past 30-day Youth Substance Use

■ County ■ State







ED ANIZI IN COUNTY						Aulanaaa	V
FRANKLIN COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Trend Line	2023	State
Past 30–day Youth alcohol use (%)	10.4	12.1	11.4	9.7		7.0	A
Past 30–day Youth cigarette use (%)	1.8	3.8	2.7	2.3		1.5	Â
Past 30–day Youth chewing tobacco use (%)	2.8	4.5	2.7	2.6		1.7	Â
Past 30–day Youth marijuana use (%)	5.1	6.9	4.1	4.5		4.4	Â
Past 30–day Youth heroin use (%)	0.2	0.3	0.0	0.3		0.1	Â
Past 30–day Youth prescription drug use (%)	2.2	2.6	2.0	2.3		2.5	V
Past 30-day Youth vape use: flavoring only (%)	7.1	6.5	4.5	4.0		4.0	=
Past 30-day Youth vape use: marijuana (%)	4.4	5.6	4.3	3.0		4.1	V
Past 30-day Youth vape use: nicotine (%)	12.0	13.7	10.7	8.6		6.8	A
COMMUNITY							
Median Household Income ²	\$37,561	\$42,128	\$47,695				
Persons below poverty level (%) ³	22.3	17.2	16.8				
Unemployment rates (%) 4	5.6	3.7	3.3	3.0		3.3	\
Uninsurance (%) ²	5.4	6.4					
Food Insecurity (%) ⁵	22.2	19.1					
BA/BS or higher among those 25 or older (%) ²	11.3	10.6	12.3				
Transitions and Mobility (%) 1	41.1	49.7	45.4	47.3		50.5	Y
Disconnected Youth measure ²	3.2	2.0	2.3				
Mental Health Center clients (per 1,000 population)		39.6	40.3				
Substance use treatment admissions (per 10,000 population) ⁶		66.4	30.9				
Beer, wine, and liquor stores (per 100,000 population) ⁷		116.6	128.2	128.2		74.2	
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	16.7	11.9	0.0		7.1	V
Substance use–related arrests (per 1,000 population)	13.2	14.6	9.4	15.4		9.2	
Total crime index offenses (per 1,000 population)	8.3	11.3	8.7	5.9		8.5	V
Fatal crashes with drivers aged 18–29 (per 100 000 population 18–29 years old) 10		40.0	0.0				
(per 100,000 population 18–29 years old) 10 FAMILY		46.8	0.0				
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	9.7	10.3	13.9				
Poor family management (%)	25.7	26.7	27.9	30.0		34.4	
Family history of anti–social behavior (%)	25.5	34.1	29.0	30.3		25.9	Ă
Parental attitudes favorable toward drug use (%)	21.4	24.0	20.6	23.9		21.0	Â
INDIVIDUAL/PEERS	21.4	24.0	20.0	20.0		21.0	
Peer attitudes favorable to drug use (%)	18.8	21.0	17.9	20.1		20.7	V
Early initiation of drug use (%)	14.7	18.7	13.8	16.1		12.9	À
Perceived availability of drugs (%)	17.8	19.2	17.1	19.0		16.9	Â
Low perceived risk of drug use (%) 1	44.6	46.1	41.5	42.6		47.5	V
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	80.3	84.7	83.4	85.1		78.4	A
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	58.5	62.0	66.8	62.1		64.4	Y
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%) 1	48.2	48.5	48.9	49.2		43.8	A
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	80.6	85.2	83.9	87.8		78.0	
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	65.6	69.9	71.3	77.9		68.8	
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	64.0	67.4	69.6	71.7		65.7	A
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	73.9	78.4	79.3	83.1		75.4	
SCHOOL 1000 11							
High school dropouts (per 1,000) 11	4.0	2.0	1.0				
Low academic performance (%) 1	46.8	52.3	48.4	42.9		44.0	- X
Low commitment to school (%) 1	52.2	55.8	52.9	57.2		59.2	V
High school substance infraction (per 1,000 population of	40.0	4.0	0.4				
chroned high school students)	12.9	1.0	2.1	60.4		64.0	
denote opportunities for pro-social involvement (70)	51.7	60.9	63.7	62.1		61.3	A
School rewards for pro–social involvement (%)	49.0	53.2	52.5	49.5		50.2	•

FULTON COUNTY

Key Findings

Weakness

- 3rd highest percentage of youth misusing prescription drugs
- 5th highest percentage of youth with parental attitudes favorable to drug use
- 9th highest percentage of youth perceiving availability of drugs
- 11th highest percentage of youth using cigarettes or smokeless tobacco

Strengths

• N/A

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	0.0	2.1				
18–24	6.7	16.0				
25 20	10.6	19.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	12,183
Population under 18	2,571
Population 18–24	902
Population 25–29	566
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







FULTON COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	10.1	19.6	5.8	12.0		7.0	A
Past 30-day Youth cigarette use (%)	1.5	4.6	2.3	3.2		1.5	A
Past 30-day Youth chewing tobacco use (%)	3.6	6.7	1.6	4.0		1.7	A
Past 30-day Youth marijuana use (%)	3.6	7.7	3.5	4.0		4.4	V
Past 30-day Youth heroin use (%)	1.0	0.0	0.0	0.0		0.1	V
Past 30-day Youth prescription drug use (%)	2.0	3.6	2.9	6.0		2.5	A
Past 30-day Youth vape use: flavoring only (%)	6.6	8.6	4.5	6.4		4.0	A
Past 30-day Youth vape use: marijuana (%)	2.5	5.6	3.2	4.0		4.1	Y
Past 30-day Youth vape use: nicotine (%)	9.1	17.3	8.4	11.6		6.8	A
COMMUNITY							
Median Household Income ²	\$35,274	\$36,950	\$38,917				
Persons below poverty level (%) ³	20.8	18.0	17.2				
Unemployment rates (%) ⁴	5.1	3.6	3.4	3.5		3.3	
Uninsurance (%) ²	10.9	10.4					
Food Insecurity (%) 5	20.7	17.8					
BA/BS or higher among those 25 or older (%) ²	13.2	11.4	14.4				
Transitions and Mobility (%) 1	49.2	44.1	44.5	43.9		50.5	— Y
Disconnected Youth measure ²	0.5	0.5	0.0				
Mental Health Center clients (per 1,000 population) 6		26.4	20.4				
Substance use treatment admissions (per 10,000 population) ⁶		9.9	1.6				
Beer, wine, and liquor stores (per 100,000 population) ⁷		8.2	8.2	8.2		74.2	V
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	22.2	4.5	0.0		7.1	V
Substance use–related arrests (per 1,000 population) 9	4.5	8.6	6.2	2.5		9.2	¥
Total crime index offenses (per 1,000 population)	3.5	6.1	6.2	5.4		8.5	V
Fatal crashes with drivers aged 18–29					_		
(per 100,000 population 18–29 years old) ¹⁰		68.1	136.2				
FAMILY							
Children living in foster care (per 1,000 population	0.5	0.4	40.4				
under 18 years of age) 6	9.5	9.4	10.1	20.0		24.4	
Poor family management (%) 1 Family history of anti-social behavior (%) 1	33.0	26.8	26.8	32.2 32.6		34.4	V
raminy history of anti-social behavior (78)	33.9 24.0	34.8 28.9	31.0 21.9	32.8		25.9	A
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS	24.0	20.9	21.9	32.0		21.0	_
Peer attitudes favorable to drug use (%)	17.6	26.2	20.4	24.3		20.7	A
Early initiation of drug use (%)	18.1	18.8	10.8	14.3		12.9	Â
Perceived availability of drugs (%)	16.0	27.2	19.1	23.0		16.9	Â
Low perceived risk of drug use (%)	46.2	49.6	43.7	45.9		47.5	- Ş
Youth who perceive smoking one or more packs of	10.2	10.0	10.7	10.0		47.0	•
cigarettes per day as "moderate" or "great risk" (%)	79.7	86.1	81.0	80.8		78.4	A
Youth who perceive drinking one or two alcoholic beverages	70	00	01.0	00.0		70.1	
nearly every day as "moderate" or "great risk" (%)	61.3	63.1	66.4	61.8		64.4	V
Youth who perceive trying marijuana once or twice	01.0	00.1	00.1	01.0		0	•
as "moderate" or "great risk" (%)	58.2	43.8	48.6	46.4		43.8	A
Youth who perceive trying prescription drugs once or	55.2	10.0	10.0			10.0	
twice puts a person at "moderate" or "great risk" (%)	86.1	87.5	86.3	83.2		78.0	A
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	68.3	64.6	69.5	68.3		68.8	V
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	66.3	59.0	62.4	59.9		65.7	V
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	76.0	77.9	76.8	74.7		75.4	Y
SCHOOL							
High school dropouts (per 1,000) 11	1.0	0.0	0.0				
Low academic performance (%) 1	46.4	48.1	42.5	47.5		44.0	A
Low commitment to school (%) 1	44.7	57.6	57.2	66.0		59.2	A
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	37.6	11.5	15.0				
School opportunities for pro–social involvement (%)	68.8	61.4	57.6	62.5		61.3	A
School rewards for pro-social involvement (%)	63.8	53.8	54.7	42.9		50.2	Y

GARLAND COUNTY

Key Findings

Weakness

• 14th highest percentage of youth using heroin

Strengths

- 12th lowest percentage of youth using smokeless tobacco
- 15th lowest percentage of youth with parental attitudes favorable to drug use
- 15th lowest percentage of youth using alcohol

Consequences

■ County ■ State

Substand	Substance-use related arrests						
per 1,000 population							
Under 18	0.7 2.1						
18–24	17.1	16.0					
25-29	26.4	18 7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Past 30-day Youth Substance Use


Population 25–29


Youth with a guardian currently in the military (%)

■ County ■ State



Protective Factors ■ County ■ State





5,458

..... 10.6

SUBSTANCE USE	GARLAND COUNTY						Arkansas	Vs.
Past 30-day Youth sichorlu use (%)		2020	2021	2022	2023	Trend Line	2023	State
Past 30 - say Youth oignaries use (%)								
Past 30-day Youth Inhering toaceouses (%) 0.5 1.5 2.0 1.1 1.7	1 ast 50-day Touri alcohol use (70)							¥
Past 30-day Youth marijunian use (%)	r ast 50-day routil digarette use (76)							=
Plast 30-day Youth brevin use (%) Plast 30-day Youth year user, literaring only (%) Plast 30-day Youth year user, literaring only (%) Plast 30-day Youth year user, literaring only (%) Plast 30-day Youth year user, incidence (%) Modian Household Income Plast 30-day Youth year user, incidence (%) Plast 30-day Youth year user, incidence (%) Plast 30-day Youth year user, incidence (%) Modian Household Income Plast 30-day Youth year user, incidence (%) Plast 30	Tust of day four chowing tobacoo doc (70)							
Plact 30-day Youth prescription drug use (%)								
Plast 30-day Youth vape use: misrological (%)								=
Past 30-day Vorbal vape use: marginaria (%) 3.7	r ast 50-day routil prescription drug use (76)							¥
Past 30-day Youth vape use nicotine (%) 1 11.2 7.0 9.5 6.4 6.8 COMMUNITY Median Household Income 2 \$48,150 \$48,985 \$54,229 \$	r ast 50-day routil vape use. Havoring only (76)							· V
Median Household Income 2								
Median Household Income S448,150 S49,895 S45,4229	, , , , ,	11.2	7.0	9.5	6.4		6.8	V
Persons below poverty level (%) 3 17.0 14.5 17.3 17.0 Unemployment rates (%) 8.0 5.0 5.0 3.8 3.4 3.3 3.4 17.0 Unemployment rates (%) 8.0 5.0 5.0 3.8 3.4 3.3 3.4 3.4								
Definishariance (%)	Wedan Household meeting							
Uninsurance (%) 2	research perenty series (76)		14.5	17.3				
Food Insecurity (%)		8.0		3.8	3.4		3.3	A
BABS of higher among those 25 or older (%) 2 228 238 25.2 Transitions and Mobility (%) 1 54.2 55.1 51.6 48.8 50.5 Disconnected Youth measure 2 2.9 3.9 3.8 3.8 Mental Health Center clients (per 1,000 population) 5 25.6 16.5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	` '	10.1	9.7					
Transitions and Mobility (%) 1	* ` '	20.7	17.6					
Disconnected Youth measure 2 2.9 3.9 3.8	Divide of higher among mode 20 of clade (70)		23.8	25.2				
Mental Heath Center clients (per 1,000 population)	Transitions and Mobility (%) 1	54.2	55.1	51.6	48.8		50.5	V
Substance use treatment admissions (per 10,000 population)		2.9	3.9	3.8				
Substance user learnine attribution (percent of failed tobacco checks) 8 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	Mental Health Center clients (per 1,000 population) ⁶		25.6	16.5				
Tobacco sales to minors (percent of failed tobacco checks)	Substance use treatment admissions (per 10,000 population) ⁶		56.7	34.6				
Substance use-related arrests (per 1,000 population) 9 0, 5, 7 8.1 10.5 9.2 7.1 7.1 10.0 10.0 10.0 10.0 10.0 10.0 1	Beer, wine, and liquor stores (per 100,000 population) ⁷		135.0	131.0	132.0		74.2	A
Total crime index offenses (per 1,000 population) 9 8.2 5.4 7.1 9.6 8.5 Fatal crashes with drivers aged 18-29 Fatal crashes with drivers aged 28-29 Fatal crashe	Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	0.0	6.2	2.9		7.1	\
Fatal crashes with drivers aged 18–29 (per 10,000 population 18–29 years old) 19 62.7 47.0 FAMILY Children living in foster care (per 1,000 population under 18 years of age) 1 16.3 16.2 19.2 1 18.2 19.2 1 18.3 18.2 19.2 1 18.3 18.2 19.2 1 18.3 18.2 19.2 1 18.3 18.2 19.2 1 18.3 18.2 19.2 1 18.3 18.2 19.2 1 18.3 18.3 18.2 19.2 1 18.3 18.3 18.2 19.2 1 18.3 18.3 19.3 19.5 19.5 19.5 19.5 19.5 19.5 19.5 19.5	Substance use–related arrests (per 1,000 population) 9	9.0	5.7	8.1	10.5		9.2	A
Cipar 100,000 population 18–29 years old) 10 16.3 16.2 19.2 16.3 16.3 16.2 19.2 19.5	Total crime index offenses (per 1,000 population)	8.2	5.4	7.1	9.6		8.5	
FAMILY Children living in foster care (per 1,000 population under 18 years of age) 16.3 16.2 19.2	Fatal crashes with drivers aged 18–29							
Children living in foster care (per 1,000 population under 18 years of age) \$ 16.3 16.2 19.2	(per 100,000 population 18–29 years old) 10		62.7	47.0				
under 18 years of age) 6 Poor family management (%) 1 36.6 42.6 38.9 42.2 34.4 Parmily history of anti-social behavior (%) 1 29.6 31.1 28.8 28.5 25.9 Parental attitudes favorable toward drug use (%) 1 19.7 21.1 23.7 19.5 Perer attitudes favorable to drug use (%) 1 22.4 22.6 22.8 21.7 20.7 Perer attitudes favorable to drug use (%) 1 22.4 22.6 22.8 21.7 20.7 Perer attitudes favorable to drug use (%) 1 20.2 21.7 20.7 Perer attitudes favorable to drug use (%) 1 20.2 21.7 20.7 Perer attitudes favorable to drug use (%) 1 20.2 21.7 20.4 21.6 Pereved availability of drugs (%) 1 20.2 21.7 20.4 21.6 Pereved availability of drugs (%) 1 20.2 21.7 20.4 21.6 Pereved availability of drugs (%) 1 20.2 21.7 20.4 21.7 20.4 21.8 21.7 20.4 21.8 21.7 22.9 21.7 22.7 20.4 21.8 21.7 22.9 21.7 22.7 20.4 21.8 21.7 22.9 21.7 22.9 21.7 22.9 21.7 22.7 23.7 24.7 24.7 25.7 25.8 25.9 26.8 27.8 27.7 28.7 28.7 29.7 29.7 29.7 29.7 29.7 29.7 29.7 29	FAMILY							
Poor family management (%)	Children living in foster care (per 1,000 population							
Family history of anti-social behavior (%) 1 29.6 31.1 28.8 28.5 25.9 Parental attitudes favorable toward drug use (%) 1 19.7 21.1 23.7 19.5 21.0 INDIVIDUALPEERS Peer attitudes favorable to drug use (%) 1 22.4 22.6 22.8 21.7 20.7 20.7 Early initiation of drug use (%) 1 14.5 16.2 16.2 14.7 12.9 Precised advalability of drugs (%) 1 20.2 19.7 20.4 16.9 16.9 16.9 16.9 20.2 19.7 20.4 16.9 16.9 20.2 19.7 20.4 16.9 20.2 19.7 20.2 20.2 19.7 20.4 20.2 20.2 20.2 20.2 20.2 20.2 20.2	under 18 years of age) ⁶	16.3	16.2	19.2				
Parental attitudes favorable toward drug use (%) 1 19.7 21.1 23.7 19.5 21.0 NDIVIDUAL/PEERS	Poor family management (%) ¹	36.6	42.6	38.9	42.2		34.4	
NOIVIDUAL/PEERS	Family history of anti-social behavior (%)	29.6	31.1	28.8	28.5		25.9	A
NOIVIDUAL/PEERS	Parental attitudes favorable toward drug use (%)	19.7	21.1	23.7	19.5		21.0	Y
Peer attitudes favorable to drug use (%) 1 22.4 22.6 22.8 21.7 20.7 A 20.7 A 20.7 A 20.7 I 20.7 I 20.7 A 20.7 I 20								
Early initiation of drug use (%) 1 14.5 16.2 16.2 14.7 12.9 Perceived availability of drugs (%) 1 20.2 19.7 20.4 16.9 16.9 16.9 16.9 16.9 16.9 16.9 16.9	Peer attitudes favorable to drug use (%)	22.4	22.6	22.8	21.7		20.7	A
Perceived availability of drugs (%) 1				16.2	14.7			A
Low perceived risk of drug use (%) 1 50.2 51.9 53.6 51.3 47.5 70.0 47.5 70.0 47.4 74.4 74.0 74.0 78.4 74.4 74.0 74.0 78.4 78.4 74.0 78.4 78.4 78.4 78.4 78.4 78.4 78.4 78.4								
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 79.1 74.4 74.4 74.0 78.4 78.4 79.1 78.4 79.1 79.1 79.1 79.1 79.1 79.1 79.1 79.1	, , , , , , , , , , , , , , , , , , ,							
cigarettes per day as "moderate" or "great risk" (%) 1 79.1 74.4 74.4 74.0 78.4 78.4 78.4 78.4 78.4 78.4 78.4 78.4								
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.3 61.6 60.6 60.5 64.4 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 42.8 44.2 40.9 42.6 43.8 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 78.1 74.2 75.7 75.0 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.5 64.2 65.1 65.6 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 60.6 60.3 60.7 62.9 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 75.4 SCHOOL High school dropouts (per 1,000) 11 10.0 1.5 2.0 Low academic performance (%) 1 46.7 47.1 43.9 39.2 44.0 Low commitment to school (%) 1 54.5 55.2 59.9 61.9 59.2 A1.9 School opportunities for pro-social involvement (%) 1 50.3 59.2 59.0 63.8 61.3		79.1	74.4	74.4	74.0		78.4	V
nearly every day as "moderate" or "great risk" (%)								_
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 42.8 44.2 40.9 42.6 43.8 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 78.1 74.2 75.7 75.0 78.0 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.5 64.2 65.1 65.6 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 60.6 60.3 60.7 62.9 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 75.4 YOUTH WHO PERCEIVE REPORTS (%) 1 70.7 70.7 75.4 YOUTH WHO PERCEIVE REPORTS (%) 1 70.7 70.7 75.4 YOUTH WHO PERCEIVE REPORTS (%) 1 70.7 70.7 75.4 YOUTH WHO PERCEIVE REPORTS (%) 1 70.7 70.7 75.4 YOUTH WHO PERCEIVE REPORTS (%) 1 70.7 70.7 70.7 75.4 YOUTH WHO PERCEIVE REPORTS (%) 1 70.7 70.7 70.7 75.4 YOUTH WHO PERCEIVE REPORTS (%) 1 70.7 YO	·	63.3	61.6	60.6	60.5		64.4	~
as "moderate" or "great risk" (%) 1 42.8 44.2 40.9 42.6 43.8 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 78.1 74.2 75.7 75.0 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.5 64.2 65.1 65.6 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 60.6 60.3 60.7 62.9 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 75.4 SCHOOL High school dropouts (per 1,000) 11 10.0 1.5 2.0 -10.0 academic performance (%) 1 46.7 47.1 43.9 39.2 44.0 Low commitment to school (%) 1 54.5 55.2 59.9 61.9 59.2 44.0 School substance infraction (per 1,000 population of enrolled high school students) 11 26.4 12.5 22.4 School opportunities for pro-social involvement (%) 1 50.3 59.2 59.0 63.8 61.3		00.0	01.0	00.0	00.0		0-11	•
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)		42.8	44.2	40.9	42.6		43.8	V
twice puts a person at "moderate" or "great risk" (%) 1 78.1 74.2 75.7 75.0 78.0 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.5 64.2 65.1 65.6 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 60.6 60.3 60.7 62.9 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 70.2 72.1 70.7 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 70.2 72.1 70.7 75.4 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 70.2 72.1 70.7 70.2 YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 YOUTH WHO PERCEIVED AND TO	• • • • • • • • • • • • • • • • • • • •	42.0	77.2	40.5	72.0		40.0	•
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)		70.1	74.2	75.7	75.0		78.0	V
e-cigars, and e-hookahs as "moderate" or "great risk" (%)		70.1	14.2	13.1	75.0		70.0	•
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 60.6 60.3 60.7 62.9 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 75.4 SCHOOL High school dropouts (per 1,000) 11 10.0 1.5 2.0		63.5	64.2	65.1	65.6		68.8	_
nicotine as "moderate" or "great risk" (%)		03.5	04.2	00.1	05.0		00.0	•
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 75.4 SCHOOL High school dropouts (per 1,000) 11 10.0 1.5 2.0 - Low academic performance (%) 1 46.7 47.1 43.9 39.2 44.0 Low commitment to school (%) 1 54.5 55.2 59.9 61.9 59.2 44.0 Low commitment to school substance infraction (per 1,000 population of enrolled high school students) 11 26.4 12.5 22.4 - School opportunities for pro-social involvement (%) 1 50.3 59.2 59.0 63.8 61.3		60.6	60.2	60.7	62.0		65.7	
nicotine as "moderate" or "great risk" (%) 1 72.7 70.2 72.1 70.7 75.4 SCHOOL High school dropouts (per 1,000) 11 10.0 1.5 2.0 - Low academic performance (%) 1 46.7 47.1 43.9 39.2 44.0 Low commitment to school (%) 1 54.5 55.2 59.9 61.9 59.2 44.0 Low commitment to school substance infraction (per 1,000 population of enrolled high school students) 11 26.4 12.5 22.4 - School opportunities for pro-social involvement (%) 1 50.3 59.2 59.0 63.8 61.3	- ' '	00.0	00.3	00.7	02.9		03.7	V
SCHOOL High school dropouts (per 1,000) 11 10.0 1.5 2.0 - Low academic performance (%) 1 46.7 47.1 43.9 39.2 44.0 Low commitment to school (%) 1 54.5 55.2 59.9 61.9 59.2 44.0 High school substance infraction (per 1,000 population of enrolled high school students) 11 26.4 12.5 22.4 - School opportunities for pro-social involvement (%) 1 50.3 59.2 59.0 63.8 61.3		70.7	70.2	72.1	70.7		75.4	
High school dropouts (per 1,000) 11 10.0 1.5 2.0 - Low academic performance (%) 1 46.7 47.1 43.9 39.2 44.0 Low commitment to school (%) 1 54.5 55.2 59.9 61.9 59.2 44.0 Low commitment to school substance infraction (per 1,000 population of enrolled high school students) 11 26.4 12.5 22.4 - School opportunities for pro-social involvement (%) 1 50.3 59.2 59.0 63.8 61.3		12.1	70.2	12.1	70.7		75.4	<u> </u>
Low academic performance (%) 1 46.7 47.1 43.9 39.2 44.0 Low commitment to school (%) 1 54.5 55.2 59.9 61.9 59.2 Migh school substance infraction (per 1,000 population of enrolled high school students) 11 26.4 12.5 22.4 50.0 63.8 61.3 4.0 59.2 59.0 63.8 61.3		10.0	1.5	2.0				
Low commitment to school (%) 1 54.5 55.2 59.9 61.9 59.2 A High school substance infraction (per 1,000 population of enrolled high school students) 11 26.4 12.5 22.4 School opportunities for pro-social involvement (%) 1 50.3 59.2 59.0 63.8 61.3					00.0		44.5	
High school substance infraction (per 1,000 population of enrolled high school students) 11 26.4 12.5 22.4	. , , , , , , , , , , , , , , , , , , ,							V
enrolled high school students) 11 26.4 12.5 22.4 School opportunities for pro–social involvement (%) 1 50.3 59.2 59.0 63.8 61.3	· ,	54.5	55.2	59.9	61.9		59.2	A
School opportunities for pro–social involvement (%) 1 50.3 59.2 59.0 63.8 61.3	The state of the s							
	chiolica high denoti diadento)							
School rewards for pro-social involvement (%) 1 45.2 52.5 47.8 52.1 50.2								A
	School rewards for pro–social involvement (%)	45.2	52.5	47.8	52.1		50.2	

GRANT COUNTY

Key Findings

Weakness

- 4th highest rate of tobacco sales to minors
- 19th highest percentage of youth using cigarettes

Strengths

- 8th lowest unemployment rate
- 19th lowest percentage of youth initiating drug use before age 15

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population							
Under 18 6.4 2.1							
18–24	14.5	16.0					
25–29	13.8	18.7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	18,022
Population under 18	3,911
Population 18–24	1,514
Population 25–29	1,088
Youth with a guardian currently in the military (%)	14.0

Past 30-day Youth Substance Use

■ County ■ State







GRANT COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	8.3	7.3	14.7	8.1		7.0	A
Past 30-day Youth cigarette use (%)	1.6	1.5	2.6	2.3		1.5	A
Past 30-day Youth chewing tobacco use (%)	1.9	1.4	3.5	1.8		1.7	A
Past 30-day Youth marijuana use (%)	4.2	4.6	10.3	3.7		4.4	V
Past 30-day Youth heroin use (%)	0.0	0.1	0.0	0.0		0.1	V
Past 30-day Youth prescription drug use (%)	1.6	3.1	0.9	2.7		2.5	A
Past 30-day Youth vape use: flavoring only (%)	4.8	5.0	5.2	4.3	-	4.0	A
Past 30-day Youth vape use: marijuana (%)	2.6	3.6	9.5	3.8		4.1	V
Past 30-day Youth vape use: nicotine (%)	9.5	9.0	18.1	8.2		6.8	A
COMMUNITY							
Median Household Income ²	\$59,051	\$62,479	\$68,598				
Persons below poverty level (%) 3	12.7	11.2	13.3				
Unemployment rates (%) 4	5.2	3.2	3.1	2.7		3.3	\forall
Uninsurance (%) ²	5.5	6.1					
Food Insecurity (%) ⁵	17.6	14.2					
BA/BS or higher among those 25 or older (%) ²	20.3	18.0	18.8				
Transitions and Mobility (%) ¹	47.5	45.2	38.9	47.7		50.5	Y
Disconnected Youth measure ²	0.1	0.1	0.1				
Mental Health Center clients (per 1,000 population) ⁶		18.2	19.0				
Substance use treatment admissions (per 10,000 population) ⁶		31.3	8.9				
Beer, wine, and liquor stores (per 100,000 population) ⁷		5.6	0.0	0.0		74.2	\
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	19.4	3.9	25.0		7.1	
Substance use–related arrests (per 1,000 population) ⁹	5.7	6.5	6.8	7.5		9.2	\
Total crime index offenses (per 1,000 population) ⁹	2.7	5.2	6.8	4.7		8.5	\forall
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		38.4	76.9				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	13.0	13.1	10.2				
Poor family management (%) 1	28.6	29.4	43.6	33.5		34.4	V
Family history of anti–social behavior (%)	27.1	22.8	27.7	28.1		25.9	A
Parental attitudes favorable toward drug use (%)	18.4	18.6	34.8	20.5		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	17.3	18.5	31.0	19.9		20.7	Y
Early initiation of drug use (%)	12.0	13.5	21.6	12.5		12.9	\forall
Perceived availability of drugs (%)	17.1	15.8	22.8	17.2		16.9	
Low perceived risk of drug use (%) 1	46.9	48.8	47.9	47.3		47.5	\forall
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	81.2	78.0	88.2	79.7		78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	64.7	62.1	65.5	64.8		64.4	
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	44.0	42.7	50.0	42.6		43.8	Y
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	81.6	76.6	88.1	78.2		78.0	
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	66.7	62.0	68.2	70.0		68.8	A
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	64.6	59.6	57.8	64.6		65.7	Y
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	73.9	71.9	80.4	76.6		75.4	<u> </u>
SCHOOL							
High school dropouts (per 1,000) 11	5.0	4.0	2.1				
Low academic performance (%)	50.9	50.8	40.5	45.7		44.0	A
Low commitment to school (%) ¹	52.2	58.9	58.3	59.6		59.2	
High school substance infraction (per 1,000 population of							
enrolled high school students) ¹¹	13.8	19.0	25.3				
School opportunities for pro–social involvement (%)	63.6	55.3	53.4	58.7		61.3	V
School rewards for pro-social involvement (%)	54.4	46.7	47.8	43.2		50.2	V

GREENE COUNTY

Key Findings

Weakness

· 14th highest percentage of youth using heroin

Strengths

- 8th and 10th lowest percentage of youth vaping and using marijuana, respectively
- · 10th lowest percentage of youth initiating drug use before age 15
- 13th lowest percentage of youth vaping nicotine

Consequences

■ County ■ State

Substance-use related arrests							
per 1,000 population							
Under 18	Jnder 18 3.0 2.1						
18–24	12.7 16.0						
25–29	16.3	18.7					


Rate of all-cause crashes with fatalities with drivers aged 18-29 per 100,000



High school dropout rate per 1,000



Demographics





(%)


Population under 18	11,075
Population 18–24	3,952
Population 25–29	3,006
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







State Stat	GREENE COUNTY		_		_		Arkansas	Vs.
SUBSTANCE USE SUBSTANCE USE		2020	2021	2022	2023	Trend Line		
Plact 30-day Youth soliched user (%)						Trona Line	2020	
Past 30-cay youth cogenete use (%)		7.5	9.4	6.3	5.7		7.0	V
Past 30-day Youth chewing tobacco use (%)	• • • • • • • • • • • • • • • • • • • •							-
Plact 30-day Youth maliquinn use (%)								
Part 30 - day Youth Person Iprocess (%)	, ,							
Plast 30-day Youth prescription drug use (%) 1	, , ,							
Plast 30-dily Youth vape use: marijuana (%)		3.1	2.9	2.5	2.0		2.5	
Past 30-oky Youth vape user incoline (%)	Past 30-day Youth vape use: flavoring only (%)	5.8	5.6	4.6	3.3		4.0	Y
Second Second Price Second	Past 30-day Youth vape use: marijuana (%)	3.5	6.1	4.0	2.5		4.1	Y
Median Hossehold Income Sp0.83 \$51.867 \$54.879	Past 30-day Youth vape use: nicotine (%)	10.8	11.6	7.6	6.0		6.8	\
Persons below poverty level (%)	COMMUNITY							
Unemployment rates (%)	Median Household Income ²	\$50,083	\$51,367	\$54,879				
Uninsurance (%)	Persons below poverty level (%) ³	16.5	12.9	16.3				
Food Insecurity (%) September Septem	Unemployment rates (%) ⁴	6.0	3.4	3.3	3.1		3.3	Y
BARBS of higher among those 25 or older (%) 2 17.3 16.3 16.6 —Transitions and Mobility (%) 1 56.8 57.2 57.1 52.4 50.5 —Bisconnected Youth measure 2 1.3 0.9 1.9 —Mental Health Center clients (per 1,000 population) 4 29 38.7 —Ber. wine, and liquor stores (per 10,000 population) 7 —Ber. wine, and liquor stores (per 10,000 population) 9 14.3 10.0 7.8 8.7 0.0 7.1 —Substance use related arrests (per 1,000 population) 9 14.3 14.4 14.5 11.5 9.2 —Total crime index offenses (per 1,000 population) 9 14.3 14.4 14.5 11.5 9.2 —Total crime index offenses (per 1,000 population) 9 12.4 10.7 10.7 11.6 8.5 —Tatal crashes with drivers aged 18-29 (per 10,000 population) 9 12.4 10.7 10.7 11.6 8.5 —TARILY Children Inlying in foster care (per 1,000 population) 19 12.4 10.7 10.7 11.6 8.5 —TARILY Children Inlying in foster care (per 1,000 population under 18 years of age) 9 19.1 —Poor family management (%) 3.3.1 33.6 37.8 38.0 34.4 —Poor family management (%) 1 33.1 33.6 37.8 38.0 34.4 —Parental attitudes favorable toward drug use (%) 1 19.7 18.5 20.9 19.4 21.0 —Parental attitudes favorable toward drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Per extitudes favorable toward drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Per extitudes favorable toward drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.3 20.5 21.1 18.8 16.9 —Perceived mixel for drug use (%) 1 19.0 2 2	Uninsurance (%) ²	7.4	7.8					
Transitions and Mobility (%)	, ,	20.2	17.0					
Disconnected Youth measure 2	BA/BS or higher among those 25 or older (%) ²	17.3	16.3	16.6				
Mental Health Center clients (per 1,000 population)	Transitions and Mobility (%) 1	56.8	57.2	57.1	52.4		50.5	A
Substance use treatment admissions (per 10,000 population) 42.9 38.7 3.7 3.7 4.2 A Tobacco sales for minors (perend falled tobacco-checks) 10.0 7.8 8.2 89.2 91.4 74.2 A Tobacco sales for minors (perend falled tobacco-checks) 10.0 7.8 8.7 0.0 7.1 Y Substance use-related arrests (per 1,000 population) 10.0 7.8 8.7 0.0 7.1 Y Substance use-related arrests (per 1,000 population) 10.0 7.8 8.7 0.0 7.1 Y Substance use-related arrests (per 1,000 population) 10.0 7.8 8.7 0.0 7.1 Y Substance use-related arrests (per 1,000 population) 10.0 7.8 8.7 0.0 7.1 Y Substance use-related arrests (per 1,000 population) 10.0 7.8 8.7 0.0 7.1 Y Substance use-related arrests (per 1,000 population) 10.0 7.8 8.7 0.0 7.1 11.6 8.5 A Substance use-related arrests (per 1,000 population) 10.0 7.8 8.7 0.0 7.1 11.6 8.5 A Substance use-related arrests (per 1,000 population) 10.0 7.8 11.6 8.5 A Substance use-related arrests (per 1,000 population) 10.0 7.8 11.6 8.5 A Substance use-related arrests (per 1,000 population) 10.0 7.8 11.6 8.5 A Substance use-related arrests (per 1,000 population) 10.0 7.8 11.6 8.5 A Substance use-related arrests (per 1,000 population) 10.0 7.8 11.0 7.5 Substance use-related arrests (per 1,000 population) 10.0 7.8 11.0 7.5 Substance use-related arrests (per 1,000 population) 10.0 7.8 11.0 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1		1.3						
Substance uses retained authorison's process project of 10,000 population)	Wertai Fleatif Center cherts (per 1,000 population)		39.7					
See, with, and include size (see to color ploutation) See, See, See, See, See, See, See, Se	Substance use treatment aumissions (per 10,000 population)							
Substance use-related arrests (per 1,000 population) 14.3 14.4 14.5 11.5 9.2 A Total crime index offenses (per 1,000 population) 12.4 10.7 10.7 11.6 8.5 A Fatal crashes with drivers aged 18.29 (per 100,000 population 18.29 years old) 19 43.1 57.5 ——————————————————————————————————	beer, wire, and liquor stores (per 100,000 population)							
1.24 10.7 11.5 11.5 11.5 12.4 10.7 11.5	Tobacco sales to minors (percent of falled tobacco checks)		7.8	8.7	0.0			V
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) 19 43.1 57.5 ——————————————————————————————————	Substance use-related arrests (per 1,000 population)							
Circle 100,000 population 18–29 years old) 10	*	12.4	10.7	10.7	11.6		8.5	A
FAMILY Children living in foster care (per 1,000 population under 18 years of age) 6	· ·							
Children living in foster care (per 1,000 population under 18 years of age) 1 20.2 19.9 19.1	(per 100,000 population 10 20 years old)		43.1	57.5				
under 18 years of age) 6 20.2 19.9 19.1 —Poor family management (%) 1 33.1 33.6 37.8 38.0 34.4 A Parental management (%) 1 28.6 30.6 28.9 26.4 25.9 A Parental attitudes favorable toward drug use (%) 1 19.7 18.5 20.9 19.4 21.0 Y INDIVIDUALPEERS Per attitudes favorable to drug use (%) 1 20.8 21.2 21.3 19.7 20.7 Y Early initiation of drug use (%) 1 13.2 14.3 10.7 11.2 12.9 Y Per ceived availability of drugs (%) 1 19.3 20.5 21.1 16.8 16.8 16.9 Y Low perceived risk of drug use (%) 1 19.3 20.5 21.1 16.8 16.8 16.9 Y Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 80.7 82.8 76.1 79.9 78.4 \$ A Youth who perceive trying marijuana once or two elacibodic beverages nearly every day as "moderate" or "great risk" (%) 1 47.8 43.8 36.4 46.9 43.8 \$ A Youth who perceive trying marijuana once or two elacibodic beverages a "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 \$ A Youth who perceive trying prescription drugs once or twice as "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 \$ A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 86.4 68.1 66.3 72.0 68.8 \$ A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 86.3 65.5 60.2 68.2 66.7 \$ A SCHOOL High school dropouts (per 1,000) 11 80.9 12.3 20.3 58.8 61.0 58.5 61.3 Y High school dropouts (per 1,000) 11 80.9 12.3 20.3 58.8 61.0 58.5 61.3 Y								
Poor family management (%) 1 33.1 33.6 37.8 38.0 34.4 A Family history of anti-social behavior (%) 28.6 30.6 28.9 26.4 25.9 A Parental attitudes favorable toward drug use (%) 19.7 18.5 20.9 19.4 21.0 V		00.0	40.0	40.4				
Family history of anti-social behavior (%)					20.0		24.4	
Parental attitudes favorable toward drug use (%) 1 19.7 18.5 20.9 19.4 21.0 V INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 20.8 21.2 21.3 19.7 20.7 V Early initiation of drug use (%) 1 13.2 14.3 10.7 11.2 12.9 V Perceived availability of drugs (%) 1 19.3 20.5 21.1 16.8 16.9 V Low perceived risk of drug use (%) 1 80.7 82.8 76.1 79.9 78.4 A 7.5 V Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 80.7 82.8 76.1 79.9 78.4 A Youth who perceive driking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.8 62.6 59.9 65.6 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 A SCHOOL High school dropouts (per 1,000) 11 60.0 1.0 1.0								
Peer attitudes favorable to drug use (%)	Tarring filestory of artit—social behavior (70)							
Peer attitudes favorable to drug use (%) 1 20.8 21.2 21.3 19.7 20.7 \$\footnote{\text{Early initiation of drug use (%) 1} 13.2 14.3 10.7 11.2 12.9 \$\footnote{\text{V}}\$ Perceived availability of drugs (%) 1 19.3 20.5 21.1 16.8 16.9 \$\footnote{\text{V}}\$ Low perceived insk of drug use (%) 1 46.6 49.2 52.8 45.6 47.5 \$\footnote{\text{V}}\$ Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 80.7 82.8 76.1 79.9 78.4 \$\footnote{\text{A}}\$ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.8 62.6 59.9 65.6 64.4 \$\footnote{\text{A}}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 \$\footnote{\text{A}}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 \$\footnote{\text{A}}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 \$\footnote{\text{A}}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 \$\footnote{\text{A}}\$ SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1		19.7	10.0	20.9	19.4		21.0	_
Early initiation of drug use (%) 1 13.2 14.3 10.7 11.2 12.9 V Perceived availability of drugs (%) 1 19.3 20.5 21.1 16.8 16.9 V Low perceived risk of drug use (%) 1 46.6 49.2 52.8 45.6 47.5 V Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 80.7 82.8 76.1 79.9 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.8 62.6 59.9 65.6 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 47.8 43.8 36.4 46.9 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 A SCHOOL Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 V Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 V High school dopportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 V		20.8	21.2	21.3	10.7		20.7	—
Perceived availability of drugs (%) 1 19.3 20.5 21.1 16.8 16.9 V Low perceived risk of drug use (%) 1 46.6 49.2 52.8 45.6 47.5 V Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 80.7 82.8 76.1 79.9 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.8 62.6 59.9 65.6 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 A SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0	r cer attitudes lavorable to urug use (70)							-
Low perceived risk of drug use (%) 1 46.6 49.2 52.8 45.6 47.5 V Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 80.7 82.8 76.1 79.9 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.8 62.6 59.9 65.6 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 47.8 43.8 36.4 46.9 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 A Youth who perceive cocasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 A SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0								•
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 80.7 82.8 76.1 79.9 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.8 62.6 59.9 65.6 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 47.8 43.8 36.4 46.9 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 A SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	, , ,							
cigarettes per day as "moderate" or "great risk" (%) 1 80.7 82.8 76.1 79.9 78.4 A Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.8 62.6 59.9 65.6 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 47.8 43.8 36.4 46.9 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 A SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 Y Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 Y High school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3	, , ,	.0.0	.0.2	02.0	.0.0			
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.8 62.6 59.9 65.6 64.4 A Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 47.8 43.8 36.4 46.9 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 A Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 A Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 A Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 A SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0	· · · · · · · · · · · · · · · · · · ·	80.7	82.8	76.1	79.9		78.4	
nearly every day as "moderate" or "great risk" (%)								
Youth who perceive trying marijuana once or twice 47.8 43.8 36.4 46.9 43.8 ♣ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 ♠ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 ♠ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 ♠ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 ♠ SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0 Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 ♥ Lipid school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 School opportunities for pro–social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 ♥ </td <td>· · · · · · · · · · · · · · · · · · ·</td> <td>63.8</td> <td>62.6</td> <td>59.9</td> <td>65.6</td> <td></td> <td>64.4</td> <td></td>	· · · · · · · · · · · · · · · · · · ·	63.8	62.6	59.9	65.6		64.4	
as "moderate" or "great risk" (%) 1								- ' '
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 81.0 81.8 75.3 79.9 78.0 ★ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 ★ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 ★ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 ★ SCHOOL High school dropouts (per 1,000) ¹¹ 6.0 1.0 1.0 Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 ▼ Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 1 30.9 12.3 20.3 School opportunities for pro-social involvement (%) 1 58.4 58.8		47.8	43.8	36.4	46.9		43.8	A
twice puts a person at "moderate" or "great risk" (%)								
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 68.4 68.1 66.3 72.0 68.8 ▲ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 ▲ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 ▲ SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0 Low academic performance (%) 49.0 50.0 47.5 42.9 44.0 ¥ Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 ¥ High school substance infraction (per 1,000 population of enrolled high school students) 30.9 12.3 20.3 School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 ¥		81.0	81.8	75.3	79.9		78.0	
e-cigars, and e-hookahs as "moderate" or "great risk" (%)								
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 65.3 65.5 60.2 68.2 65.7 ▲ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 ▲ SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0 — — Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 ▼ Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 — — School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 ▼		68.4	68.1	66.3	72.0		68.8	
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 ▲ SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0 Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 ▼ Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 ▼	Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%) 1 76.6 76.1 71.1 78.7 75.4 ▲ SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0 Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 ▼ Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 ▼	nicotine as "moderate" or "great risk" (%)	65.3	65.5	60.2	68.2		65.7	
SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0 — Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 ¥ Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 ¥ High school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 — School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 ¥	Youth who perceive regularly vaping an e-liquid with							
SCHOOL High school dropouts (per 1,000) 11 6.0 1.0 1.0 — Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 ¥ Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 ¥ High school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 — School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 ¥	nicotine as "moderate" or "great risk" (%)	76.6	76.1	71.1	78.7		75.4	A
Low academic performance (%) 1 49.0 50.0 47.5 42.9 44.0 V Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 V High school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 V	SCHOOL							
Low commitment to school (%) 1 52.4 59.8 62.2 59.0 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 - - School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 ▼	High school dropouts (per 1,000) 11	6.0	1.0	1.0				
High school substance infraction (per 1,000 population of enrolled high school students) 11 30.9 12.3 20.3 —— School opportunities for pro-social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 ▼	Low academic performance (%) 1	49.0	50.0	47.5	42.9		44.0	Y
enrolled high school students) 11 30.9 12.3 20.3 ——School opportunities for pro–social involvement (%) 1 58.4 58.8 61.0 58.5 61.3 🔻	Low commitment to school (%) 1	52.4	59.8	62.2	59.0		59.2	\
School opportunities for pro–social involvement (%) 1 58.4 58.8 61.0 58.5 61.3								
30.4 30.0 01.0 30.0 01.0 00.0 01.0 00.0 01.0 00.0 01.0 00.0 01.0 0	chiolica high school stadents)	30.9	12.3	20.3				
School rewards for pro–social involvement (%) 1 48.2 44.9 42.4 44.3 50.2	defined opportunities for pro-social involvement (70)	58.4	58.8	61.0	58.5		61.3	
	School rewards for pro–social involvement (%)	48.2	44.9	42.4	44.3		50.2	V

HEMPSTEAD COUNTY

Key Findings

Weakness

- 4th highest percentage of youth with peer attitudes favorable to drug use
- 8th highest percentage of youth using marijuana
- 10th highest percentage of youth perceiving low risk of drug use
- 12th highest percentage of youth misusing prescription drugs

Strengths

• N/A

Consequences

County State

Substance-use related arrests								
per 1,000 population								
Under 18	2.4 2.1							
18–24	16.6	16.0						
25-29	25_29 11.5 18.7							


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	20,037
Population under 18	
Population 18–24	
Population 25–29	1,126
Youth with a guardian currently in the military (%)	6.5

Past 30-day Youth Substance Use

■ County ■ State







HEMPSTEAD COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE					Trona Emo		Otato
Past 30–day Youth alcohol use (%)	6.2	11.1	12.3	11.9		7.0	A
Past 30–day Youth cigarette use (%)	2.6	1.9	2.5	1.3		1.5	V
Past 30–day Youth chewing tobacco use (%)	0.6	1.6	2.5	2.0		1.7	À
Past 30-day Youth marijuana use (%)	11.1	6.8	5.4	7.5		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.0	0.0	0.0	• • • • • • • • • • • • • • • • • • • •	0.1	V
Past 30-day Youth prescription drug use (%)	3.5	2.7	3.4	3.8		2.5	A
Past 30-day Youth vape use: flavoring only (%)	7.1	8.7	7.8	6.4		4.0	A
Past 30-day Youth vape use: marijuana (%)	3.5	4.5	5.2	5.6		4.1	A
Past 30-day Youth vape use: nicotine (%)	5.6	8.7	7.7	9.4		6.8	A
COMMUNITY							
Median Household Income ²	\$45,484	\$43,592	\$45,049				
Persons below poverty level (%) ³	22.0	21.2	20.9				
Unemployment rates (%) 4	5.2	3.5	3.3	3.1		3.3	Y
Uninsurance (%) ²	9.4	10.1					
Food Insecurity (%) 5	17.7	15.5					
BA/BS or higher among those 25 or older (%) 2	16.0	16.0	15.8				
Transitions and Mobility (%) 1	39.8	38.3	40.1	41.1		50.5	Y
Disconnected Youth measure ²	3.4	0.1	0.1				
Mental Health Center clients (per 1,000 population) ⁶		36.5	36.3				
Substance use treatment admissions (per 10,000 population) ⁶		50.6	27.4				
Beer, wine, and liquor stores (per 100,000 population) ⁷		5.0	5.0	0.0		74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) ⁸		20.0	8.9	0.0		7.1	\forall
Substance use–related arrests (per 1,000 population) ⁹	6.7	8.4	7.7	7.1		9.2	V
Total crime index offenses (per 1,000 population) 9	14.1	12.4	14.7	13.6		8.5	
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		35.6	71.2				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	13.2	14.3	11.7				
Poor family management (%)	57.3	43.4	41.7	40.8		34.4	A
Family history of anti-social behavior (%)	41.9	37.4	33.6	34.0		25.9	
Parental attitudes favorable toward drug use (%)	13.3	23.0	27.1	24.1		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	27.6	27.3	26.4	28.6		20.7	^
Early initiation of drug use (%)	22.2	20.6	21.3	18.0		12.9	A
Perceived availability of drugs (%)	22.5	21.2	24.1	19.4		16.9	
Low perceived risk of drug use (%) 1	53.6	48.1	50.0	57.2		47.5	
Youth who perceive smoking one or more packs of	00.0	77.0	75.0	74.0		70.4	_
cigarettes per day as "moderate" or "great risk" (%)	68.8	77.6	75.9	71.2		78.4	
Youth who perceive drinking one or two alcoholic beverages	00.0	CO F	05.4	540		04.4	
nearly every day as "moderate" or "great risk" (%)	62.8	62.5	65.1	54.9		64.4	V
Youth who perceive trying marijuana once or twice	44.0	47.7	AE E	26.7		42.0	Y
as "moderate" or "great risk" (%)	44.9	47.7	45.5	36.7		43.8	
Youth who perceive trying prescription drugs once or	74.4	70.7	79.3	70.4		78.0	
twice puts a person at "moderate" or "great risk" (%)	74.4	79.7	79.3	72.1		78.0	•
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	56.6	61.5	63.2	62.3		68.8	V
Youth who perceive occasionally vaping an e-liquid with	30.0	01.5	03.2	02.3		00.0	•
nicotine as "moderate" or "great risk" (%)	62.8	66.6	69.1	62.4		65.7	Y
Youth who perceive regularly vaping an e-liquid with	02.0	00.0	03.1	02.4		03.7	V
nicotine as "moderate" or "great risk" (%)	67.8	73.1	76.6	68.5		75.4	V
SCHOOL	07.0	7 3. 1	70.0	00.0		7 3.4	
High school dropouts (per 1,000) ¹¹	11.0	4.4	4.4				
Low academic performance (%)	65.9	59.5	4.4	46.3		44.0	
Low commitment to school (%)	63.8	63.3	65.4	69.4		59.2	Â
High school substance infraction (per 1,000 population of	00.0	00.0	UU. 1	00.4		00.Z	
enrolled high school students) ¹¹	11.8	6.5	27.1				
School opportunities for pro–social involvement (%)	39.9	52.5	55.2	57.2		61.3	Y
School rewards for pro–social involvement (%)	45.5	44.4	39.7	39.1		50.2	Ť
Constitution of pro-social involvement (70)	10.0	1 1. 7	00.7	00.1		00.Z	•

HOT SPRING COUNTY

Key Findings

Weakness

• N/A

Strengths

- 11th lowest percentage of youth misusing prescription drugs
- 12th lowest percentage of youth perceiving availability of drugs
- 15th lowest percentage of youth using smokeless tobacco
- 17th lowest percentage of youth with peer attitudes favorable to drug use

Consequences

County State

Substance-use related arrests per 1,000 population						
Under 18	0.6	2.1				
18–24	8.8	16.0				
25–29	2.8	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics







(%)


53.2

Past 30-day Youth Substance Use

■ County ■ State







Second Colonia	HOT SPRING COUNTY		_		_		Aukamaaa	Vo
Substance Subs	HOT SPRING COUNTY	2020	2021	2022	2023	Trand Line	Arkansas	Vs.
Part 30-day Youth pictoribul use (%) Part 30-day Youth chewing ploadsco use (%) Part 30-day Youth percent with the part 30-day Youth percent ploads (%) Part 30-day Youth page use. minipana use (%) Part 30-day Youth page use. minipana use. Minipan		2020	2021	2022	2023	Helia Lille	2023	State
Part 31		11 2	10.0	10.8	7.8		7.0	A
Plast 30-day Youth retwrning tobacco use (%) 1	Tuot de day realit albertor de (76)							
Plast 30-day Youth mariquina use (%)	, , , , , , , , , , , , , , , , , , , ,							
Plant 30-day Youth beroin use (%) 0.0	, ,							
Part 30-day Youth prescription drug use (%) ' 21 28 3.6 1.6 2.5 V Part 30-day Youth vage use: flavoring college; (%) ' 10.8 9.5 8.3 5.1 4.0								
Plast 30-day Youth vape use: mirry and any (%)	` '							
Plast 30-day Youth vape use: maritianal (%)								•
Past 30-day Youth vape user incomine (%) 16.7	3 3 4 7							
Median Household Income								-
Median Household Income							-	
Persons below powerly kenvel (%)		\$46,390	\$46.724	\$50,260				
Unemplyment rates (%)								
Uninsurance (%) 6.9 7.3					3.3		3.3	=
Food Insecurity (%) 19.8 15.8								
Transitions and Mobility (%)	Food Insecurity (%) 5	19.8	15.8					
Disconnected Youth measure 2 3.6 3.8 1.9	BA/BS or higher among those 25 or older (%) ²	15.3	16.4	15.5				
Disconnected Youth measure 2 3,6 3,8 1,9	Transitions and Mobility (%) 1	44.6	45.8	47.8	46.8		50.5	V
Substance use treatment admissions (per 10,000 population) Beer, wine, and liquor stores (per 100,000 population) Peer, wine, and liquor stores (per 100,000 population) Beer, wine, and liquor stores (per 100,000 population) 100 0.0 0.0 60.4 74.2 Y Tobacco sales for minors (perento failed tobacco checks) 100 0.0 0.0 0.0 0.0 7.1 Y Substance use-related arrests (per 1,000 population) 101 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, , , , , , , , , , , , , , , , , , ,							
Substance use treatment admissions (per 10,000 population) 35.0 26.6								
Tobacoo sales to minors (percent of failed tobacoc checks) 66.7 0.0 6.3 0.0 7.1 V	" ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '							
Substance use-related arrests (per 1,000 population) 9	Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	60.4		74.2	V
Solidate deservation disease part 1,000 population 3.4 6.9 7.5 4.7 8.5	Tobacco sales to minors (percent of failed tobacco checks) ⁸	66.7	0.0	6.3	0.0		7.1	V
Fatal crashes with drivers aged 18–29 (per 10.000 population 18–29 years old) 10 2.1.1 168.7 — FAMILY Children living in foster care (per 1,000 population under 18 years of age) 6 9.3 8.9 10.2 —— Poor family management (%) 1 31.8 35.8 31.4 36.4 34.4 A Family history of anti-social behavior (%) 1 38.8 34.0 29.0 27.7 25.9 A Perceival des favorable toward drug use (%) 1 20.2 22.2 23.1 23.4 21.0 A INDIVIDUAL/PEERS Pere attitudes favorable to drug use (%) 1 24.0 23.2 21.5 19.6 20.7 VE Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 YE Law precived availability of drugs (%) 1 20.2 18.4 19.6 15.0 16.9 YE Law precived availability of drugs (%) 1 53.9 55.1 49.3 49.7 47.5 A VOUNT who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.2 64.8 62.0 64.4 YE Vouth who perceive trying prescription drugs once or twice as "moderate" or "great risk" (%) 1 59.1 58.2 57.8 8.0 78.0 YE Vouth who perceive trying prescription drugs once or twice as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 YE Vouth who perceive underate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 YE Vouth who perceive underate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 YE Vouth who perceive underate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 YE Vouth who perceive underate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 YE Vouth who perceive underate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 YE VOUTH who perceive underate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 YE VOUTH who perceive underate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 YE VOUTH Who perceive underate" or "great risk" (%) 1 59.2 59.0 66.1 67.4 68.8 YE VOUTH Who perceive underate" or "great risk" (%) 1 59.2 59.0 66.1 67.4 68.8 YE VOUTH Who perceive underated or "great risk" (%) 1 59.2 59.0 66.1 67.4 59.2 59.2 59.2 59.2 59.2 59.2 59.2 59.2	"	4.1	2.6	1.8	2.7		9.2	¥
Per 100,000 population 18–29 years old) 10 9.3 8.9 10.2 9.7	Total crime index offenses (per 1,000 population)	3.4	6.9	7.5	4.7		8.5	\
FAMILY Children living in foster care (per 1,000 population under 18 years of age) 6	Fatal crashes with drivers aged 18–29							
Children living in foster care (per 1,000 population under 18 years of age) \$ 9.3 8.9 10.2 \$	(per 100,000 population 18–29 years old) 10		21.1	168.7				
under 18 years of age) 6 9.3 8.9 10.2 Poor family management (%) 1 31.8 35.8 31.4 36.4 34.4 A Parental management (%) 1 31.8 35.8 31.4 36.4 34.4 A Parental attitudes favorable toward drug use (%) 1 20.2 22.2 23.1 23.4 21.0 A INDIVIDUAL PLETS Rear attitudes favorable to drug use (%) 1 24.0 23.2 21.5 19.6 20.7 Y Early initiation of drug use (%) 1 24.0 23.2 21.5 19.6 20.7 Y Early initiation of drug use (%) 1 26.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 27.2 18.8 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 28.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 29.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 18.6 18.0 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 18.6 18.0 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 18.6 18.0 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 18.6 18.0 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 18.6 18.0 Y Early initiation of drug use (%)	FAMILY							
Poor family management (%) 1 31.8 35.8 31.4 36.4 34.4 A Family history of anti-social behavior (%) 1 36.8 34.0 29.0 27.7 25.9 A Pamily history of anti-social behavior (%) 1 20.2 22.2 23.1 23.4 21.0 A NDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 24.0 23.2 21.5 19.6 20.7 Y Early initiation of drug use (%) 1 24.0 23.2 21.5 19.6 20.7 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 20.2 18.4 19.6 15.0 16.9 Y Early initiation of drug use (%) 1 75.7 77.2 81.8 77.7 78.4 Y Y Early initiation of drug use (%) 1 75.7 77.2 81.8 77.7 78.4 Y Y Early initiation of use (%) 1 75.7 77.2 81.8 77.7 78.4 Y Y Early initiation of use (%) 1 75.7 77.2 81.8 77.7 78.4 Y Y Y Early initiation of use (%) 1 75.7 77.2 81.8 77.7 78.4 Y Y Y Y Y Y Y Y Y	Children living in foster care (per 1,000 population							
Family history of anti-social behavior (%) 1 36.8 34.0 29.0 27.7 25.9 A Parental attitudes favorable toward drug use (%) 1 20.2 22.2 23.1 23.4 21.0 A INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 17.2 17.3 17.1 15.7 12.9 A Parental ability of drugs (%) 1 24.0 23.2 21.5 19.6 20.7 ▼ Early initiation of drug use (%) 1 17.2 17.3 17.1 15.7 12.9 A Perceived availability of drugs (%) 1 20.2 18.4 19.6 15.0 16.9 ▼ Low perceived risk of drug use (%) 1 53.9 55.1 49.3 49.7 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 75.7 77.2 81.8 77.7 81.8 77.7 88.4 ▼ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 38.1 39.1 42.2 40.4 43.8 ▼ Youth who perceive trying prescription drugs once or twice as "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 ▼ Youth who perceive degrally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 1.6 2.0	under 18 years of age) ⁶	9.3	8.9	10.2				
Parental attitudes favorable toward drug use (%) 1 20.2 22.2 23.1 23.4 21.0 A INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 24.0 23.2 21.5 19.6 20.7 Y Early initiation of drug use (%) 1 17.2 17.3 17.1 15.7 12.9 A Perceived availability of drugs (%) 1 20.2 18.4 19.6 15.0 16.9 Y Low perceived risk of drug use (%) 1 53.9 55.1 49.3 49.7 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 75.7 77.2 81.8 77.7 78.4 Y Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.2 64.8 62.0 64.4 Y Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 Y Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 Y Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Y Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.0 1.6 2.0 7 SCHOOL High school dropouts (per 1,000) 11 47.2 45.1 44.5 42.1 44.0 Y Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 Y Low commitment to school (%) 1 59.2 13.7 27.2 5.6 60.0 58.5 57.8 61.3 Y	Poor family management (%) ¹	31.8	35.8	31.4	36.4		34.4	
NOIVIDUAL/PEERS	Family history of anti-social behavior (%)	36.8	34.0	29.0	27.7		25.9	A
Peer attitudes favorable to drug use (%) 1 24.0 23.2 21.5 19.6 20.7 Early initiation of drug use (%) 1 17.2 17.3 17.1 15.7 12.9 A Perceived availability of drugs (%) 1 20.2 18.4 19.6 15.0 16.9 Low perceived availability of drug (%) 1 53.9 55.1 49.3 49.7 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 75.7 77.2 81.8 77.7 78.4 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.2 64.8 62.0 64.4 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 Eliphoschol dropouts (per 1,000) 11 4.0 1.6 2.0 Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 59.2 59.2 Eligh school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high sch	Parental attitudes favorable toward drug use (%)	20.2	22.2	23.1	23.4		21.0	
Early initiation of drug use (%) 1 17.2 17.3 17.1 15.7 12.9	INDIVIDUAL/PEERS							
Perceived availability of drugs (%) 1	Peer attitudes favorable to drug use (%)	24.0	23.2	21.5	19.6		20.7	Y
Low perceived risk of drug use (%) 1 53.9 55.1 49.3 49.7 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 75.7 77.2 81.8 77.7 78.4 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.2 64.8 62.0 64.4 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 38.1 39.1 42.2 40.4 43.8 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 Youth who perceive cocasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 50.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 50.8 50.9 50.2 50.2 50.2 50.2 50.2 50.2 50.2 50.2	Early initiation of drug use (%) 1	17.2	17.3	17.1	15.7		12.9	A
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 75.7 77.2 81.8 77.7 78.4 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.2 64.8 62.0 64.4 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 38.1 39.1 42.2 40.4 43.8 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 75.4 Youth who perceive regul	Perceived availability of drugs (%) 1	20.2	18.4	19.6	15.0		16.9	V
cigarettes per day as "moderate" or "great risk" (%) 1 75.7 77.2 81.8 77.7 78.4 \ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.2 64.8 62.0 64.4 \ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 38.1 39.1 42.2 40.4 43.8 \ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 \ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 \ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 \ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \ Youth who perceive regularly raping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \ Youth who perceive regularly raping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \ Youth who perceive regularly raping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \ Youth who perceive regularly raping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \ Youth who perceive regularly raping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \ Youth who perceive regularly raping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \ Youth who perceive regularly raping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 75.2 75.4 \ Youth who perceive regularly raping an e-liquid wi	Low perceived risk of drug use (%) 1	53.9	55.1	49.3	49.7		47.5	
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 59.1 58.2 64.8 62.0 64.4 \$\forall \text{Y} \text{Youth who perceive trying marijuana once or twice} as "moderate" or "great risk" (%) 1 38.1 39.1 42.2 40.4 43.8 \$\forall \text{Y} \text{Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 \$\forall \text{Y} \text{Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 \$\forall \text{Y} \text{Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 \$\forall \text{Y} \text{Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \$\forall \text{SCHOOL} \text{Ush who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 \$\forall \text{SCHOOL} Ush commitment to school (%) 1 4.0 1.6 2.0	Youth who perceive smoking one or more packs of							
nearly every day as "moderate" or "great risk" (%)	cigarettes per day as "moderate" or "great risk" (%)	75.7	77.2	81.8	77.7		78.4	Y
Youth who perceive trying marijuana once or twice 38.1 39.1 42.2 40.4 43.8 ¥ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 ¥ Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 ¥ Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 ¥ Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 ¥ SCHOOL High school dropouts (per 1,000) ¹¹ 4.0 1.6 2.0 — — Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 ¥ Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 59.2 59.2 — High school substance infraction (per 1,000 population of enrolled high school students) <t< td=""><td>Youth who perceive drinking one or two alcoholic beverages</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Youth who perceive drinking one or two alcoholic beverages							
as "moderate" or "great risk" (%) 1 38.1 39.1 42.2 40.4 43.8 ¥ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 ¥ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 ¥ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 ¥ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 1.6 2.0 Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 ▼ Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 59.2 = High school substance infraction (per 1,000 population of enrolled high school students) 11 20.2 13.7 27.2 School opportunities for pro-social involvement (%) 1 57.4 56.6 58.5 57.8 61.3 ¥	nearly every day as "moderate" or "great risk" (%)	59.1	58.2	64.8	62.0		64.4	Y
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 1.6 2.0 Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 ▼ Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 1 20.2 13.7 27.2 School opportunities for pro-social involvement (%) 1 57.4 56.6 <	Youth who perceive trying marijuana once or twice							
twice puts a person at "moderate" or "great risk" (%) 1 75.5 76.3 83.0 76.8 76.8 78.0 V Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 V Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 V SCHOOL High school dropouts (per 1,000) 11 4.0 1.6 2.0	as "moderate" or "great risk" (%)	38.1	39.1	42.2	40.4		43.8	Y
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 59.2 59.7 66.1 67.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 1.6 2.0 Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 ▼ Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 11 20.2 13.7 27.2 School opportunities for pro-social involvement (%) 1 57.4 56.6 58.5 57.8 61.3 ▼	Youth who perceive trying prescription drugs once or							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	twice puts a person at "moderate" or "great risk" (%)	75.5	76.3	83.0	76.8		78.0	Y
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 56.8 55.4 60.0 62.6 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 1.6 2.0 Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 ▼ Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 11 20.2 13.7 27.2 School opportunities for pro-social involvement (%) 1 57.4 56.6 58.5 57.8 61.3 ▼	Youth who perceive using a vaping product like e-cigarettes,							
nicotine as "moderate" or "great risk" (%)	e-cigars, and e-hookahs as "moderate" or "great risk" (%)	59.2	59.7	66.1	67.4		68.8	V
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 1.6 2.0 Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 ▼ Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 = High school substance infraction (per 1,000 population of enrolled high school students) 11 20.2 13.7 27.2 School opportunities for pro-social involvement (%) 1 57.4 56.6 58.5 57.8 61.3 ▼	Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%) 1 67.2 68.1 74.4 73.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 4.0 1.6 2.0 Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 ▼ Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 = High school substance infraction (per 1,000 population of enrolled high school students) 11 20.2 13.7 27.2 School opportunities for pro–social involvement (%) 1 57.4 56.6 58.5 57.8 61.3 ▼	nicotine as "moderate" or "great risk" (%)	56.8	55.4	60.0	62.6		65.7	Y
SCHOOL High school dropouts (per 1,000) 11 4.0 1.6 2.0 — Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 ▼ Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 = High school substance infraction (per 1,000 population of enrolled high school students) 11 20.2 13.7 27.2 — School opportunities for pro–social involvement (%) 1 57.4 56.6 58.5 57.8 61.3 ▼	Youth who perceive regularly vaping an e-liquid with							
High school dropouts (per 1,000) 11	nicotine as "moderate" or "great risk" (%)	67.2	68.1	74.4	73.2		75.4	Y
Low academic performance (%) 1 47.2 45.1 44.5 42.1 44.0 V Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 59.2 = High school substance infraction (per 1,000 population of enrolled high school students) 11 20.2 13.7 27.2 School opportunities for pro-social involvement (%) 1 57.4 56.6 58.5 57.8 61.3 V								
Low commitment to school (%) 1 52.1 60.5 56.9 59.2 59.2 59.2 = High school substance infraction (per 1,000 population of enrolled high school students) 11 20.2 13.7 27.2 School opportunities for pro-social involvement (%) 1 57.4 56.6 58.5 57.8 61.3 ¥		4.0	1.6	2.0				
High school substance infraction (per 1,000 population of enrolled high school students) 11 20.2 13.7 27.2 ——School opportunities for pro–social involvement (%) 1 57.4 56.6 58.5 57.8 61.3	, ,	47.2	45.1	44.5	42.1		44.0	V
enrolled high school students) 11 20.2 13.7 27.2 —— School opportunities for pro–social involvement (%) 1 57.4 56.6 58.5 57.8 61.3 ▼	Low commitment to school (%) 1	52.1	60.5	56.9	59.2		59.2	=
School opportunities for pro–social involvement (%) 1 57.4 56.6 58.5 57.8 61.3								
31.4 30.0 37.0 57.0 57.0 57.0 57.0 57.0 57.0 57.0 5	chroned high school students)	20.2	13.7	27.2				
School rewards for pro–social involvement (%) 1 49.8 49.2 45.9 48.3 50.2	defices opportunities for pro-social involvement (70)	57.4	56.6	58.5	57.8			
	School rewards for pro–social involvement (%)	49.8	49.2	45.9	48.3		50.2	V

HOWARD COUNTY

Key Findings

Weakness

• N/A

Strengths

- 5th lowest percentage of youth misusing prescription drugs
- 5th lowest percentage of youth with peer attitudes favorable to drug use
- 6th and 7th lowest percentage of youth vaping and using marijuana, respectively
- 8th lowest percentage of youth initiating drug use before age 15

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population					
Under 18	2.4	2.1			
18–24	33.0	16.0			
25–29	27.0	18.7			


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	12,779
Population under 18	3,310
Population 18–24	
Population 25–29	742
Youth with a guardian currently in the military (%)	


(%)

Past 30-day Youth Substance Use

■ County ■ State







HOWARD COUNTY				_		Autonoso	V-
HOWARD COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Trend Line	2023	State
Past 30–day Youth alcohol use (%)	10.5	13.0	14.2	6.9		7.0	V
Past 30–day Youth cigarette use (%)	2.6	2.6	2.0	2.1		1.5	Ă
Past 30–day Youth chewing tobacco use (%)	2.6	2.9	3.7	1.1		1.7	Ŷ
Past 30–day Youth marijuana use (%)	3.1	5.7	7.6	2.5		4.4	Ť
Past 30–day Youth heroin use (%)	0.0	0.3	0.3	0.0		0.1	Ý
Past 30–day Youth prescription drug use (%)	4.0	2.3	3.0	1.1		2.5	Ť
Past 30–day Youth vape use: flavoring only (%)	8.2	9.5	9.5	4.4		4.0	Ă
Past 30–day Youth vape use: marijuana (%)	2.0	5.8	6.5	1.9		4.1	Ŷ
Past 30–day Youth vape use: nicotine (%)	10.2	12.5	14.1	6.3		6.8	Ý
COMMUNITY	10.2	72.0		0.0		0.0	•
Median Household Income ²	\$38,038	\$39,558	\$44,824				
Persons below poverty level (%) ³	19.3	17.9	17.9				
Unemployment rates (%) 4	5.0	3.2	3.3	3.3		3.3	=
Uninsurance (%) ²	10.4	10.8					
Food Insecurity (%) ⁵	17.4	15.1					
BA/BS or higher among those 25 or older (%)	13.8	14.3	15.0				
Transitions and Mobility (%) 1	43.7	41.3	43.0	40.8		50.5	V
Disconnected Youth measure ²	3.1	2.0	3.7				
Mental Health Center clients (per 1,000 population) 6		27.8	27.8		-		
Substance use treatment admissions (per 10,000 population) ⁶		22.5	12.5				
Beer, wine, and liquor stores (per 100,000 population)		0.0	0.0	0.0		74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) ⁸		0.0	7.5	0.0		7.1	V
Substance use–related arrests (per 1,000 population) 9	7.1	14.1	13.4	12.2		9.2	À
Total crime index offenses (per 1,000 population)	6.8	5.9	7.8	6.1		8.5	V
Fatal crashes with drivers aged 18–29							·
(per 100,000 population 18–29 years old) ¹⁰		0.0	0.0		•—•		
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	6.4	6.5	8.8				
Poor family management (%) 1	28.7	32.3	38.1	30.3		34.4	Y
Family history of anti–social behavior (%)	30.3	28.1	27.3	23.5		25.9	V
Parental attitudes favorable toward drug use (%)	18.2	24.2	26.1	19.4		21.0	V
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	16.9	23.0	23.5	15.2		20.7	V
Early initiation of drug use (%)	14.8	17.0	18.2	10.6	-	12.9	\
Perceived availability of drugs (%)	17.0	17.7	20.2	13.6			V
Low perceived risk of drug use (%) 1	51.3	45.7				16.9	▼
Youth who perceive smoking one or more packs of		45.7	49.7	45.7		16.9 47.5	¥
		45.7	49.7	45.7			
cigarettes per day as "moderate" or "great risk" (%)	74.5	79.7	49.7 78.9	45.7 75.3			
	74.5					47.5	V
cigarettes per day as "moderate" or "great risk" (%)	74.5 59.1					47.5	V
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages		79.7	78.9	75.3		47.5 78.4	V
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1		79.7	78.9	75.3		47.5 78.4	V
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	59.1	79.7 58.0	78.9 62.1	75.3 61.2		47.5 78.4 64.4	* * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	59.1 41.8	79.7 58.0 49.2	78.9 62.1 43.8	75.3 61.2 47.9		47.5 78.4 64.4 43.8	* * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	59.1	79.7 58.0	78.9 62.1	75.3 61.2		47.5 78.4 64.4	V V A
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	59.1 41.8	79.7 58.0 49.2	78.9 62.1 43.8	75.3 61.2 47.9 75.1		47.5 78.4 64.4 43.8	¥ ¥
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	59.1 41.8 76.2	79.7 58.0 49.2 79.2	78.9 62.1 43.8 79.8	75.3 61.2 47.9		47.5 78.4 64.4 43.8 78.0	* * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	59.1 41.8 76.2	79.7 58.0 49.2 79.2	78.9 62.1 43.8 79.8	75.3 61.2 47.9 75.1		47.5 78.4 64.4 43.8 78.0	* * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	59.1 41.8 76.2 59.8	79.7 58.0 49.2 79.2 65.8	78.9 62.1 43.8 79.8 62.8	75.3 61.2 47.9 75.1 63.3		47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	59.1 41.8 76.2 59.8	79.7 58.0 49.2 79.2 65.8	78.9 62.1 43.8 79.8 62.8	75.3 61.2 47.9 75.1 63.3		47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	59.1 41.8 76.2 59.8 58.5	79.7 58.0 49.2 79.2 65.8 65.1	78.9 62.1 43.8 79.8 62.8 58.3	75.3 61.2 47.9 75.1 63.3 64.7		47.5 78.4 64.4 43.8 78.0 68.8 65.7	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	59.1 41.8 76.2 59.8 58.5	79.7 58.0 49.2 79.2 65.8 65.1	78.9 62.1 43.8 79.8 62.8 58.3	75.3 61.2 47.9 75.1 63.3 64.7		47.5 78.4 64.4 43.8 78.0 68.8 65.7	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	59.1 41.8 76.2 59.8 58.5 68.4	79.7 58.0 49.2 79.2 65.8 65.1 72.9	78.9 62.1 43.8 79.8 62.8 58.3 69.2	75.3 61.2 47.9 75.1 63.3 64.7		47.5 78.4 64.4 43.8 78.0 68.8 65.7	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	59.1 41.8 76.2 59.8 58.5 68.4	79.7 58.0 49.2 79.2 65.8 65.1 72.9	78.9 62.1 43.8 79.8 62.8 58.3 69.2	75.3 61.2 47.9 75.1 63.3 64.7 70.6		47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low academic performance (%)	59.1 41.8 76.2 59.8 58.5 68.4 4.0 40.3	79.7 58.0 49.2 79.2 65.8 65.1 72.9	78.9 62.1 43.8 79.8 62.8 58.3 69.2	75.3 61.2 47.9 75.1 63.3 64.7 70.6		47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%)	59.1 41.8 76.2 59.8 58.5 68.4 4.0 40.3	79.7 58.0 49.2 79.2 65.8 65.1 72.9	78.9 62.1 43.8 79.8 62.8 58.3 69.2	75.3 61.2 47.9 75.1 63.3 64.7 70.6		47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 High school substance infraction (per 1,000 population of	59.1 41.8 76.2 59.8 58.5 68.4 4.0 40.3 46.5	79.7 58.0 49.2 79.2 65.8 65.1 72.9 1.0 40.2 55.8	78.9 62.1 43.8 79.8 62.8 58.3 69.2 1.0 47.6 59.9	75.3 61.2 47.9 75.1 63.3 64.7 70.6		47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	59.1 41.8 76.2 59.8 58.5 68.4 4.0 40.3 46.5	79.7 58.0 49.2 79.2 65.8 65.1 72.9 1.0 40.2 55.8 4.6	78.9 62.1 43.8 79.8 62.8 58.3 69.2 1.0 47.6 59.9	75.3 61.2 47.9 75.1 63.3 64.7 70.6		47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4 44.0 59.2	* * * * * * * * * * * * * * * * * * *

INDEPENDENCE COUNTY

Key Findings

Weakness

• N/A

Strengths

- 7th lowest percentage of youth with low perceived risk of drug use
- 9th lowest percentage of youth initiating drug use before age 15
- 10th and 14th lowest percentage of youth vaping and using marijuana, respectively

Consequences

■ County ■ State

Substance-use related arrests							
per 1,000 population							
Under 18	0.3	2.1					
18–24	4.0	16.0					
25_29	6.2	18 7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	37,910
Population under 18	9,023
Population 18–24	3,488
Population 25–29	1,945
Youth with a guardian currently in the military (%)	10.6

Past 30-day Youth Substance Use

■ County ■ State







INDEPENDENCE COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	10.7	9.8	8.2	7.8		7.0	^
Past 30-day Youth cigarette use (%)	4.4	1.9	4.1	1.6		1.5	_
Past 30-day Youth chewing tobacco use (%)	3.5	2.1	2.7	2.0		1.7	
Past 30–day Youth marijuana use (%)	5.9	5.4	6.1	3.1		4.4	¥
Past 30–day Youth heroin use (%)	0.2	0.1	0.3	0.2		0.1	A
Past 30-day Youth prescription drug use (%)	3.6	2.2	2.4	2.8		2.5	
Past 30-day Youth vape use: flavoring only (%)	7.9	4.5	6.0	3.2		4.0	V
Past 30-day Youth vape use: marijuana (%)	5.2	5.2	5.6	2.6		4.1	V
Past 30–day Youth vape use: nicotine (%)	13.1	12.8	12.1	6.6		6.8	Y
COMMUNITY							
Median Household Income ²	\$48,972	\$50,028	\$52,361				
Persons below poverty level (%) 3	15.2	18.9	15.0				
Unemployment rates (%) ⁴	5.8	3.9	3.4	3.2		3.3	— Y
Uninsurance (%) ²	8.6	9.2					
Food Insecurity (%) ⁵	19.2	15.5					
BA/BS or higher among those 25 or older (%) ²	18.5	16.5	17.1				
Transitions and Mobility (%) 1	51.5	49.8	51.4	43.2		50.5	\forall
Disconnected Youth measure ²	0.3	0.4	0.3				
Mental Health Center clients (per 1,000 population) ⁶		25.6	21.5				
Substance use treatment admissions (per 10,000 population) ⁶		33.6	19.8				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0		74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	9.3	3.3	0.0		7.1	\forall
Substance use–related arrests (per 1,000 population) ⁹	3.1	2.8	4.3	3.5		9.2	Y
Total crime index offenses (per 1,000 population) ⁹	4.3	3.1	4.2	3.1		8.5	\forall
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		92.0	55.2				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	11.6	11.6	9.8				
Poor family management (%) 1	32.6	34.8	35.0	32.3		34.4	\forall
Family history of anti–social behavior (%)	30.6	27.8	29.9	26.6		25.9	A
Parental attitudes favorable toward drug use (%)	23.8	21.4	21.9	19.8		21.0	V
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	22.4	20.8	22.7	17.9		20.7	Y
Early initiation of drug use (%)	16.6	16.3	16.5	11.1		12.9	Y
Perceived availability of drugs (%)	20.2	19.2	21.0	16.7	•	16.9	Y
Low perceived risk of drug use (%) 1	47.6	48.0	48.8	43.5		47.5	Y
Youth who perceive smoking one or more packs of					_		
cigarettes per day as "moderate" or "great risk" (%)	82.3	82.6	80.7	79.7		78.4	A
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	63.7	61.4	61.5	66.2		64.4	A
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	47.1	44.8	43.6	47.1		43.8	A
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	82.2	82.7	80.3	80.0		78.0	A
Youth who perceive using a vaping product like e-cigarettes,	02.2	02.,	00.0	00.0		7 0.0	
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	68.0	67.3	65.7	70.8		68.8	A
Youth who perceive occasionally vaping an e-liquid with	00.0	07.0	00	7 0.0		00.0	
nicotine as "moderate" or "great risk" (%)	64.2	62.4	62.6	67.6		65.7	A
Youth who perceive regularly vaping an e-liquid with	02	02	02.0	00		00	
nicotine as "moderate" or "great risk" (%)	74.9	74.3	74.8	76.4		75.4	A
SCHOOL	7-7.0	, 1.5	7 1.0	70.4		70.7	
High school dropouts (per 1,000) 11	4.0	0.3	0.3				
Low academic performance (%)	45.7	46.0	44.7	45.5		44.0	
Low commitment to school (%)	49.8	55.3	55.1	56.1		59.2	Ŷ
High school substance infraction (per 1,000 population of	49.0	55.5	55.1	50.1		39.Z	V
The state of the s	22.4	0.1	6.0				
enrolled high school students) School opportunities for pro-social involvement (%)	22.4	8.1	6.8	64.6		64.2	
ochool opportunities for pro-social involvement (70)	63.6	63.7	61.6	61.6		61.3	
School rewards for pro–social involvement (%)	55.8	50.9	50.9	46.7		50.2	•

IZARD COUNTY

Key Findings

Weakness

 6th highest percentage of youth misusing prescription drugs

Strengths

- 2nd lowest rate of substance-related arrests
- 9th lowest percentage of youth perceiving low risk of drug use
- 11th lowest percentage of youth with peer attitudes favorable to drug use

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	0.0	2.1				
18–24	5.4	16.0				
25–29	2.6	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	13,748
Population under 18	2,378
Population 18–24	921
Population 25–29	776
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







IZARD COUNTY			_	_		Aukamaaa	V/o
IZARD COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE					Trona Line	2020	
Past 30–day Youth alcohol use (%)	12.2	14.9	8.0	6.3		7.0	V
Past 30–day Youth cigarette use (%)	3.0	3.5	1.4	1.3		1.5	Ý
Past 30-day Youth chewing tobacco use (%)	6.0	3.5	3.0	1.9		1.7	À
Past 30–day Youth marijuana use (%)	2.0	7.2	5.2	3.5		4.4	Ÿ
Past 30–day Youth heroin use (%)	0.3	0.0	0.6	0.0		0.1	Ÿ
Past 30-day Youth prescription drug use (%)	1.4	4.6	2.5	4.5		2.5	A
Past 30-day Youth vape use: flavoring only (%)	8.7	7.7	5.0	5.1		4.0	A
Past 30-day Youth vape use: marijuana (%)	2.4	5.1	5.0	3.2		4.1	V
Past 30-day Youth vape use: nicotine (%)	16.2	20.6	11.5	8.9		6.8	A
COMMUNITY							
Median Household Income ²	\$42,818	\$45,318	\$46,159				
Persons below poverty level (%) ³	15.2	18.4	22.4				
Unemployment rates (%) 4	8.4	5.4	5.2	4.7		3.3	
Uninsurance (%) ²	5.6	6.1					
Food Insecurity (%) ⁵	21.2	18.1					
BA/BS or higher among those 25 or older (%) ²	14.5	17.0	18.9				
Transitions and Mobility (%) 1	45.6	44.5	45.9	43.7		50.5	Y
Disconnected Youth measure ²	3.5	3.3	3.0				
Mental Health Center clients (per 1,000 population) ⁶		33.2	28.2				
Substance use treatment admissions (per 10,000 population) ⁶		12.5	6.5				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0		74.2	
Tobacco sales to minors (percent of failed tobacco checks) ⁸	9.1	0.0	2.6	0.0		7.1	V
Substance use–related arrests (per 1,000 population) 9	6.3	2.1	0.8	1.0		9.2	Y
Total crime index offenses (per 1,000 population)	4.4	1.7	1.5	1.0		8.5	V
Fatal crashes with drivers aged 18–29					_		
(per 100,000 population 18–29 years old) ¹⁰		58.9	0.0				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	15.7	15.1	27.8				
Poor family management (%) 1 Family history of anti-social behavior (%) 1	29.0	28.6	31.3	31.3		34.4	
Tarring filetory of artif—social beriavior (70)	28.5	33.1	31.8	32.2		25.9	
Parental attitudes favorable toward drug use (%)	29.0	26.8	24.1	26.8		21.0	
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	25.0	04.0	04.0	47.7		20.7	Y
Teer attitudes lavorable to drug use (70)	25.9 14.5	24.0	21.8 14.6	17.7 14.3		20.7	× A
Early initiation of drug use (%) Perceived availability of drugs (%) 1	19.8	19.1	21.6	20.7		12.9 16.9	
Low perceived risk of drug use (%)	49.5	50.0	46.8	43.7		47.5	A
Youth who perceive smoking one or more packs of	49.5	50.0	40.0	43.7		47.5	
cigarettes per day as "moderate" or "great risk" (%)	82.6	85.8	83.1	82.6		78.4	A
Youth who perceive drinking one or two alcoholic beverages	02.0	00.0	05.1	02.0		70.4	
nearly every day as "moderate" or "great risk" (%)	55.1	64.3	62.0	64.7		64.4	A
Youth who perceive trying marijuana once or twice	33.1	04.0	02.0	04.7		04.4	~
as "moderate" or "great risk" (%)	44.6	39.5	48.4	45.9		43.8	A
Youth who perceive trying prescription drugs once or	44.0	55.5	70.7	40.0		40.0	
twice puts a person at "moderate" or "great risk" (%)	82.6	86.5	84.4	84.5		78.0	A
Youth who perceive using a vaping product like e-cigarettes,	02.0	00.0	04.4	04.5		70.0	_
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	60.5	69.4	72.4	73.3		68.8	A
Youth who perceive occasionally vaping an e-liquid with	00.0	00.4	72.7	70.0		00.0	
nicotine as "moderate" or "great risk" (%)	61.4	62.9	68.8	71.2		65.7	A
Youth who perceive regularly vaping an e-liquid with	2						~
nicotine as "moderate" or "great risk" (%)	71.7	78.6	80.7	80.4		75.4	A
SCHOOL							
High school dropouts (per 1,000) 11	2.0	0.0	0.0				
Low academic performance (%) 1	44.1	44.1	45.0	43.7		44.0	Y
Low commitment to school (%)	49.3	50.8	56.5	54.5		59.2	Ý
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	18.2	1.8	11.9				
School opportunities for pro–social involvement (%)	65.0	64.8	62.9	64.0		61.3	A
School rewards for pro–social involvement (%)	54.6	50.8	56.9	55.0		50.2	A

JACKSON COUNTY

Key Findings

Weakness

 10th highest percentage of youth using smokeless tobacco

Strengths

- 10th lowest percentage of youth with parental attitudes favorable to drug use
- 14th lowest percentage of youth initiating drug use before age 15
- 14th lowest percentage of youth using alcohol

Consequences

■ County ■ State

Substance-use related arrests			
per 1,000 population			
Under 18	2.1	2.1	
18–24	30.1	16.0	
25–29	37.0	18.7	


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	16,784
Population under 18	3,273
Population 18–24	1,594
Population 25–29	1,135
Youth with a guardian currently in the military (%)	9.1

Past 30-day Youth Substance Use

■ County ■ State







JACKSON COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	10.1	6.7	17.5	5.6		7.0	•
Past 30–day Youth cigarette use (%)	5.1	2.4	3.8	6.3		1.5	
rast so-day routh chewing tobacco use (78)	6.9	4.0	4.3	4.2		1.7	
Past 30-day Youth marijuana use (%)	4.4	4.9	6.3	4.9		4.4	
Past 30–day Youth prescription drug use (%)	0.0	0.3	0.0	0.0		0.1	X
r ast 50-day routh prescription and ase (76)	3.2	2.4	3.7	2.1		2.5	¥
Past 30–day Youth vape use: flavoring only (%)	8.8	8.2	6.3	4.9		4.0	
Past 30–day Youth vape use: marijuana (%)	4.4	4.6	5.3	5.6		4.1	<u> </u>
Past 30–day Youth vape use: nicotine (%)	13.8	13.1	16.4	7.7		6.8	<u> </u>
COMMUNITY Median Household Income 2	007.005	000.454	044.000				
Wedlan Floadenda meente	\$37,885	\$39,154	\$41,929				
Totalia below povoity level (76)	22.8	22.5	24.7	4.0		0.0	
Unemployment rates (%) 4	7.1	5.2	5.0	4.8		3.3	
Uninsurance (%) ²	8.8	9.8					
Food Insecurity (%) ⁵ BA/BS or higher among those 25 or older (%) ²	23.1	19.4	44.0				
Divide of higher among those 20 of clack (76)	11.7	12.7	11.9	40.0		50.5	
Transitions and Mobility (%)	36.1	43.0	44.1	42.6		50.5	V
Disconnected Youth measure 2 Mental Health Center clients (per 1 000 population) 6	1.2	4.3	0.8				
Wernar reality Certer cherts (per 1,000 population)		21.7	22.2				
Substance use treatment admissions (per 10,000 population)		43.8	19.7	400.0		740	
beer, wine, and riquor stores (per 100,000 population)		166.8	166.8	160.9		74.2	
Tobacco saids to Timors (percent of failed tobacco checks)	0.0	9.3	5.4	0.0		7.1	
Substance use-related arrests (per 1,000 population)	15.7	17.0	11.9	21.2		9.2	
Total crime index offenses (per 1,000 population)	8.9	7.1	5.5	10.7		8.5	_
Fatal crashes with drivers aged 18–29 (per 100 000 population 18–29 years old) 10		70.0	440.0				
(per received population to 25 years stay		73.3	146.6				
FAMILY							
Children living in foster care (per 1,000 population					_		
under 18 years of age) 6	25.0	25.5	26.9	00.4		04.4	
Poor family management (%) 1	28.8	35.9	33.0	39.1		34.4	
Poor family management (%) ¹ Family history of anti–social behavior (%) ¹	28.8 27.7	35.9 28.2	33.0 31.9	25.7		25.9	 *
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1	28.8	35.9	33.0				 *
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS	28.8 27.7 21.3	35.9 28.2 22.3	33.0 31.9 28.6	25.7 19.1		25.9 21.0	~ * *
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	28.8 27.7 21.3	35.9 28.2 22.3 26.8	33.0 31.9 28.6 28.8	25.7 19.1 24.8		25.9 21.0 20.7	~ *
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1	28.8 27.7 21.3 23.3 12.8	35.9 28.2 22.3 26.8 15.9	33.0 31.9 28.6 28.8 23.6	25.7 19.1 24.8 11.8		25.9 21.0 20.7 12.9	~ *
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1	28.8 27.7 21.3 23.3 12.8 9.7	35.9 28.2 22.3 26.8 15.9 16.8	33.0 31.9 28.6 28.8 23.6 17.3	25.7 19.1 24.8 11.8 19.7		25.9 21.0 20.7 12.9 16.9	 * * * *
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1	28.8 27.7 21.3 23.3 12.8	35.9 28.2 22.3 26.8 15.9	33.0 31.9 28.6 28.8 23.6	25.7 19.1 24.8 11.8		25.9 21.0 20.7 12.9	* * * * * * * * * * * * * * * * * * *
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of	28.8 27.7 21.3 23.3 12.8 9.7 57.1	35.9 28.2 22.3 26.8 15.9 16.8 52.8	33.0 31.9 28.6 28.8 23.6 17.3 58.9	25.7 19.1 24.8 11.8 19.7 54.9		25.9 21.0 20.7 12.9 16.9 47.5	A
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1	28.8 27.7 21.3 23.3 12.8 9.7	35.9 28.2 22.3 26.8 15.9 16.8	33.0 31.9 28.6 28.8 23.6 17.3	25.7 19.1 24.8 11.8 19.7		25.9 21.0 20.7 12.9 16.9	* * * * * * * * * * * * * * * * * * *
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages	28.8 27.7 21.3 23.3 12.8 9.7 57.1	26.8 15.9 16.8 52.8	33.0 31.9 28.6 28.8 23.6 17.3 58.9	25.7 19.1 24.8 11.8 19.7 54.9		25.9 21.0 20.7 12.9 16.9 47.5	A
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1	28.8 27.7 21.3 23.3 12.8 9.7 57.1	35.9 28.2 22.3 26.8 15.9 16.8 52.8	33.0 31.9 28.6 28.8 23.6 17.3 58.9	25.7 19.1 24.8 11.8 19.7 54.9		25.9 21.0 20.7 12.9 16.9 47.5	A
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1	25.7 19.1 24.8 11.8 19.7 54.9 79.4		25.9 21.0 20.7 12.9 16.9 47.5 78.4	A
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1	28.8 27.7 21.3 23.3 12.8 9.7 57.1	26.8 15.9 16.8 52.8	33.0 31.9 28.6 28.8 23.6 17.3 58.9	25.7 19.1 24.8 11.8 19.7 54.9		25.9 21.0 20.7 12.9 16.9 47.5	A
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	A
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugus (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1	25.7 19.1 24.8 11.8 19.7 54.9 79.4		25.9 21.0 20.7 12.9 16.9 47.5 78.4	A
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes,	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	A
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	*
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9 55.7	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2 57.6	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3 60.7	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6 62.6		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	*
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	*
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9 55.7 63.5	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2 57.6 54.4 64.0	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3 60.7 61.2	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6 62.6		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	*
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9 55.7 63.5	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2 57.6 54.4 64.0	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3 60.7 61.2 72.7	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6 62.6 56.5 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 NDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9 55.7 63.5	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2 57.6 54.4 64.0 2.1 40.7	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3 60.7 61.2 72.7	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6 62.6 56.5 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	*
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9 55.7 63.5	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2 57.6 54.4 64.0	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3 60.7 61.2 72.7	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6 62.6 56.5 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9 55.7 63.5 6.0 37.6 52.7	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2 57.6 54.4 64.0 2.1 40.7 56.0	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3 60.7 61.2 72.7 2.0 54.8 64.6	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6 62.6 56.5 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive rignally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of enrolled high school students) 11	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9 55.7 63.5 6.0 37.6 52.7 18.5	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2 57.6 54.4 64.0 2.1 40.7 56.0 10.7	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3 60.7 61.2 72.7 2.0 54.8 64.6 5.3	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6 62.6 56.5 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of	28.8 27.7 21.3 23.3 12.8 9.7 57.1 71.4 51.0 38.3 75.5 59.9 55.7 63.5 6.0 37.6 52.7	35.9 28.2 22.3 26.8 15.9 16.8 52.8 75.9 55.5 36.1 77.2 57.6 54.4 64.0 2.1 40.7 56.0	33.0 31.9 28.6 28.8 23.6 17.3 58.9 75.1 48.9 38.1 82.3 60.7 61.2 72.7 2.0 54.8 64.6	25.7 19.1 24.8 11.8 19.7 54.9 79.4 56.0 37.9 77.6 62.6 56.5 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *

JEFFERSON COUNTY

Key Findings

Weakness

- · 4th highest percentage of youth using heroin
- 5th highest rate of tobacco sales to minors

Strengths

- 7th lowest percentage of youth with peer attitudes favorable to drug use
- · 9th lowest rate of academic failure

Consequences

■ County ■ State

Substance–use related arrests per 1,000 population						
Under 18	0.8	2.1				
18–24	6.0	16.0				
25–29	6.0	18.7				


Rate of all-cause crashes with fatalities with drivers aged 18-29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	66,934
Population under 18	14,391
Population 18–24	6,827
Population 25–29	4,525
Youth with a guardian currently in the military (%)	12.2

Past 30-day Youth Substance Use

■ County ■ State







JEFFERSON COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	19.6	9.1	8.4	8.0		7.0	A
Past 30–day Youth cigarette use (%) Past 30–day Youth chewing tobacco use (%)	4.1	1.8	1.0	1.6		1.5	^
rast so-day routh chewing tobacco use (70)	4.4	2.0	0.7	2.2		1.7	
Past 30–day Youth marijuana use (%)	13.0	7.8	8.3	6.0		4.4	^ _
Past 30–day Youth prescription drug use (%)	0.0	0.2	0.3	0.4		0.1	A
rast so-day rount prescription and use (70)	3.0	3.2	3.7	2.5		2.5	=
Past 30–day Youth vape use: flavoring only (%)	9.4	4.5	4.2	6.8		4.0	A
Past 30–day Youth vape use: marijuana (%)	8.0	4.5	5.2	5.2		4.1	
Past 30–day Youth vape use: nicotine (%)	20.4	7.4	6.8	10.1		6.8	<u> </u>
COMMUNITY Median Household Income 2	040,400	0.40.700	040.055		•		
Wedian Floreshold Meeting	\$40,402	\$43,720	\$46,855				
Totalia balaw poverty level (70)	20.8	20.3	22.2	4.0		0.0	
Unemployment rates (%) 4	8.0	6.6	5.2	4.3		3.3	
Uninsurance (%) ²	6.0	6.3					
Food Insecurity (%) ⁵ BA/BS or higher among those 25 or older (%) ²	19.1	16.3	00.0				
Er v Ee of riigher among those 20 of older (70)	18.0	19.5	20.2	54.4		50.5	
Transitions and Mobility (%) 1	55.6	50.6	51.1	51.4		50.5	A
Disconnected Youth measure 2 Mental Health Center clients (per 1 000 population) 6	2.7	3.7	2.9				
Wertai Fleatif Center clients (per 1,000 population)		34.2	33.4				
Substance use treatment aumissions (per 10,000 population)		23.6	23.5	440.4		740	
beer, wine, and fiquor stores (per 100,000 population)		162.9	149.4	146.4		74.2	^ _
robacco sales to minors (percent of failed tobacco checks)	5.3	19.6	7.1	22.2		7.1	
Substance use-related arrests (per 1,000 population)	5.6	4.4	3.5	3.3		9.2	
Total crime index offenses (per 1,000 population)	10.7	10.2	9.7	8.5		8.5	=
Fatal crashes with drivers aged 18–29 (per 100 000 population 18–29 years old) 10		25.0	44.0				
(per 100,000 population 18–29 years old) ¹⁰ FAMILY		35.2	44.0				
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	15.8	16.1	16.1				
under 16 years or age)	15.6	10.1	10.1				
Poor family management (%) 1	26.0	32.6	30 1	37.5		3//	A
Poor family management (%) 1 Formily history of anti-good behavior (%) 1	26.0	32.6	38.1	37.5		34.4	A
Family history of anti-social behavior (%)	30.1	30.5	32.3	31.7		25.9	Å
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) 1							A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS	30.1 26.0	30.5 19.7	32.3 19.5	31.7 18.1		25.9 21.0	Y
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%)	30.1 26.0 26.4	30.5 19.7 22.0	32.3 19.5 24.6	31.7 18.1 22.8		25.9 21.0 20.7	A A A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%)	30.1 26.0 26.4 18.1	30.5 19.7 22.0 14.9	32.3 19.5 24.6 16.8	31.7 18.1 22.8 16.4		25.9 21.0 20.7 12.9	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%)	30.1 26.0 26.4 18.1 26.1	30.5 19.7 22.0 14.9 17.3	32.3 19.5 24.6 16.8 18.2	31.7 18.1 22.8 16.4 19.0		25.9 21.0 20.7 12.9 16.9	Y
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	30.1 26.0 26.4 18.1	30.5 19.7 22.0 14.9	32.3 19.5 24.6 16.8	31.7 18.1 22.8 16.4		25.9 21.0 20.7 12.9	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	30.1 26.0 26.4 18.1 26.1 56.2	30.5 19.7 22.0 14.9 17.3 54.3	32.3 19.5 24.6 16.8 18.2 56.3	31.7 18.1 22.8 16.4 19.0 50.1		25.9 21.0 20.7 12.9 16.9 47.5	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	30.1 26.0 26.4 18.1 26.1	30.5 19.7 22.0 14.9 17.3	32.3 19.5 24.6 16.8 18.2	31.7 18.1 22.8 16.4 19.0		25.9 21.0 20.7 12.9 16.9	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	30.1 26.0 26.4 18.1 26.1 56.2 72.7	30.5 19.7 22.0 14.9 17.3 54.3	32.3 19.5 24.6 16.8 18.2 56.3	31.7 18.1 22.8 16.4 19.0 50.1 75.8		25.9 21.0 20.7 12.9 16.9 47.5	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)	30.1 26.0 26.4 18.1 26.1 56.2	30.5 19.7 22.0 14.9 17.3 54.3	32.3 19.5 24.6 16.8 18.2 56.3	31.7 18.1 22.8 16.4 19.0 50.1		25.9 21.0 20.7 12.9 16.9 47.5	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7	30.5 19.7 22.0 14.9 17.3 54.3 74.8	32.3 19.5 24.6 16.8 18.2 56.3 69.3	31.7 18.1 22.8 16.4 19.0 50.1 75.8		25.9 21.0 20.7 12.9 16.9 47.5 78.4	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	30.1 26.0 26.4 18.1 26.1 56.2 72.7	30.5 19.7 22.0 14.9 17.3 54.3	32.3 19.5 24.6 16.8 18.2 56.3	31.7 18.1 22.8 16.4 19.0 50.1 75.8		25.9 21.0 20.7 12.9 16.9 47.5	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7	30.5 19.7 22.0 14.9 17.3 54.3 74.8	32.3 19.5 24.6 16.8 18.2 56.3 69.3	31.7 18.1 22.8 16.4 19.0 50.1 75.8		25.9 21.0 20.7 12.9 16.9 47.5 78.4	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5 56.6	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7 62.3	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4 59.7	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1 65.2		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	* * * * * * * * * * * * * * * * * * *
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5 56.6 52.4 64.3	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7 62.3 61.9	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4 59.7 59.8	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1 65.2		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	* * * * * * * * * * * * * * * * * * *
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1 Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5 56.6 52.4 64.3	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7 62.3 61.9 69.7	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4 59.7 59.8 67.7	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1 65.2 63.1 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%)	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5 56.6 52.4 64.3	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7 62.3 61.9 69.7	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4 59.7 59.8 67.7	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1 65.2 63.1 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive gularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) 1	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5 56.6 52.4 64.3	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7 62.3 61.9 69.7	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4 59.7 59.8 67.7	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1 65.2 63.1 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low commitment to school (%) High school substance infraction (per 1,000 population of	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5 56.6 52.4 64.3 20.0 39.9 51.6	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7 62.3 61.9 69.7	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4 59.7 59.8 67.7	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1 65.2 63.1 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth special risk" or "great risk" or "great risk" (%) Youth special risk" or "great risk" (%) Youth special risk" o	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5 56.6 52.4 64.3 20.0 39.9 51.6	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7 62.3 61.9 69.7 3.0 38.0 55.5	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4 59.7 59.8 67.7 2.0 37.9 57.8	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1 65.2 63.1 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low commitment to school (%) High school substance infraction (per 1,000 population of	30.1 26.0 26.4 18.1 26.1 56.2 72.7 56.7 33.2 75.5 56.6 52.4 64.3 20.0 39.9 51.6	30.5 19.7 22.0 14.9 17.3 54.3 74.8 64.0 36.2 74.7 62.3 61.9 69.7	32.3 19.5 24.6 16.8 18.2 56.3 69.3 59.3 35.5 71.4 59.7 59.8 67.7	31.7 18.1 22.8 16.4 19.0 50.1 75.8 65.8 39.9 75.1 65.2 63.1 71.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *

JOHNSON COUNTY

Key Findings

Weakness

• N/A

Strengths

- 9th and 11th lowest percentage of youth using and vaping marijuana, respectively
- 11th lowest percentage of youth perceiving low risk of drug use
- 12th lowest percentage of youth with parental attitudes favorable to drug use
- 14th lowest percentage of youth using cigarettes

Consequences

County State

Substance-use related arrests							
per 1,000 population							
Under 18	0.3	2.1					
18–24	20.6	16.0					
25_29	26.8	18 7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Total Population	25,925
Population under 18	6,403
Population 18–24	2,281
Population 25–29	1,565
Youth with a guardian currently in the military (%)	9.1


(%)


50.0

Past 30-day Youth Substance Use

■ County ■ State







						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	6.4	10.7	7.8	8.6		7.0	A
Past 30-day Youth cigarette use (%)	1.6	1.7	1.3	0.9		1.5	Y
Past 30-day Youth chewing tobacco use (%)	1.7	2.4	1.6	2.1		1.7	A
Past 30-day Youth marijuana use (%) ¹	4.5	5.4	3.7	2.7		4.4	V
Past 30-day Youth heroin use (%) ¹	0.0	0.2	0.4	0.0		0.1	\forall
Past 30-day Youth prescription drug use (%)	1.4	2.6	1.9	2.2		2.5	Y
Past 30-day Youth vape use: flavoring only (%) 1	5.4	5.8	4.1	3.2		4.0	V
Past 30-day Youth vape use: marijuana (%)	2.9	4.3	4.1	2.7		4.1	
Past 30-day Youth vape use: nicotine (%)	7.9	11.0	8.2	6.6		6.8	
COMMUNITY							
Median Household Income ²	\$39,346	\$40,628	\$42,470				
Persons below poverty level (%) 3	18.3	18.1	18.9				
Unemployment rates (%) 4	6.3	4.7	4.1	4.0		3.3	
Uninsurance (%) ²	7.5	7.8					
Food Insecurity (%) 5	21.2	16.7					
BA/BS or higher among those 25 or older (%)	16.5	16.0	15.0				
Transitions and Mobility (%)	48.2	47.5	48.0	50.6		50.5	
Disconnected Youth measure 2	2.2	1.0	0.8				
Mental Health Center clients (per 1,000 population) 6		29.8	25.8				
Substance use treatment admissions (per 10,000 population) ⁶		49.1	33.9				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0		74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) 8	8.3	0.0	8.1	0.0		7.1	¥
Substance use–related arrests (per 1,000 population) 9	20.5	14.4	11.5	9.8		9.2	
Total crime index offenses (per 1,000 population)	8.5	7.6	6.4	8.1		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		52.0	0.0				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	7.1	7.1	9.2				
Poor family management (%) 1	27.9	34.7	30.1	29.5		34.4	
Family history of anti–social behavior (%)	26.2	28.3	24.4	25.5		25.9	
Parental attitudes favorable toward drug use (%)							2.4
	20.9	22.0	20.9	19.2		21.0	Y
INDIVIDUAL/PEERS							A
Peer attitudes favorable to drug use (%) 1	19.3	22.7	23.6	19.9		20.7	Y
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) 1	19.3 13.0	22.7 14.7	23.6 14.3	19.9 13.3		20.7 12.9	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) 1	19.3 13.0 17.6	22.7 14.7 17.3	23.6 14.3 19.6	19.9 13.3 16.1		20.7 12.9 16.9	Y A Y
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	19.3 13.0	22.7 14.7	23.6 14.3	19.9 13.3		20.7 12.9	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	19.3 13.0 17.6 49.3	22.7 14.7 17.3 51.1	23.6 14.3 19.6 50.3	19.9 13.3 16.1 43.9		20.7 12.9 16.9 47.5	* * *
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	19.3 13.0 17.6	22.7 14.7 17.3	23.6 14.3 19.6	19.9 13.3 16.1		20.7 12.9 16.9	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	19.3 13.0 17.6 49.3	22.7 14.7 17.3 51.1 79.5	23.6 14.3 19.6 50.3	19.9 13.3 16.1 43.9 79.7		20.7 12.9 16.9 47.5 78.4	* * *
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)	19.3 13.0 17.6 49.3	22.7 14.7 17.3 51.1	23.6 14.3 19.6 50.3	19.9 13.3 16.1 43.9		20.7 12.9 16.9 47.5	* * *
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	19.3 13.0 17.6 49.3 77.8	22.7 14.7 17.3 51.1 79.5	23.6 14.3 19.6 50.3 76.1	19.9 13.3 16.1 43.9 79.7		20.7 12.9 16.9 47.5 78.4	A =
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	19.3 13.0 17.6 49.3	22.7 14.7 17.3 51.1 79.5	23.6 14.3 19.6 50.3	19.9 13.3 16.1 43.9 79.7		20.7 12.9 16.9 47.5 78.4	* * *
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	19.3 13.0 17.6 49.3 77.8 61.4	22.7 14.7 17.3 51.1 79.5 61.0	23.6 14.3 19.6 50.3 76.1 42.2	19.9 13.3 16.1 43.9 79.7 64.4		20.7 12.9 16.9 47.5 78.4 64.4	A = A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	19.3 13.0 17.6 49.3 77.8	22.7 14.7 17.3 51.1 79.5	23.6 14.3 19.6 50.3 76.1	19.9 13.3 16.1 43.9 79.7		20.7 12.9 16.9 47.5 78.4	A =
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	19.3 13.0 17.6 49.3 77.8 61.4 43.5	22.7 14.7 17.3 51.1 79.5 61.0 41.5	23.6 14.3 19.6 50.3 76.1 60.1 42.2	19.9 13.3 16.1 43.9 79.7 64.4 44.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8	A = A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	19.3 13.0 17.6 49.3 77.8 61.4	22.7 14.7 17.3 51.1 79.5 61.0	23.6 14.3 19.6 50.3 76.1 42.2	19.9 13.3 16.1 43.9 79.7 64.4		20.7 12.9 16.9 47.5 78.4 64.4	A = A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A = A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	19.3 13.0 17.6 49.3 77.8 61.4 43.5	22.7 14.7 17.3 51.1 79.5 61.0 41.5	23.6 14.3 19.6 50.3 76.1 60.1 42.2	19.9 13.3 16.1 43.9 79.7 64.4 44.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8	A = A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7 59.9	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0 65.0	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4 63.1	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9 70.2		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A = A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7 59.9	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0 65.0 63.0 71.5	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4 63.1 60.9 68.5	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9 70.2		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7 59.9 71.4	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0 65.0 63.0 71.5	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4 63.1 60.9 68.5	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9 70.2 66.4 78.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%)	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7 59.9 71.4	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0 65.0 63.0 71.5	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4 63.1 60.9 68.5	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9 70.2 66.4 78.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%)	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7 59.9 71.4	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0 65.0 63.0 71.5	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4 63.1 60.9 68.5	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9 70.2 66.4 78.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7 59.9 71.4 4.0 50.9 47.3	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0 65.0 63.0 71.5	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4 63.1 60.9 68.5	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9 70.2 66.4 78.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive rgularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7 59.9 71.4 4.0 50.9 47.3	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0 65.0 63.0 71.5 1.0 49.8 49.5 4.6	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4 63.1 60.9 68.5 1.0 50.3 56.3	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9 70.2 66.4 78.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	19.3 13.0 17.6 49.3 77.8 61.4 43.5 79.8 62.7 59.9 71.4 4.0 50.9 47.3	22.7 14.7 17.3 51.1 79.5 61.0 41.5 78.0 65.0 63.0 71.5	23.6 14.3 19.6 50.3 76.1 60.1 42.2 75.4 63.1 60.9 68.5	19.9 13.3 16.1 43.9 79.7 64.4 44.9 80.9 70.2 66.4 78.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A

LAFAYETTE COUNTY

Key Findings

Weakness

- Highest percentage of youth using smokeless tobacco
- 1st and 4th highest percentage of youth vaping flavor and nicotine, respectively
- 2nd highest percentage of youth perceiving low risk of substance use
- 5th highest percentage of youth initiating drug use before age 15

Strengths

 11th lowest percentage of youth misusing prescription drugs

Consequences

County State

Substance-use related arrests per 1,000 population						
Under 18	0.0	2.1				
18–24	1.8	16.0				
25–29	3.4	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	6,277
Population under 18	1,193
Population 18–24	571
Population 25–29	_ 293
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







LAFAYETTE COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	21.7		11.5	12.5		7.0	A
Past 30–day Youth chewing tobacco use (%)	9.7		1.2	1.6	T	1.5	
r ast so-day routh the wing tobacco use (70)	8.6		2.4	6.5		1.7	
Past 30–day Youth marijuana use (%)	14.5		5.0	4.8		4.4	
Past 30–day Youth prescription drug use (%)	0.0		0.0	0.0		0.1	¥
r ast 50-day routh prescription drug use (70)	4.3		1.4	1.6		2.5	Y
Past 30–day Youth vape use: flavoring only (%)	13.0		13.7	14.3		4.0	
Past 30–day Youth vape use: marijuana (%)	11.3		4.2	4.8	-	4.1	<u> </u>
Past 30–day Youth vape use: nicotine (%)	18.6		11.7	15.9		6.8	<u> </u>
COMMUNITY Median Household Income 2	#00 7 00	# 00.000	040.000				
Wedian Household meonic	\$33,763	\$36,083	\$40,262				
Totalia below poverty level (70)	24.7	23.7	23.7	4.5		0.0	
Unemployment rates (%) 4	7.6	5.8	4.8	4.5		3.3	
Uninsurance (%) 2	7.6	10.0					
Food Insecurity (%) ⁵ BA/BS or higher among those 25 or older (%) ²	21.6	18.7	40.0				
Erved of higher among those 25 of older (70)	14.0	10.7	10.6	00.0		50.5	
Transitions and Mobility (%) 1	33.3	5 0	40.3	33.8		50.5	
Disconnected Youth measure 2 Mental Health Center clients (per 1 000 population) 6	0.8	5.2	4.4				
Wertai Fleatif Certer Cherics (per 1,000 population)		21.2	22.5				
Substance use treatment aumissions (per 10,000 population)		58.1	31.9	0.0		74.0	
beer, wife, and figure stores (per 100,000 population)		15.9	0.0	0.0		74.2	X
robacco sales to minors (percent or failed tobacco checks)		40.0	14.3	0.0		7.1	
Substance use-related arrests (per 1,000 population)	1.2	1.5	2.4	1.9		9.2	
Total crime index offenses (per 1,000 population)	0.6	0.9	3.4	1.8		8.5	•
Fatal crashes with drivers aged 18–29 (per 100 000 population 18–29 years old)		0.0	0.0				
(per 100,000 population 18–29 years old) ¹⁰ FAMILY		0.0	0.0				
Children living in foster care (per 1,000 population							
	10.1	12.0	0.4				
under 18 years of age) ⁶	12.1	12.9	8.4	17.1		34.4	
under 18 years of age) ⁶ Poor family management (%) ¹	46.6	12.9	40.9	47.4		34.4	
under 18 years of age) ⁶ Poor family management (%) ¹ Family history of anti–social behavior (%) ¹	46.6 36.1	12.9	40.9 31.6	35.6		25.9	
under 18 years of age) ⁶ Poor family management (%) ¹ Family history of anti–social behavior (%) ¹ Parental attitudes favorable toward drug use (%) ¹	46.6	12.9	40.9				
under 18 years of age) 6 Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS	46.6 36.1 37.7	12.9	40.9 31.6 25.7	35.6 22.4		25.9 21.0	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	46.6 36.1 37.7 30.3	12.9	40.9 31.6 25.7	35.6 22.4 25.0		25.9 21.0 20.7	
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) 1 1	46.6 36.1 37.7 30.3 21.3	12.9	40.9 31.6 25.7 17.1 16.3	35.6 22.4 25.0 20.6		25.9 21.0 20.7 12.9	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) 1	46.6 36.1 37.7 30.3 21.3 21.3	12.9	40.9 31.6 25.7 17.1 16.3 15.1	35.6 22.4 25.0 20.6 16.7		25.9 21.0 20.7 12.9 16.9	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	46.6 36.1 37.7 30.3 21.3	12.9	40.9 31.6 25.7 17.1 16.3	35.6 22.4 25.0 20.6		25.9 21.0 20.7 12.9	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	46.6 36.1 37.7 30.3 21.3 21.3 74.0	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3	35.6 22.4 25.0 20.6 16.7 62.1		25.9 21.0 20.7 12.9 16.9 47.5	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	46.6 36.1 37.7 30.3 21.3 21.3	12.9	40.9 31.6 25.7 17.1 16.3 15.1	35.6 22.4 25.0 20.6 16.7		25.9 21.0 20.7 12.9 16.9	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	46.6 36.1 37.7 30.3 21.3 21.3 74.0	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3	25.0 20.6 16.7 62.1 56.5		25.9 21.0 20.7 12.9 16.9 47.5	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)	46.6 36.1 37.7 30.3 21.3 21.3 74.0	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3	35.6 22.4 25.0 20.6 16.7 62.1		25.9 21.0 20.7 12.9 16.9 47.5	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8	35.6 22.4 25.0 20.6 16.7 62.1 56.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	46.6 36.1 37.7 30.3 21.3 21.3 74.0	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3	25.0 20.6 16.7 62.1 56.5		25.9 21.0 20.7 12.9 16.9 47.5	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8	35.6 22.4 25.0 20.6 16.7 62.1 56.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes,	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 22.1 49.3	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%)	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	* * * * * * * * * * * * * * * * * * *
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Low perceived availability of drugs (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%)	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 22.1 49.3	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Low perceived availability of drugs (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3 38.6 37.3	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9 48.1	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0 47.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%)	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3	12.9	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	* * * * * * * * * * * * * * * * * * *
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%)	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3 38.6 37.3		40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9 48.1 50.0	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0 47.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 1	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3 38.6 37.3 36.4	0.0	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9 48.1 50.0 53.3	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0 47.5 45.8 52.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3 38.6 37.3 36.4		40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9 48.1 50.0 53.3	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0 47.5 45.8 52.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) 1	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3 38.6 37.3 36.4		40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9 48.1 50.0 53.3	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0 47.5 45.8 52.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3 38.6 37.3 36.4 13.0 52.0 56.4	0.0	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9 48.1 50.0 53.3	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0 47.5 45.8 52.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Ligh school substance infraction (per 1,000 population of enrolled high school students)	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3 38.6 37.3 36.4 13.0 52.0 56.4 9.6		40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9 48.1 50.0 53.3 0.0 40.8 58.8	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0 47.5 45.8 52.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	46.6 36.1 37.7 30.3 21.3 21.3 74.0 57.7 37.7 22.1 49.3 38.6 37.3 36.4 13.0 52.0 56.4	0.0	40.9 31.6 25.7 17.1 16.3 15.1 65.3 61.8 46.7 30.6 64.9 48.1 50.0 53.3	35.6 22.4 25.0 20.6 16.7 62.1 56.5 53.2 27.4 55.0 47.5 45.8 52.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *

LAWRENCE COUNTY

Key Findings

Weakness

- 5th highest percentage of youth using heroin
- 18th highest percentage of youth using alcohol

Strengths

- 2nd lowest percentage of youth perceiving low risk of drug use
- 6th lowest percentage of youth perceiving availability of drugs
- 15th lowest percentage of youth using smokeless tobacco

Consequences

County State

Substance-use related arrests per 1,000 population						
Under 18	1.4	2.1				
18–24	9.0	16.0				
25–29	15.5	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	16,258
Population under 18	3,658
Population 18–24	1,658
Population 25–29	1,029
Youth with a guardian currently in the military (%)	9.0


(%)

Past 30-day Youth Substance Use

■ County ■ State







LAWRENCE COUNTY						Automore	M.
LAWRENCE COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	ZUZI	LULL	2023	TICHA LINC	2025	Otato
Past 30–day Youth alcohol use (%)	12.2	15.4	10.9	10.4		7.0	A
Past 30–day Youth cigarette use (%)	4.9	2.9	2.6	1.3		1.5	Ŷ
Past 30–day Youth chewing tobacco use (%)	4.3	4.9	3.3	1.3		1.7	Ý
Past 30–day Youth marijuana use (%)	4.9	5.9	7.0	4.2		4.4	Ý
Past 30–day Youth heroin use (%)	0.0	0.0	0.0	0.3		0.1	Ă
Past 30–day Youth prescription drug use (%)	3.6	3.0	3.5	2.3		2.5	Ŷ
Past 30-day Youth vape use: flavoring only (%)	6.7	7.9	4.7	4.2		4.0	À
Past 30-day Youth vape use: marijuana (%)	4.3	5.4	6.0	4.9		4.1	Ā
Past 30-day Youth vape use: nicotine (%)	15.2	18.6	15.6	9.4		6.8	A
COMMUNITY							
Median Household Income ²	\$40,587	\$40,746	\$43,606				
Persons below poverty level (%) 3	14.0	20.4	19.1				
Unemployment rates (%) 4	6.1	4.3	3.6	3.1		3.3	V
Uninsurance (%) ²	6.6	7.4					
Food Insecurity (%) ⁵	20.5	17.0					
BA/BS or higher among those 25 or older (%) ²	14.4	14.9	12.9				
Transitions and Mobility (%) 1	42.1	41.2	39.3	39.1		50.5	V
Disconnected Youth measure ²	7.1	2.1	2.5				
Mental Health Center clients (per 1,000 population) ⁶		48.1	45.0				
Substance use treatment admissions (per 10,000 population) ⁶		59.5	37.5				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	•	74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	7.7	1.9	0.0		7.1	\forall
Substance use–related arrests (per 1,000 population) 9	4.9	5.9	4.9	8.1		9.2	Y
Total crime index offenses (per 1,000 population) ⁹	3.4	3.0	2.6	2.4		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		111.6	37.2				
FAMILY							
Children living in foster care (per 1,000 population					_		
under 18 years of age) 6	7.2	7.4	16.1				
Poor family management (%)	39.7	26.2	26.1	26.9		34.4	V
Family history of anti–social behavior (%)	29.7	36.4	29.5	29.9		25.9	
Parental attitudes favorable toward drug use (%)	22.6	25.3	25.9	20.1		21.0	Y
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1							
r cer attitudes lavorable to drug use (78)	25.4	20.3	24.5	19.4		20.7	Ä
Early initiation of drug use (%)	17.4	18.5	15.4	12.3		12.9	∑
Perceived availability of drugs (%)	19.3	19.1	20.0	12.3		16.9	X
Low perceived risk of drug use (%) 1	54.7	44.3	51.9	38.5		47.5	V
Youth who perceive smoking one or more packs of	70.5	00.4	00.0	00.0		70.4	
cigarettes per day as "moderate" or "great risk" (%)	76.5	83.1	83.2	86.9		78.4	A
Youth who perceive drinking one or two alcoholic beverages	50.0	00.0	00.4	00.0		04.4	
nearly every day as "moderate" or "great risk" (%)	52.9	63.2	62.4	68.9		64.4	A
Youth who perceive trying marijuana once or twice	40.4	50.4	40.7	50.0		40.0	
as "moderate" or "great risk" (%)	40.4	50.1	40.7	50.0		43.8	
Youth who perceive trying prescription drugs once or	70.4	04.4	07.4	05.0		70.0	
twice puts a person at "moderate" or "great risk" (%)	78.4	84.1	87.4	85.9		78.0	A
Youth who perceive using a vaping product like e-cigarettes,	64.4	05.4	00.7	75.4		CO 0	
c-cigars, and c-nockars as moderate or great risk (70)	61.4	65.1	66.7	75.1		68.8	
Youth who perceive occasionally vaping an e-liquid with	F0.0	62.0	60.0	745		65.7	
nicotine as "moderate" or "great risk" (%)	59.0	63.8	60.8	74.5		05.7	A
Youth who perceive regularly vaping an e-liquid with	60.2	72 /	77.0	846		75.4	A
nicotine as "moderate" or "great risk" (%) SCHOOL	69.3	73.4	77.9	84.6		75.4	
High school dropouts (per 1,000) ¹¹	3.8	4.0	1.0				
Low academic performance (%)	51.5	44.9	1.0 42.2	40.7		44.0	
Low commitment to school (%)	54.4	49.6	56.6	46.3		59.2	¥
High school substance infraction (per 1,000 population of	J4.4	43.0	30.0	40.3		39.2	•
enrolled high school students) 11	26.1	14.2	12.1				
School opportunities for pro–social involvement (%)	56.9	66.2	59.7	68.1		61.3	
School rewards for pro–social involvement (%)	54.7	59.8	51.6	56.3		50.2	Â
Conson remarks for pro-social involvement (70)	J-1.1	00.0	01.0	50.5		30.2	

LEE COUNTY

Key Findings

Weakness

· 2nd highest high school dropout rate

Strengths

- 2nd lowest rate percentage of youth initiating drug use before age 15
- 3rd lowest percentage of youth with peer attitudes favorable to drug use
- 3rd lowest percentage of youth perceiving availability of drugs
- 8th lowest percentage of youth using alcohol

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	0.6	2.1				
18–24	4.7	16.0				
25–29	0.0	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000




Demographics





Total Population	8,666
Population under 18	1,612
Population 18–24	858
Population 25–29	515
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







Section Sect	LEE COUNTY						Automore	1/-
Substance Use	LEE COUNTY	2020	2024	2022	2022	Trond Line	Arkansas	Vs.
Plast 30-day Youth placehal user (%)		2020	2021	2022	2023	Helia Line	2023	State
Past 30-day Youth cigaratinus (%)		2 9	6.0		11		7.0	_
Plast 30-day Youth retwering tokacou use (%) 1	Table de day Touri alberrer de (70)							
Pleat 30-day Youth morilyuanu sue (%)	, , , , , , , , , , , , , , , , , , , ,							_
Past 30-day Youth beroin use (%)	, ,							
Plast 30-day Youth prescription drug use (Rs) 1								
Past 30-day Youth vape use: mirror effection (%)								
Past 30-day Youth vape use: marijuana (%)								
Plast 30-day Youth vape user incolore (%)	3 , 1							
Median Household Income								
Persons below poverty level (%) 3 27,0 84,9 35,1	COMMUNITY							
Unemployment rates (%)	Median Household Income ²	\$27,902	\$29,082	\$33,801				
Uninsurance (%) 2	Persons below poverty level (%) ³	27.0	34.9	35.1				
Food Insecurity (%) September Septem	Unemployment rates (%) 4	7.5	5.6	4.6	4.8		3.3	A
BARBS or higher among those 25 or older (%) 2 8.7 9.8 7.7 Transitions and Mobility (%) 1 61.3 50.6 54.8 50.5 Disconnected Youth measure 2 1.3 7.5 5.8 — Mental Health Center clients (per 1,000 population) 4 8.8 8.1 — Substance use treatment adminissions (per 10,000 population) 7 115.4 103.3 92.3 74.2 — Substance use related arrests (per 1,000 population) 9 7.7 5.0 2.8 1.4 10.3 92.3 74.2 Total crime index of minors (per ont of falled tobacco checks) 5 5.9 26.1 9.4 0.0 7.1 Substance use related arrests (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 Total crime index (offenses (per 1,000 population) 9 7.7 9 7.8 Total crime index (offenses (per 1,000 population) 9 7.7 9 7.8 Total crime index (offenses (per 1,000 population) 9 7.7 9 7.8 Total crime index (offenses (per 1,000 population) 9 7.7 9 7	Uninsurance (%) ²	8.2	8.7					
Transitions and Mobilty (%)	Food Insecurity (%) ⁵	20.2	19.4					
Disconnected Youth measure 2	BA/BS or higher among those 25 or older (%) ²	8.7	9.8	7.7				
Mental Health Center clients (per 1,000 population) 6	Transitions and Mobility (%) 1	61.3	50.6		54.8		50.5	A
Substance use Teatment Activities (Sept 10,000 population) Beer, wine, and liquor stores (per 100,000 population) Possessing to minors (percent of failed tobacco checks) Substance use -related arrests (per 1,000 population) 7, 7, 5, 0, 2, 8, 1, 4, 9, 2 Violate crise index offenesse (per 1,000 population) 7, 7, 5, 0, 2, 8, 1, 4, 9, 2 Violate crise index offenesse (per 1,000 population) 7, 7, 5, 0, 2, 8, 1, 4, 9, 2 Violate crise index offenesse (per 1,000 population) 7, 7, 5, 0, 2, 8, 1, 4, 9, 2 Violate crise index offenesse (per 1,000 population) 7, 7, 8, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		1.3	7.5	5.8				
Substance use retained authorisation, percent of failed tobacco checks 103,9 92,3 74,2 Name of the content of failed tobacco checks 103,9 92,3 74,2 Name of the content of failed tobacco checks 103,9 92,3 10,9 7,2 10,0 10,0 11,1 V 10,0 10	Wiental Fleatin Genter Clients (per 1,000 population)		40.5	31.2				
See, with, and right of subsets (per 1000 population) 1.00	Substance use treatment admissions (per 10,000 population)		6.8	8.1				
Substance use-related arrests (per 1,000 population) 9 7.7 5.0 2.8 1.4 9.2 ▼ Total crime index offenses (per 1,000 population) 9 9.5 12.3 10.9 7.2 8.5 ▼ Fatal crashes with drivers aged 18-29 (per 100,000 population 18-29 years old) 19 72.8 0.0 FAMILY Children living in foster care (per 1,000 population under 18 years of age) 1 5.4 5.4 3.1 Poor family management (%) 1 34.4 44.3 40.0 34.4 A Family history of anti-social behavior (%) 1 39.4 27.5 30.6 25.9 A Parental attitudes favorable toward drug use (%) 1 0.0 25.0 19.7 21.0 ▼ INDIVIOUALPEERS Peer attitudes favorable to drug use (%) 1 2.8 11.6 5.5 12.2 20.7 ▼ Early initiation of drug use (%) 1 5.2 7.4 9.4 16.9 ▼ Low perceived risk of drug use (%) 1 51.5 5.3 52.1 47.5 A V Youth who perceive smoking one or more packs of cigaretes per day as "moderate" or "great risk" (%) 1 54.3 53.7 60.6 64.4 ▼ Youth who perceive trying marijuans once or twice as "moderate" or "great risk" (%) 1 54.3 53.7 60.6 64.4 ▼ Youth who perceive trying marijuans once or twice as "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 ▼ Youth who perceive trying prescription drugs once or twice perceive trying prescription drugs once or twice once as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 68.8 ▼ Youth who perceive trying prescription drugs once or twice as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 68.8 ▼ Youth who perceive trying prescription drugs once or twice as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 68.8 ▼ Youth who perceive trying prescription drugs once or twice puts a personal "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 68.8 ▼ Youth who perceive trying prescription drugs once or twice puts a personal "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 68.8 ▼ Youth who perceive trying prescription drugs once or twice as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 9.4 66.8 ▼ Youth who perceive trying prescription drugs once or twice as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 9.4 66.8 ▼ Youth who	beer, wine, and riquor stores (per 100,000 population)		115.4	103.9	92.3		74.2	
Social content outsets get 1,000 population 9.5 12.3 10.9 7.2 8.5 V Fatal crashes with drivers aged 18-29 (per 10,000 population 18-29 years old) 19 72.8 0.0	Tobacco sales to militors (percent of failed tobacco checks)		26.1	9.4	0.0			
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) 10 72.8 0.0 —————————————————————————————————	Substance use–related arrests (per 1,000 population)		5.0	2.8				-
Per 100,000 population 18–29 years old) 10 72.8 0.0 10 75.8 10 75.8 10 75.8 10 75.8 10 75.8	* ' ' '	9.5	12.3	10.9	7.2		8.5	V
FAMILY Children living in foster care (per 1,000 population under 18 years of age) 6								
Children living in foster care (per 1,000 population under 18 years of age)	(per 100,000 population 10 20 years old)		72.8	0.0				
Under 18 years of age) 6								
Poor family management (%) 1		- 4	- 4	0.4				
Family history of anti-social behavior (%) 1 39.4 27.5 30.6 25.9 A Parental attitudes favorable toward drug use (%) 1 10.0 25.0 19.7 21.0 Y INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 8.3 19.8 12.2 20.7 Y Early initiation of drug use (%) 1 2.8 11.6 5.5 12.9 Y Perceived availability of drug (%) 1 15.2 7.4 9.4 16.9 Y Low perceived risk of drug use (%) 1 61.1 58.3 52.1 47.5 A YOUTH who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 60.0 57.3 63.2 78.4 Y YOUTH who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 A YOUTH who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 A YOUTH who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 Y YOUTH who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 Y YOUTH who perceive cusing an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Y YOUTH who perceive drinking on e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Y YOUTH who perceive drinking on e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Y YOUTH who perceive drinking on e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Y YOUTH who perceive drinking on e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.0 57.7 59.2 Y High school students) 11 0.0 0.0 0.0 17.1 0.2 10.3 C Y YOUTH Who perceive drinking on e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.0 57.7 59.2 Y High school students) 11 0.0 0.0 0.0 17.1 0.0 0.0 17.1 0.0 0.0 0.0 17.1 0.0 0.0 0.0 17.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0				3.1	40.0		04.4	
Parental attitudes favorable toward drug use (%) 10.0 25.0 19.7 21.0 V INDIVIDUAL/PEERS Pera attitudes favorable to drug use (%) 1 8.3 19.8 12.2 20.7 V Early initiation of drug use (%) 1 2.8 11.6 5.5 12.9 V Perceived availability of drugs (%) 1 15.2 7.4 9.4 16.9 V Low perceived fisk of drug use (%) 1 61.1 58.3 52.1 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 60.0 57.3 63.2 78.4 V Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.3 53.7 60.6 64.4 V Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 V Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 V Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 V Youth who perceive or "great risk" (%) 1 54.8 56.3 63.2 75.4 V SCHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3 27.0 59.2 V High school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substanc								
NOINIDUAL/PEERS	i army history of ariti–social behavior (70)							
Peer attitudes favorable to drug use (%) 1 8.3 19.8 12.2 20.7 V Early initiation of drug use (%) 1 2.8 11.6 5.5 12.9 V Perceived availability of drugs (%) 1 15.2 7.4 9.4 16.9 V Low perceived availability of drug (%) 1 15.2 7.4 9.4 16.9 V Low perceives misk of drug use (%) 1 61.1 58.3 52.1 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 60.0 57.3 63.2 78.4 V Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.3 53.7 60.6 64.4 V Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 V Youth who perceive using a vaping product like e- cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 V Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 V CHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3 Low academic performance (%) 1 40.0 41.4 42.9 44.0 V Low commitment to school (%) 1 27.8 56.0 57.7 59.2 V High school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school students) 1 0.0 0.0 0.0 17.1 5.0 5.10 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5.1		10.0	25.0		19.7		21.0	
Early initiation of drug use (%) 1 2.8 11.6 5.5 12.9 ▼ Perceived availability of drugs (%) 1 15.2 7.4 9.4 16.9 ▼ Low perceived risk of drug use (%) 1 61.1 58.3 52.1 47.5 ★ Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 60.0 57.3 63.2 78.4 ▼ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.3 53.7 60.6 64.4 ▼ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 ★ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 ▼ SCHOOL Low academic performance (%) 1 40.0 41.4 42.9 44.0 ▼ Low commitment to school (%) 1 27.8 56.0 57.7 59.2 ▼ High school dropouts (per 1,000) 11 0.0 0.0 17.1 - 5.5 5.0 5.1 61.3 ▼		0.2	10.0		10.0		20.7	
Perceived availability of drugs (%)	Teer attitudes lavorable to urug use (70)							-
Low perceived risk of drug use (%) 1 61.1 58.3 52.1 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 60.0 57.3 63.2 78.4 ▼ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.3 53.7 60.6 64.4 ▼ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3 Low academic performance (%) 1 40.0 41.4 42.9 44.0 ▼ Low commitment to school (%) 1 27.8 56.0 57.7 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 School opportunities for pro-social involvement (%) 1 62.2 39.8 57.1 61.3 ▼								•
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 60.0 57.3 63.2 78.4 \$\footnote{\text{Y}}\$ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.3 53.7 60.6 64.4 \$\footnote{\text{Y}}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 \$\footnote{\text{A}}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 \$\footnote{\text{Y}}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 \$\footnote{\text{Y}}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 \$\footnote{\text{Y}}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 \$\footnote{\text{SCHOOL}}\$ High school dropouts (per 1,000) 11 27.0 10.2 10.3								-
cigarettes per day as "moderate" or "great risk" (%) 1 60.0 57.3 63.2 78.4 \$\footnote{\coloredge}\$ Nouth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.3 53.7 60.6 64.4 \$\footnote{\coloredge}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 \$\footnote{\coloredge}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 \$\footnote{\coloredge}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 \$\footnote{\coloredge}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 \$\footnote{\coloredge}\$ SCHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3	, , ,	01.1	30.3		JZ. 1	<u> </u>	47.5	
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.3 53.7 60.6 64.4 \$\forall \text{Y}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 \$\forall \text{A}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 \$\forall \text{Y}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 \$\forall \text{Y}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 \$\forall \text{Y}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 \$\forall \text{SCHOOL}\$ Bigh school dropouts (per 1,000) 11 27.0 10.2 10.3	·	60.0	57.3		63.2		78.4	~
nearly every day as "moderate" or "great risk" (%)		00.0	07.0		00.2		70.4	
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 ▲ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) ¹¹ 27.0 10.2 10.3 Low academic performance (%) 1 40.0 41.4 42.9 44.0 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 1 0.0 0.0 17.1 School opportunities for pro-social involvement (%) 1 62.2 39.8 57.1 61.3 ▼	, , , , , , , , , , , , , , , , , , , ,	54.3	53.7		60.6		64 4	V
as "moderate" or "great risk" (%) 1 51.4 36.7 47.8 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 Y Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 Y Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 Y Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Y SCHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3 Low academic performance (%) 1 40.0 41.4 42.9 44.0 Y Low commitment to school (%) 1 27.8 56.0 57.7 59.2 Y High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 School opportunities for pro-social involvement (%) 1 62.2 39.8 57.1 61.3 Y		00	00		00.0		5	•
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 58.8 57.9 64.6 78.0 ▼ Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 ▼ Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 ▼ Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3 — — Low academic performance (%) 1 40.0 41.4 42.9 44.0 ▼ Low commitment to school (%) 1 27.8 56.0 57.7 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 1 0.0 0.0 17.1 — — School opportunities for pro–social involvement (%) 1 62.2 39.8 57.1 61.3 ▼		51.4	36.7		47.8		43.8	A
twice puts a person at "moderate" or "great risk" (%)								
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 51.5 51.3 54.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 Youth who perc		58.8	57.9		64.6		78.0	V
e-cigars, and e-hookahs as "moderate" or "great risk" (%)								·
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 53.8 61.8 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3 Low academic performance (%) 1 40.0 41.4 42.9 44.0 ▼ Low commitment to school (%) 1 27.8 56.0 57.7 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 School opportunities for pro-social involvement (%) 1 62.2 39.8 57.1 61.3 ▼		51.5	51.3		54.4		68.8	V
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3 Low academic performance (%) 1 40.0 41.4 42.9 44.0 ▼ Low commitment to school (%) 1 27.8 56.0 57.7 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 School opportunities for pro–social involvement (%) 1 62.2 39.8 57.1 61.3 ▼								
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 54.8 56.3 63.2 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3 Low academic performance (%) 1 40.0 41.4 42.9 44.0 ▼ Low commitment to school (%) 1 27.8 56.0 57.7 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 School opportunities for pro–social involvement (%) 1 62.2 39.8 57.1 61.3 ▼	nicotine as "moderate" or "great risk" (%)	54.8	53.8		61.8		65.7	Y
SCHOOL High school dropouts (per 1,000) 11 27.0 10.2 10.3 — Low academic performance (%) 1 40.0 41.4 42.9 44.0 V Low commitment to school (%) 1 27.8 56.0 57.7 59.2 V High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 — School opportunities for pro–social involvement (%) 1 62.2 39.8 57.1 61.3 V	Youth who perceive regularly vaping an e-liquid with							
High school dropouts (per 1,000) 11 27.0 10.2 10.3 — Low academic performance (%) 1 40.0 41.4 42.9 44.0 ▼ Low commitment to school (%) 1 27.8 56.0 57.7 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 — School opportunities for pro–social involvement (%) 1 62.2 39.8 57.1 61.3 ▼	nicotine as "moderate" or "great risk" (%)	54.8	56.3		63.2		75.4	Y
Low academic performance (%) 1 40.0 41.4 42.9 44.0 V Low commitment to school (%) 1 27.8 56.0 57.7 59.2 V High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 School opportunities for pro-social involvement (%) 1 62.2 39.8 57.1 61.3 V	SCHOOL							
Low commitment to school (%) 1 27.8 56.0 57.7 59.2 V High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 School opportunities for pro-social involvement (%) 1 62.2 39.8 57.1 61.3 V	High school dropouts (per 1,000) 11	27.0	10.2	10.3				
High school substance infraction (per 1,000 population of enrolled high school students) 11 0.0 0.0 17.1 School opportunities for pro-social involvement (%) 1 62.2 39.8 57.1 61.3 V	Low academic performance (%) 1	40.0	41.4		42.9		44.0	Y
enrolled high school students) 11 0.0 0.0 17.1 ——School opportunities for pro–social involvement (%) 1 62.2 39.8 57.1 61.3	Low commitment to school (%) 1	27.8	56.0		57.7		59.2	\
School opportunities for pro–social involvement (%) 1 62.2 39.8 57.1 61.3								
02.2 35.0 37.1 01.3 V	chronica high school students)	0.0	0.0	17.1				
School rewards for pro–social involvement (%) 1 78.4 56.8 53.2 50.2	School opportunities for pro-social involvement (76)							V
	School rewards for pro–social involvement (%)	78.4	56.8		53.2		50.2	

LINCOLN COUNTY

Key Findings

Weakness

 N/A due to limited data available

Strengths

 N/A due to limited data available

Consequences

■ County ■ State

per 1,000 population						
Under 18	1.0	2.1				
18–24	8.2	16.0				
25–29	3.7	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	13,016
Population under 18	1,913
Population 18–24	1,093
Population 25–29	1,077
Youth with a guardian currently in the military (%)	NA

Past 30-day Youth Substance Use

■ County ■ State







LINCOLN COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE	2020	2021	LULL	2023	TICHA LINC	2023	Otate
Past 30–day Youth alcohol use (%)		15.2			•	7.0	
Past 30–day Youth cigarette use (%)		3.0			•	1.5	
Past 30–day Youth chewing tobacco use (%)		3.4			•	1.7	
Past 30–day Youth marijuana use (%)		4.8			•	4.4	
Past 30–day Youth heroin use (%)		0.0			•	0.1	
Past 30–day Youth prescription drug use (%)		3.9			•	2.5	
Past 30-day Youth vape use: flavoring only (%)		4.7			•	4.0	
Past 30-day Youth vape use: marijuana (%)		3.0			•	4.1	
Past 30-day Youth vape use: nicotine (%)		15.9			•	6.8	
COMMUNITY							
Median Household Income ²	\$46,554	\$49,474	\$50,526				
Persons below poverty level (%) ³	19.7	22.6	25.2				
Unemployment rates (%) 4	6.0	4.6	4.5	3.7		3.3	A
Uninsurance (%) ²	6.5	7.5					
Food Insecurity (%) 5	18.4	15.2					
BA/BS or higher among those 25 or older (%) ²	8.5	8.7	8.1				
Transitions and Mobility (%) 1		38.4			•	50.5	
Disconnected Youth measure ²	0.2	0.0	0.0				
Mental Health Center clients (per 1,000 population) ⁶		26.7	27.4				
Substance use treatment admissions (per 10,000 population) ⁶		28.3	10.0				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	•—•	74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) ⁸		0.0	13.3	0.0		7.1	V
Substance use–related arrests (per 1,000 population) ⁹	1.9	2.9	2.4	3.9		9.2	Y
Total crime index offenses (per 1,000 population) ⁹	1.7	1.6	3.8	3.8		8.5	¥
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		46.1	46.1		•—		
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	10.3	9.6	7.8				
Poor family management (%)		31.5			•	34.4	
Family history of anti–social behavior (%)		24.3					
					•	25.9	
Parental attitudes favorable toward drug use (%)		24.3			•	25.9 21.0	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS					•	21.0	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1		24.1			•	21.0	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%)		24.1 21.4 17.4			•	21.0 20.7 12.9	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%)		24.1 21.4 17.4 11.1			•	21.0 20.7 12.9 16.9	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1		24.1 21.4 17.4			•	21.0 20.7 12.9	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of		21.4 17.4 11.1 48.8			•	21.0 20.7 12.9 16.9 47.5	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)		24.1 21.4 17.4 11.1			•	21.0 20.7 12.9 16.9	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages		24.1 21.4 17.4 11.1 48.8 77.2			•	20.7 12.9 16.9 47.5	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)		21.4 17.4 11.1 48.8			•	21.0 20.7 12.9 16.9 47.5	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice		24.1 21.4 17.4 11.1 48.8 77.2			•	20.7 12.9 16.9 47.5 78.4	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)		24.1 21.4 17.4 11.1 48.8 77.2			•	20.7 12.9 16.9 47.5	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or		24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)		24.1 21.4 17.4 11.1 48.8 77.2			•	20.7 12.9 16.9 47.5 78.4	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,		24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1 Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)		24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with		24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice ass "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)		24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with		24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5 53.8			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)		24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	46.5	24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5 53.8 71.3			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	12.0	24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5 53.8 71.3	1.0		•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	12.0	24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5 53.8 71.3	1.0		•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive rigularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%)	12.0	24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5 53.8 71.3	1.0		•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) High school substance infraction (per 1,000 population of		24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5 53.8 71.3 1.0 44.5 56.1			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth special risk" (%) Youth special risk" (%) Youth special risk" (%) Youth special risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) High school substance infraction (per 1,000 population of enrolled high school students)	12.0	24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5 53.8 71.3 1.0 44.5 56.1	1.0		•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth special risk" (%) Youth special risk or "great risk" (%) Youth special risk or "great risk" (%) Youth special risk or "great risk" (%) Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth special risk or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Touth who perceive regularly vaping an e-liquid with nicotine as important risk or "great risk" (%) Touth who perceive risk or "great risk" (%) Touth who per		24.1 21.4 17.4 11.1 48.8 77.2 55.3 40.3 75.2 62.5 53.8 71.3 1.0 44.5 56.1			•	21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	

LITTLE RIVER COUNTY

Key Findings

Weakness

- 4th, 7th and 10th highest percentage of youth vaping flavor, nicotine and marijuana, respectively
- 8th highest percentage of youth with peer attitudes favorable to drug use
- 9th highest percentage of youth using alcohol

Strengths

• N/A

Consequences

■ County ■ State

Substance-use related arrests							
per 1,000 population							
Under 18	nder 18 3.4 2.1						
18–24	55.8	16.0					
25-29	27.3	18 7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	12,024
Population under 18	2,657
Population 18–24	950
Population 25–29	660
Youth with a guardian currently in the military (%)	


(%)

Past 30-day Youth Substance Use

■ County ■ State







LITTLE RIVER COUNTY	****					Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE Past 30-day Youth alcohol use (%) 1		40.0	40.0	40.0			•
Tust of day roun alcohol use (78)	11.1	16.3	10.2	13.2		7.0	<u> </u>
rast 50-day routil eigarette dec (70)	4.9 2.7	4.5 5.7	2.1	3.2		1.5	
rast so-day routh chewing tobacco use (70)			3.0	2.3		1.7	
Past 30–day Youth marijuana use (%) Past 30–day Youth heroin use (%) 1	4.9 0.0	6.8 0.3	6.7 0.3	6.6 0.3		4.4	A
Past 30–day Youth Prescription drug use (%)	1.3	4.6	3.8	3.1		0.1 2.5	Â
Past 30–day Youth vape use: flavoring only (%)	9.7	7.3	5.9	11.3		4.0	
Past 30–day Youth vape use: marijuana (%)	4.0	4.6	7.9	6.1		4.0	Â
Past 30–day Youth vape use: nicotine (%)	15.0	16.1	14.6	14.1		6.8	Â
COMMUNITY	13.0	10.1	14.0	14.1		0.0	
Median Household Income ²	\$48,966	\$57,614	\$58,627				
Persons below poverty level (%)	14.2	15.7	17.0				
Unemployment rates (%) 4	6.4	4.5	3.9	3.2		3.3	V
Uninsurance (%) ²	5.1	5.4	3.3	5.2		3.5	
Food Insecurity (%) ⁵	18.6	14.3					
BA/BS or higher among those 25 or older (%)	14.3	14.9	15.9				
Transitions and Mobility (%)	44.0	46.9	40.7	41.8		50.5	V
Disconnected Youth measure ²	1.1	1.5	0.0				
Mental Health Center clients (per 1,000 population) 6		17.3	16.7				
Substance use treatment admissions (per 10,000 population) ⁶		28.9	26.6				
Beer, wine, and liquor stores (per 100,000 population) 7		99.8	91.5	83.2		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8		0.0	11.1	0.0		7.1	Y
Substance use–related arrests (per 1,000 population)	10.5	5.6	16.4	15.1		9.2	A
Total crime index offenses (per 1,000 population)	5.0	2.9	4.1	4.7		8.5	\
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		0.0	0.0		•—•		
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	25.9	26.1	24.5				
Poor family management (%) ¹	34.0	30.0	31.0	32.1		34.4	V
Family history of anti–social behavior (%)	34.7	36.2	30.0	26.2		25.9	A
Parental attitudes favorable toward drug use (%)	24.2	27.8	26.0	23.3		21.0	A
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	26.2	27.0	23.4	25.6		20.7	_
Early initiation of drug use (%)	23.1	19.6	20.6	18.5		12.9	A
Perceived availability of drugs (%)	18.8	18.9	19.5	19.8		16.9	
Low perceived risk of drug use (%)	54.5	55.2	56.9	50.7		47.5	A
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	74.7	79.8	74.3	76.8		78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	51.1	58.7	57.1	59.2		64.4	
Youth who perceive trying marijuana once or twice	00.4	40.4	00.4	40.0		40.0	
as "moderate" or "great risk" (%)	39.1	40.4	39.4	40.9		43.8	
Youth who perceive trying prescription drugs once or	70.5	00.0	00.0	740		70.0	
twice puts a person at "moderate" or "great risk" (%)	73.5	80.3	80.2	74.9		78.0	•
Youth who perceive using a vaping product like e-cigarettes,	60.0	64.7	64.4	66.0		60.0	
e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	62.2	61.7	61.1	66.0		68.8	•
nicotine as "moderate" or "great risk" (%)	57.3	61.9	58.8	60.9		65.7	V
Youth who perceive regularly vaping an e-liquid with	57.5	01.9	30.0	00.9		00.1	•
nicotine as "moderate" or "great risk" (%)	66.4	70.1	67.1	71.7		75.4	Y
SCHOOL	00.4	7 0. 1	07.1	71.7		70.4	
High school dropouts (per 1,000) 11	8.0	0.0	0.0		-		
Low academic performance (%)	36.5	43.1	42.8	44.0		44.0	_
Low commitment to school (%)	47.0	58.3	62.5	72.8		59.2	_
High school substance infraction (per 1,000 population of	0	00.0	02.0				~
enrolled high school students) 11	26.8	28.4	18.0				
School opportunities for pro–social involvement (%)	62.4	59.7	63.0	57.5		61.3	V
School rewards for pro–social involvement (%)	52.8	48.6	44.7	42.3		50.2	Ý
(14)		-		_			•

LOGAN COUNTY

Key Findings

Weakness

- 12th highest percentage of youth perceiving availability of drugs
- 14th highest percentage of youth using smokeless tobacco

Strengths

- 16th lowest percentage of youth with low perceived risk of drug use
- 18th lowest percentage of youth with peer attitudes favorable to drug use

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	0.4	2.1				
18–24	11.5	16.0				
25–29	17.0	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	21,247
Population under 18	4,483
Population 18–24	1,572
Population 25–29	1,175
Youth with a guardian currently in the military (%)	12.5


(%)

Past 30-day Youth Substance Use

■ County ■ State







LOCAN COUNTY						Aulamana	V-
LOGAN COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	LULL	2023	TICHU LINC	2025	Otate
Past 30–day Youth alcohol use (%)	5.8	8.3	6.5	7.6		7.0	A
Past 30–day Youth cigarette use (%)	1.4	2.3	1.6	2.0		1.5	Â
Past 30–day Youth chewing tobacco use (%)	1.4	2.1	2.1	3.3		1.7	Â
Past 30–day Youth marijuana use (%)	2.9	3.0	1.8	4.9		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.2	0.3	0.0		0.1	Ŷ
Past 30–day Youth prescription drug use (%)	7.2	1.7	2.9	2.4		2.5	Ÿ
Past 30–day Youth vape use: flavoring only (%)	4.3	2.5	3.6	3.8		4.0	V
Past 30-day Youth vape use: marijuana (%)	1.4	2.1	1.3	4.4		4.1	A
Past 30-day Youth vape use: nicotine (%)	2.9	6.5	4.4	9.4		6.8	A
COMMUNITY							
Median Household Income ²	\$44,232	\$46,570	\$51,131				
Persons below poverty level (%) 3	16.4	15.4	18.7				
Unemployment rates (%) 4	6.6	4.2	3.8	3.7		3.3	A
Uninsurance (%) ²	6.1	7.2					
Food Insecurity (%) ⁵	21.0	17.3					
BA/BS or higher among those 25 or older (%) ²	12.2	12.6	14.3				
Transitions and Mobility (%) 1	47.0	39.2	43.6	39.1		50.5	V
Disconnected Youth measure ²	2.2	2.3	3.6				
Mental Health Center clients (per 1,000 population) ⁶		40.0	37.5				
Substance use treatment admissions (per 10,000 population) ⁶		72.3	30.1				
Beer, wine, and liquor stores (per 100,000 population) ⁷		84.7	89.4	89.4		74.2	
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	8.3	7.1	0.0		7.1	\forall
Substance use–related arrests (per 1,000 population) ⁹	8.8	6.1	4.7	6.6		9.2	Y
Total crime index offenses (per 1,000 population) ⁹	4.9	3.6	3.9	4.6		8.5	\forall
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		72.8	72.8		•—•		
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	23.2	23.7	23.2				
Poor family management (%)	32.8	36.1	36.4	32.7		34.4	
Family history of anti–social behavior (%)	35.8	30.5	28.2	27.6		25.9	
Parental attitudes favorable toward drug use (%)	26.9	22.2	21.0	22.6		21.0	
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1							
r cer attitudes lavorable to drug use (70)	22.2	19.2	16.7	19.7		20.7	Y
Early initiation of drug use (%)	12.5	16.0	17.8	16.9		12.9	A
Perceived availability of drugs (%)	22.1	16.8	19.0	21.3		16.9	A
Low perceived risk of drug use (%) 1	45.1	46.1	42.1	45.4		47.5	
Youth who perceive smoking one or more packs of	07.7	04.0	00.0	00.0		70.4	
cigarettes per day as "moderate" or "great risk" (%)	87.7	81.3	83.2	80.9		78.4	A
Youth who perceive drinking one or two alcoholic beverages	64.0	FC C	62.4	60.6		64.4	_
nearly every day as "moderate" or "great risk" (%)	61.2	56.6	63.4	62.6		64.4	•
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1	45.9	49.1	55.0	45.3		43.8	A
Youth who perceive trying prescription drugs once or	45.9	49.1	55.0	45.3		43.0	
	90.2	70 E	94.0	90.4		79.0	A
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	80.3	78.5	84.9	80.4		78.0	
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	62.7	60.0	60.7	71 5		60 0	A
Youth who perceive occasionally vaping an e-liquid with	62.7	68.0	69.7	71.5		68.8	A
nicotine as "moderate" or "great risk" (%)	63.5	64.8	69.6	69.2		65.7	A
Youth who perceive regularly vaping an e-liquid with	00.0	01.0	00.0	00.2		00.1	
nicotine as "moderate" or "great risk" (%)	78.1	74.6	79.6	77.3		75.4	A
SCHOOL	. 5. 1						
High school dropouts (per 1,000) 11	3.0	1.0	0.3				
Low academic performance (%)	59.1	51.0	43.2	45.9		44.0	A
Low commitment to school (%)	54.3	56.2	55.8	56.8		59.2	Ŷ
High school substance infraction (per 1,000 population of	31.0	00.2	55.5	00.0			•
enrolled high school students) 11	27.2	1.1	5.6				
School opportunities for pro–social involvement (%)	47.2	61.0	64.0	62.8		61.3	<u> </u>
School rewards for pro-social involvement (%)	38.0	52.8	47.1	53.6		50.2	Â
					_		, ,

LONOKE COUNTY

Key Findings

Weakness

 N/A due to limited data available

Strengths

• N/A due to limited data available

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	0.6	2.1				
18–24	10.6	16.0				
25 20	0.2	19.7				


Rate of all-cause crashes with fatalities with drivers aged 18-29 per 100,000




High school dropout rate per 1,000



Demographics







Total Population	74,292
Population under 18	18,573
Population 18–24	5,943
Population 25–29	5,119
Youth with a guardian currently in the military (%)	


Past 30-day Youth Substance Use

■ County ■ State









Indicator 2020 2021 2022 2023 Trend Line 2023 Str.	LONOKE COUNTY						Arkansas	Vs.
Past 30-day Youth accinor luce (%)		2020	2021	2022	2023	Trend Line		State
Plact 30-day Youth cignretine use (%)	SUBSTANCE USE							
Plack 30-day Youth Enveloped between user (%)	Past 30-day Youth alcohol use (%)	6.7	8.6				7.0	
Part 30-day Youth Interfue (1) Part 30-day Youth Interfue (1) Part 30-day Youth Interfue (1) Part 30-day Youth prescription drug use (N) 2.0	Past 30-day Youth cigarette use (%)	3.4	2.7				1.5	
Plast 30-day Youth horion use (%)	Past 30-day Youth chewing tobacco use (%)	1.9	3.0				1.7	
Plact 30-day Youth prescription drug use (%) 1	Past 30-day Youth marijuana use (%)	4.3	9.4				4.4	
Past 30-day Youth yape use interioring only (%)	Past 30-day Youth heroin use (%) 1	0.0	0.0				0.1	
Past 30-day Youth vape use: marijuana (%)	Past 30-day Youth prescription drug use (%)	2.0	4.1				2.5	
Past 30-day Youth vape user incoline (%) 9.4 14.9 6.8	Past 30-day Youth vape use: flavoring only (%) 1	7.5	9.0				4.0	
Median Household Income 2	Past 30-day Youth vape use: marijuana (%)	2.4	9.1				4.1	
Median Household Income Sep 278		9.4	14.9				6.8	
Persons below poverty level (%) 3 120 11.0 11.5 11.5 11.5 11.5 11.5 11.5 11.								
Unemployment rates (%)	Wedain Flouseriola meome							
Uninsurance (%) 2	1 crooks below poverty level (70)							
Food Insecurity (%)				2.8	2.6		3.3	Y
BARS of higher among those 25 or older (%) 2 20.6 20.3 19.9 Transitions and Mobility (%) 1 46.6 45.1 Disconnected Youth measure 2 1.2 0.9 0.5 Mental Health Center clients (per 1,000 population) 4 5.5 90.0 Mental Health Center clients (per 1,000 population) 5 Boer, whe, and liquor stores (per 10,000 population) 7 7.0 0.0 0.0 0.0 7.42 Tobacco sales to minors (per cant oppopulation) 9 8.6 12.5 12.2 18.4 0.0 7.1 Substance user-related arrests (per 1,000 population) 9 7.0 7.4 5.5 5.6 9.2 Total crime index offeness (per 1,000 population) 9 7.0 7.4 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 7.0 7.4 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 7.0 7.4 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 7.0 7.4 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 7.0 7.4 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 7.0 7.4 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.7 Total crime index offeness (per 1,000 population) 9 7.0 7.4 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 7.0 7.4 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 7.0 7.4 5.5 5.8 8.5 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.7 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.7 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.7 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.7 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.7 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.7 Total crime index offeness (per 1,000 population) 9 8.6 6.1 5.5 5.8 8.7 Total crime index offeness (per 1,000 population) 9 8.8 6.1 5.5 5.8 8.9 Total crime index offeness (per 1,000 popul	. ,							
Transitions and Mobility (%) 1	* ` '							
Disconnected Youth measure 1.2	Divide of higher among those 20 of older (70)			19.9				
Mental Health Center clients (per 1,000 population) Substance use treatment admissions (per 10,000 population) 36.0 22.6	* * *						50.5	
Substance use treatment admissions (per 10,000 population)		1.2						
Substance use relation attentions for periodic production of the p	Wertai Fleatif General (per 1,000 population)							
Tobacco sales to minors (percent of failed tobacco checks) 8 12.5 12.2 18.4 0.0 7.1 Substance use-related arrests (per 1,000 population) 9 7.0 7.4 5.5 5.6 9.2 Total crime index offenses (per 1,000 population) 9 5.8 6.1 5.5 5.8 8.5 Fatal crashes with drivers aged 18-29 (per 10,000 population) 10 6.3 3 36.2 FAMILY Children living in foster care (per 1,000 population under 18 years of age) 10 9 8.6 9.9 FAMILY Children living in foster care (per 1,000 population under 18 years of age) 10 9.9 8.6 9.9 Poor family management (%) 1 25.6 35.3 29.1 34.4 5.7 Family history of anti-social behavior (%) 1 25.6 35.3 29.1 34.4 5.7 Family history of anti-social behavior (%) 1 19.7 28.2 2 2 2.10 INDIVIOLALPEERS Per attitudes favorable to drug use (%) 1 18.1 26.7 20.9 12.9 Farental attitudes favorable to drug use (%) 1 12.3 20.9 12.9 Ferceived availability of drug (%) 1 22.3 23.7 16.9 Low perceived risk of drug use (%) 1 45.5 51.5 37.8 47.5 78.4 Vouth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 82.5 81.5 78.4 Youth who perceive smoking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 76.9 83.7 78.0 44.8 97.4 Youth who perceive using a vaping product like - cigarettes, e-cigars, and e-hockahs as "moderate" or "great risk" (%) 1 76.9 83.7 78.0 78.0 98.1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 76.9 83.7 62.5 65.7 65.7 98.0 Vouth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10	Substance use treatment aumissions (per 10,000 population)						=	
Substance use-related arrests (per 1,000 population) 7.0	Deci, wire, and industrators (per 100,000 population)	10.5						
Total crime index offenses (per 1,000 population) 5.8 6.1 5.5 5.8 8.5	Tobacco sales to Timors (percent of failed tobacco checks)							_ ₹
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) 19	Substance use-related arrests (per 1,000 population)							
Epart Diagnosis 18-29 years old 10 10 10 10 10 10 10 1		5.8	6.1	5.5	5.8		8.5	•
FAMILY Children living in foster care (per 1,000 population under 18 years of age) 6	· ·		60.0	26.2				
Children living in foster care (per 1,000 population under 18 years of age) 1 10.0 9.9 8.6	(per 100,000 population 10 20 years old)		03.3	30.2				
under 18 years of age) 10.0 9.9 8.6 Poor family management (%) 1 28.3 29.1 34.4 25.9 - Family history of anti-social behavior (%) 1 25.6 35.3 25.9 - Parental attitudes favorable toward drug use (%) 1 19.7 28.2 21.0 - INDIVIDUAL/PEERS Vereived availability of drugs (%) 1 18.1 26.7 20.7 - Early initiation of drug use (%) 1 12.3 20.9 12.9 - Perceived availability of drugs (%) 1 22.3 23.7 16.9 - Low perceived risk of drug use (%) 1 22.3 23.7 16.9 - Youth who perceive broking one or more packs of cigarettes per day as "moderate' or "great risk" (%) 1 82.5 81.5 78.4 - Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate' or "great risk" (%) 1 82.5 81.5 78.4 64.4 - Youth who perceive trying marijuana once or twice								
Poor family management (%) 1 28.3 29.1 34.4 Eamily history of anti-social behavior (%) 1 25.6 35.3 25.9 2.9 2.0		10.0	9 9	8.6				
Family history of anti-social behavior (%)				0.0			34.4	
Parental attitudes favorable toward drug use (%)								
NOIVIDUAL/PEERS								
Peer attitudes favorable to drug use (%) 1 18.1 26.7 20.7 - Early initiation of drug use (%) 1 12.3 20.9 12.9 - Perceived availability of drug use (%) 1 22.3 23.7 16.9 - Low perceived availability of drug use (%) 1 45.5 51.5 47.5 - Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 82.5 81.5 78.4 - Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.3 63.4 64.4 - Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 76.9 83.7 78.0 43.8 - Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 76.9 83.7 78.0 - Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 66.7 63.6 68.8 - Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 - SCHOOL High school dropouts (per 1,000) 11 74.8 75.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school stubstance infraction (per 1,000 population of enrolled high school students) 1 51.8 57.4 61.3 51.8 57.4		10.1	20.2				21.0	
Early initiation of drug use (%) 1 12.3 20.9 12.9 - Perceived availability of drugs (%) 1 22.3 23.7 16.9 - Perceived availability of drugs (%) 1 45.5 51.5 47.5 - 4	·	18.1	26.7				20.7	
Perceived availability of drugs (%)								
Low perceived risk of drug use (%) 1		22.3	23.7				16.9	
cigarettes per day as "moderate" or "great risk" (%) 1 82.5 81.5 78.4 - Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 63.3 63.4 64.4 - Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 47.3 41.0 43.8 - Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 76.9 83.7 78.0 - Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 66.7 63.6 68.8 - Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 63.7 62.5 65.7 - Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 - SCHOOL High school dropouts (per 1,000) **1 9.0 0.8 1.0 - - Low academic performance (%) 1 47.8 54.4 44.0 - Liby school substance infraction (per 1,000 population of enrolled high school students) 1		45.5	51.5				47.5	
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)						_		
nearly every day as "moderate" or "great risk" (%)	cigarettes per day as "moderate" or "great risk" (%)	82.5	81.5				78.4	
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 47.3 41.0 43.8 - Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 76.9 83.7 78.0 - Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 66.7 63.6 68.8 - Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 63.7 62.5 65.7 - Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 - SCHOOL High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -	Youth who perceive drinking one or two alcoholic beverages							
as "moderate" or "great risk" (%) 1 47.3 41.0 43.8 - Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 76.9 83.7 78.0 - Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 66.7 63.6 68.8 - Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 63.7 62.5 65.7 - Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 - SCHOOL High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 33.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -	nearly every day as "moderate" or "great risk" (%)	63.3	63.4				64.4	
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 76.9 83.7 78.0 - Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 66.7 63.6 68.8 - Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 63.7 62.5 65.7 - Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 75.4 - SCHOOL High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 33.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4	Youth who perceive trying marijuana once or twice							
twice puts a person at "moderate" or "great risk" (%) 1 76.9 83.7 76.9 83.7 76.0 - Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 66.7 63.6 68.8 - Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 63.7 62.5 65.7 - Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 - SCHOOL High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -	as "moderate" or "great risk" (%) 1	47.3	41.0				43.8	
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 66.7 63.6 68.8 - Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 63.7 62.5 65.7 - Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 - SCHOOL High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -	Youth who perceive trying prescription drugs once or							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	twice puts a person at "moderate" or "great risk" (%)	76.9	83.7				78.0	
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	Youth who perceive using a vaping product like e-cigarettes,							
nicotine as "moderate" or "great risk" (%) 1 63.7 62.5 65.7 - Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 - SCHOOL High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 22.0 13.3 33.3 - - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -	e-cigars, and e-hookahs as "moderate" or "great risk" (%)	66.7	63.6				68.8	
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 - SCHOOL High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -	Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%) 1 74.8 75.3 75.4 - SCHOOL High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -	nicotine as "moderate" or "great risk" (%)	63.7	62.5				65.7	
SCHOOL High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -	Youth who perceive regularly vaping an e-liquid with							
High school dropouts (per 1,000) 11 9.0 0.8 1.0 - Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -	nicotine as "moderate" or "great risk" (%)	74.8	75.3				75.4	
Low academic performance (%) 1 47.8 54.4 44.0 - Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -								
Low commitment to school (%) 1 54.5 61.3 59.2 - High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - School opportunities for pro-social involvement (%) 1 51.8 57.4 61.3 -				1.0				
High school substance infraction (per 1,000 population of enrolled high school students) 11 22.0 13.3 33.3 - School opportunities for pro–social involvement (%) 1 51.8 57.4 61.3 -	. , , ,		54.4				44.0	
enrolled high school students) 11 22.0 13.3 33.3 - School opportunities for pro–social involvement (%) 1 51.8 57.4 61.3 -	. ,	54.5	61.3				59.2	
School opportunities for pro–social involvement (%) 1 51.8 57.4 61.3 -								
31.0 31.4 01.3 -	emolica riigii scriboi staaciits)			33.3				
School rewards for pro–social involvement (%) 1 57.6 52.9 50.2 -	3chool opportunities for pro-social involvement (76)							
	School rewards for pro–social involvement (%)	57.6	52.9				50.2	

MADISON COUNTY

Key Findings

Weakness

 16th highest percentage of youth perceiving low risk of drug use

Strengths

- 5th and 6th lowest percentage of youth vaping nicotine and flavor, respectively
- 6th lowest percentage of youth using alcohol
- 7th and 11th lowest percentage of youth using smokeless tobacco and cigarettes, respectively

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	0.0	2.1				
18–24	8.7	16.0				
25–29	13.4	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000




Demographics





Total Population	16,737
Population under 18	3,916
Population 18–24	
Population 25–29	1,043
Youth with a guardian currently in the military (%)	5.7

Past 30-day Youth Substance Use

■ County ■ State







MADISON COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	11.0	8.2	9.3	3.3		7.0	V
Past 30-day Youth cigarette use (%)	5.1	3.5	1.4	0.8		1.5	Ÿ
Past 30-day Youth chewing tobacco use (%)	5.7	3.2	1.4	0.8		1.7	Ÿ
Past 30–day Youth marijuana use (%)	9.7	4.8	4.0	3.1		4.4	Ý
Past 30–day Youth heroin use (%) 1	0.0	0.0	0.2	0.0		0.1	Ÿ
Past 30–day Youth prescription drug use (%)	1.0	3.9	1.2	1.8		2.5	Ÿ
Past 30–day Youth vape use: flavoring only (%)	8.0	4.6	5.6	2.6		4.0	¥
Past 30-day Youth vape use: marijuana (%)	7.6	4.6	3.5	3.4		4.1	¥
Past 30-day Youth vape use: nicotine (%)	14.7	8.0	10.9	3.3		6.8	V
COMMUNITY							
Median Household Income ²	\$41,446	\$47,862	\$51,514				
Persons below poverty level (%) 3	17.3	15.4	16.5				
Unemployment rates (%) 4	3.9	3.1	2.5	2.4		3.3	Y
Uninsurance (%) ²	9.1	9.5					
Food Insecurity (%) 5	17.8	15.5					
BA/BS or higher among those 25 or older (%) ²	12.1	13.5	12.3				
Transitions and Mobility (%) 1	39.5	55.0	49.5	44.5		50.5	٧
Disconnected Youth measure ²	0.0	0.8	0.5				
Mental Health Center clients (per 1,000 population) ⁶		37.3	28.7				
Substance use treatment admissions (per 10,000 population) ⁶		31.5	14.9				
Beer, wine, and liquor stores (per 100,000 population) ⁷		95.6	113.5	107.6		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	10.7	3.8	0.0		7.1	Y
Substance use–related arrests (per 1,000 population)	7.0	8.7	4.1	5.3		9.2	¥
Total crime index offenses (per 1,000 population) 9	4.3	5.3	4.4	4.1		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		0.0	0.0		•—•		
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	28.3	28.2	16.3				
Poor family management (%) 1	30.0	37.9	37.3	41.2		34.4	A
Family history of anti–social behavior (%)	25.5	24.7	28.5	24.5		25.9	Y
Parental attitudes favorable toward drug use (%)	28.7	24.5	22.1	21.8		21.0	A
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	24.4	24.3	25.2	19.0	-	20.7	V
Early initiation of drug use (%)	16.8	18.5	16.9	12.0		12.9	V
Perceived availability of drugs (%)	17.6	20.0	21.9	18.0		16.9	A
Low perceived risk of drug use (%)	53.2	47.0	49.8	54.5		47.5	A
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	73.4	78.3	78.2	69.8		78.4	V
Youth who perceive drinking one or two alcoholic beverages							·
nearly every day as "moderate" or "great risk" (%)	56.9	59.5	60.7	54.9		64.4	Y
Youth who perceive trying marijuana once or twice					_		
as "moderate" or "great risk" (%)	39.6	47.1	44.8	40.3		43.8	V
Youth who perceive trying prescription drugs once or							•
	75.6	78.6	79.9	73.2		78.0	V
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	75.6	78.6	79.9	73.2		78.0	Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,							
twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes,	75.6 57.8	78.6 70.1	79.9 67.8	73.2 64.6		78.0 68.8	Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)							
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	57.8	70.1	67.8	64.6		68.8	٧
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	57.8	70.1	67.8	64.6		68.8	٧
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	57.8 55.7	70.1 65.1	67.8 64.8	64.6 63.3		68.8 65.7	Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	57.8 55.7	70.1 65.1	67.8 64.8	64.6 63.3		68.8 65.7	Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	57.8 55.7 66.9	70.1 65.1 74.5	67.8 64.8 72.6	64.6 63.3		68.8 65.7	Y Y Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	57.8 55.7 66.9 14.0 50.2	70.1 65.1 74.5 7.0 56.1	67.8 64.8 72.6 4.0 50.5	64.6 63.3 70.1		68.8 65.7 75.4	Y
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%)	57.8 55.7 66.9	70.1 65.1 74.5	67.8 64.8 72.6	64.6 63.3 70.1		68.8 65.7 75.4	Y Y X
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	57.8 55.7 66.9 14.0 50.2 54.2	70.1 65.1 74.5 7.0 56.1 54.0	67.8 64.8 72.6 4.0 50.5 64.3	64.6 63.3 70.1		68.8 65.7 75.4	Y Y X
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	57.8 55.7 66.9 14.0 50.2 54.2	70.1 65.1 74.5 7.0 56.1 54.0	67.8 64.8 72.6 4.0 50.5 64.3	64.6 63.3 70.1 48.1 58.8		68.8 65.7 75.4 44.0 59.2	* * * * * * * * * * * * * * * * * * *
twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	57.8 55.7 66.9 14.0 50.2 54.2	70.1 65.1 74.5 7.0 56.1 54.0	67.8 64.8 72.6 4.0 50.5 64.3	64.6 63.3 70.1		68.8 65.7 75.4	Y Y X

MARION COUNTY

Key Findings

Weakness

- 5th highest percentage of youth perceiving availability of drugs
- 8th and 11th highest percentage of youth vaping flavor and nicotine, respectively
- 9th highest percentage of youth initiating drug use before age 15
- 13th highest percentage of youth using cigarettes

Strengths

 14th lowest percentage of youth perceiving low risk of drug use

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	3.9	2.1				
18–24	5.5	16.0				
25–29	5.3	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	16,905
Population under 18	3,111
Population 18–24	913
Population 25–29	. 755
Youth with a guardian currently in the military (%)	11.9


(%)

Past 30-day Youth Substance Use

■ County ■ State







MARION COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	7.4	8.3	7.3	9.2		7.0	A
Past 30-day Youth cigarette use (%)	1.5	0.6	2.8	2.9		1.5	A
Past 30-day Youth chewing tobacco use (%)	2.0	1.9	1.4	2.2		1.7	A
Past 30-day Youth marijuana use (%)	6.4	3.8	6.7	5.1		4.4	A
Past 30–day Youth heroin use (%)	0.0	0.0	0.3	0.0		0.1	V
Past 30-day Youth prescription drug use (%)	3.0	2.5	2.0	3.2		2.5	A
Past 30-day Youth vape use: flavoring only (%)	4.5	6.0	6.2	8.6		4.0	A
Past 30-day Youth vape use: marijuana (%)	4.0	2.9	6.5	5.4		4.1	A
Past 30-day Youth vape use: nicotine (%)	7.9	7.6	11.9	12.4		6.8	A
COMMUNITY							
Median Household Income ²	\$38,426	\$41,038	\$42,891				
Persons below poverty level (%) ³	18.6	17.8	15.6				
Unemployment rates (%) 4	6.4	4.3	3.7	3.8		3.3	A
Uninsurance (%) ²	5.9	6.8					
Food Insecurity (%) ⁵	20.3	18.2					
BA/BS or higher among those 25 or older (%) ²	16.1	15.1	15.2				
Transitions and Mobility (%) 1	51.3	49.5	46.9	42.5		50.5	Y
Disconnected Youth measure ²	4.9	4.5	4.7				
Mental Health Center clients (per 1,000 population) 6		16.7	15.1				
Substance use treatment admissions (per 10,000 population) ⁶		19.1	5.3				
Beer, wine, and liquor stores (per 100,000 population) ⁷		118.3	136.1	142.0		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	3.6	3.7	6.7		7.1	V
Substance use–related arrests (per 1,000 population)	4.4	4.5	3.8	2.8		9.2	
Total crime index offenses (per 1,000 population)	4.2	3.8	6.1	4.4		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		0.0	0.0				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	12.5	12.0	10.3				
Poor family management (%)	25.5	29.0	34.7	37.3		34.4	A
Family history of anti–social behavior (%)	25.0	26.9	33.4	32.4		25.9	
Parental attitudes favorable toward drug use (%)	22.6	21.4	27.1	25.2		21.0	
INDIVIDUAL/PEERS	40.0	40.0	04.7	05.5		00.7	
Peer attitudes favorable to drug use (%)	16.6	18.6	24.7	25.5		20.7	
Early initiation of drug use (%) Perceived availability of drugs (%)	10.7	13.3	16.5	19.6		12.9	A
r creering aramaemity of arage (76)	18.0	15.1	22.0	23.6		16.9	- \$
Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of	48.5	45.9	56.4	45.1		47.5	•
cigarettes per day as "moderate" or "great risk" (%)	85.6	84.4	79.6	85.2		78.4	A
Youth who perceive drinking one or two alcoholic beverages	03.0	04.4	79.0	03.2		70.4	A
nearly every day as "moderate" or "great risk" (%)	63.3	64.4	59.0	65.6		64.4	A
Youth who perceive trying marijuana once or twice	03.3	04.4	59.0	03.0		04.4	
as "moderate" or "great risk" (%)	44.2	42.6	34.3	41.8		43.8	V
Youth who perceive trying prescription drugs once or	44.2	42.0	34.3	41.0		43.0	•
twice puts a person at "moderate" or "great risk" (%)	85.5	85.9	79.2	83.0		78.0	
Youth who perceive using a vaping product like e-cigarettes,	00.0	05.9	19.2	03.0		70.0	A
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	70.0	66.0	67.8	68.7		68.8	V
Youth who perceive occasionally vaping an e-liquid with	70.0	00.0	07.0	00.1		00.0	
nicotine as "moderate" or "great risk" (%)	69.9	64.4	61.0	64.4		65.7	V
Youth who perceive regularly vaping an e-liquid with	00.0	O 1. F	01.0	01.4		00.1	•
nicotine as "moderate" or "great risk" (%)	79.3	76.2	74.2	77.9		75.4	A
SCHOOL		. 0.2					
High school dropouts (per 1,000) ¹¹	6.0	2.0	1.1				
Low academic performance (%)	58.0	47.9	54.2	46.3		44.0	A
Low commitment to school (%)	51.2	49.8	58.2	62.5		59.2	Â
High school substance infraction (per 1,000 population of	01.2	10.0	00.2	02.0		00.Z	
enrolled high school students) 11	17.6	5.6	12.6				
School opportunities for pro–social involvement (%)	61.7	67.6	64.7	66.4		61.3	<u> </u>
School rewards for pro–social involvement (%)	56.5	54.6	54.3	50.5		50.2	Â
2322	55.5	55	55	55.6			

MILLER COUNTY

Key Findings

Weakness

 N/A due to limited data available

Strengths

• N/A due to limited data available

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	0.9	2.1				
18–24	25.1	16.0				
25–29	29.9	18.7				


Rate of all-cause crashes with fatalities with drivers aged 18-29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	42,682
Population under 18	10,073
Population 18–24	3,628
Population 25–29	2,710
Youth with a guardian currently in the military (%)	NA

Past 30-day Youth Substance Use

■ County ■ State







MILLER COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	6.7	7.6	7.7			7.0	
Past 30-day Youth cigarette use (%)	1.6	2.5	1.6			1.5	
Past 30-day Youth chewing tobacco use (%)	1.4	2.6	2.7			1.7	
Past 30-day Youth marijuana use (%)	5.7	3.8	6.6			4.4	
Past 30-day Youth heroin use (%) 1	0.0	0.0	0.1			0.1	
Past 30-day Youth prescription drug use (%)	4.3	2.9	2.4			2.5	
Past 30-day Youth vape use: flavoring only (%)	7.0	7.5	7.7			4.0	
Past 30-day Youth vape use: marijuana (%)	5.4	3.3	7.0			4.1	
Past 30-day Youth vape use: nicotine (%) 1	8.9	10.0	10.4			6.8	
COMMUNITY							
Median Household Income ²	\$45,391	\$46,610	\$47,613				
Persons below poverty level (%) 3	17.7	20.4	22.9				
Unemployment rates (%) 4	6.9	4.8	3.9	3.4		3.3	A
Uninsurance (%) ²	8.9	9.8					
Food Insecurity (%) 5	19.7	16.3					
BA/BS or higher among those 25 or older (%) ²	18.0	16.9	15.6				
Transitions and Mobility (%) 1	56.9	51.4	58.2			50.5	
Disconnected Youth measure ²	5.8	6.4	7.3				
Mental Health Center clients (per 1,000 population) ⁶		24.1	23.1				
Substance use treatment admissions (per 10,000 population) ⁶		65.3	197.3				
Beer, wine, and liquor stores (per 100,000 population) ⁷		131.2	140.6	133.6		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) ⁸		16.7	12.3	0.0		7.1	\
Substance use–related arrests (per 1,000 population) ⁹	12.3	12.0	9.0	15.1		9.2	A
Total crime index offenses (per 1,000 population)	15.5	16.6	16.1	21.3		8.5	A
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) 10		110.4	47.3				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	20.2	20.5	21.9				
Poor family management (%) 1	35.8	40.2	39.2			34.4	
Family history of anti-social behavior (%)	32.8	29.5	32.8			25.9	
Parental attitudes favorable toward drug use (%)	18.9	17.5	21.4			21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	26.1	24.3	24.8			20.7	
Early initiation of drug use (%)	15.1	18.3	16.4			12.9	
Perceived availability of drugs (%)	17.8	17.1	16.0			16.9	
Low perceived risk of drug use (%) 1	58.8	54.9	59.1			47.5	
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	65.9	72.1	70.2			78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	52.4	57.5	56.2			64.4	
Youth who perceive trying marijuana once or twice					_		
as "moderate" or "great risk" (%)	36.6	37.3	35.1			43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	65.7	71.3	68.9			78.0	
Youth who perceive using a vaping product like e-cigarettes,					_		
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	48.9	55.8	51.9			68.8	
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	48.9	55.5	51.5			65.7	
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	59.9	65.6	63.3			75.4	
SCHOOL							
High school dropouts (per 1,000) 11	17.0	1.0	0.5				
Low academic performance (%) 1	51.9	51.4	45.5			44.0	
Low commitment to school (%)	52.8	59.1	62.4			59.2	
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	18.8	15.7	12.6				
,							
School opportunities for pro–social involvement (%)	50.5	53.5	58.3			61.3	
School opportunities for pro–social involvement (%) School rewards for pro–social involvement (%) 1	50.5 47.2	53.5 46.4	58.3 44.0			61.3 50.2	

MISSISSIPPI COUNTY

Key Findings

Weakness

 6th highest rate of tobacco sales to minors

Strengths

- 4th lowest percentage of youth with parental attitudes favorable to drug use
- 4th lowest percentage of youth misusing prescription drugs
- 5th lowest percentage of youth perceiving availability of drugs
- 7th lowest percentage of youth using smokeless tobacco

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	2.6	2.1				
18–24	25.9	16.0				
25–29	26.0	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	40,361
Population under 18	10,494
Population 18–24	3,632
Population 25–29	2,767
Youth with a guardian currently in the military (%)	7.4


(%)

Past 30-day Youth Substance Use

■ County ■ State







MICCICCIPPI COLINTY						Aulamana	V-
MISSISSIPPI COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	2.3	7.9	5.7	4.5		7.0	V
Past 30-day Youth cigarette use (%)	0.5	1.6	1.2	0.8		1.5	Ý
Past 30–day Youth chewing tobacco use (%)	1.1	1.2	1.7	0.8		1.7	Ý
Past 30–day Youth marijuana use (%)	5.8	5.2	3.5	5.7		4.4	Ă
Past 30–day Youth heroin use (%)	0.0	0.3	0.0	0.0		0.1	Ŷ
Past 30–day Youth prescription drug use (%)	1.8	2.8	2.9	0.4		2.5	Ÿ
Past 30-day Youth vape use: flavoring only (%)	2.9	5.7	5.0	3.8		4.0	Ý
Past 30-day Youth vape use: marijuana (%)	1.7	4.2	3.1	3.4		4.1	Ÿ
Past 30-day Youth vape use: nicotine (%) 1	2.9	10.0	8.1	6.8		6.8	=
COMMUNITY							
Median Household Income ²	\$42,986	\$45,740	\$50,012				
Persons below poverty level (%) ³	21.4	23.9	21.8				
Unemployment rates (%) 4	9.0	7.2	5.2	4.6		3.3	A
Uninsurance (%) ²	7.5	8.3					
Food Insecurity (%) 5	22.8	18.3					
BA/BS or higher among those 25 or older (%)	15.6	14.2	14.8				
Transitions and Mobility (%) 1	54.0	43.6	38.5	40.2		50.5	Y
Disconnected Youth measure ²	5.4	5.1	2.7				
Mental Health Center clients (per 1,000 population) 6		47.0	40.3				
Substance use treatment admissions (per 10,000 population) ⁶		22.6	91.4				
Beer, wine, and liquor stores (per 100,000 population) 7		143.7	131.3	133.8		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	8.6	11.2	20.0		7.1	A
Substance use–related arrests (per 1,000 population)	8.0	8.7	6.3	11.9		9.2	A
Total crime index offenses (per 1,000 population)	13.4	10.6	7.9	9.7		8.5	A
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) 10		31.3	78.1				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	12.5	12.9	8.3				
Poor family management (%) 1	33.8	34.6	38.8	30.8		34.4	\forall
Family history of anti–social behavior (%)	32.3	30.1	26.0	23.9		25.9	Y
Parental attitudes favorable toward drug use (%)	16.0	20.8	18.4	17.8		21.0	V
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	23.0	21.9	20.5	20.7		20.7	=
Early initiation of drug use (%)	11.0	11.4	11.6	11.5		12.9	\forall
Perceived availability of drugs (%)	11.6	16.9	11.9	11.4		16.9	V
Low perceived risk of drug use (%) 1	67.0	56.1	59.1	48.3		47.5	A
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	58.9	74.9	67.3	75.3		78.4	Y
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	49.4	60.2	52.5	63.9		64.4	V
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	29.8	34.4	36.6	44.9		43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	54.9	76.2	67.4	75.1		78.0	V
Youth who perceive using a vaping product like e-cigarettes,					_		
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	49.4	60.6	57.0	62.7		68.8	Y
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	49.4	56.3	56.0	60.7		65.7	V
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	55.0	69.5	64.3	68.8		75.4	Y
SCHOOL							
High school dropouts (per 1,000) 11	12.0	1.0	1.0				
Low academic performance (%) 1	66.0	49.3	46.1	45.5		44.0	A
Low commitment to school (%) 1	59.7	67.8	59.0	64.0		59.2	A
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	10.8	9.7	10.4				
School opportunities for pro–social involvement (%)	47.3	52.6	62.2	58.0		61.3	Y
School rewards for pro–social involvement (%)	45.0	44.6	50.7	50.0		50.2	Ÿ
1							

MONROE COUNTY

Key Findings

Weakness

- 5th highest percentage of youth vaping marijuana
- 6th highest percentage of youth perceiving low risk of drug use
- 10th highest percentage of youth using cigarettes

Strengths

- 3rd lowest percentage of youth with parental attitudes favorable to drug use
- 10th lowest percentage of youth perceiving availability of drugs
- 11th lowest percentage of youth using alcohol

Consequences

■ County ■ State

Substance–use related arrests						
per 1,000 population						
Under 18	0.0	2.1				
18–24	7.3	16.0				
25–29	29.0	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000




Demographics





Total Population	6,787
Population under 18	1,466
Population 18–24	. 550
Population 25–29	310
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







MONROE COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	3.3	0.0	4.9	5.1		7.0	V
Past 30-day Youth cigarette use (%)	0.0	0.0	0.0	3.6		1.5	À
Past 30-day Youth chewing tobacco use (%)	0.0	0.0	0.0	0.0	• • • • • • • • • • • • • • • • • • • •	1.7	V
Past 30-day Youth marijuana use (%)	0.0	0.0	3.7	6.8		4.4	À
Past 30-day Youth heroin use (%)	0.0	0.0	0.0	0.0	• • • • • • • • • • • • • • • • • • • •	0.1	V
Past 30-day Youth prescription drug use (%)	0.0	4.2	0.0	0.0		2.5	V
Past 30-day Youth vape use: flavoring only (%)	0.0	0.0	2.5	3.4		4.0	¥
Past 30-day Youth vape use: marijuana (%)	0.0	0.0	5.0	6.9		4.1	A
Past 30-day Youth vape use: nicotine (%)	0.0	4.2	6.1	11.9		6.8	A
COMMUNITY							
Median Household Income ²	\$38,438	\$41,667	\$41,786				
Persons below poverty level (%) ³	22.9	25.3	24.9				
Unemployment rates (%) ⁴	6.7	5.3	4.4	3.6		3.3	
Uninsurance (%) ²	8.4	9.2					
Food Insecurity (%) ⁵	22.2	18.3					
BA/BS or higher among those 25 or older (%) ²	12.6	13.5	14.2				
Transitions and Mobility (%) 1	29.6	50.0	40.0	24.5		50.5	Y
Disconnected Youth measure ²	0.0	0.0	0.0		•—•		
Mental Health Center clients (per 1,000 population) ⁶		50.6	51.0				
Substance use treatment admissions (per 10,000 population) ⁶		17.4	13.3				
Beer, wine, and liquor stores (per 100,000 population) ⁷		280.0	280.0	265.2		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	16.0	11.3	0.0		7.1	V
Substance use–related arrests (per 1,000 population) 9	14.0	6.5	5.0	6.8		9.2	Y
Total crime index offenses (per 1,000 population)	7.1	6.4	4.3	8.4		8.5	V
Fatal crashes with drivers aged 18–29					_		
(per 100,000 population 18–29 years old) ¹⁰		0.0	116.3				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	10.2	10.0	12.3				
Poor family management (%) 1 Family history of anti-social behavior (%) 1	46.2	68.4	36.6	51.0		34.4	
Taring history of anti–social behavior (70)	7.4	20.0	22.8	24.5		25.9	\sim
Parental attitudes favorable toward drug use (%)	16.0	5.0	14.5	16.3		21.0	
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	04.0	04.0	40.0	00.0		00.7	
r cer attitudes lavorable to drug use (70)	24.2	31.0	19.0	26.2		20.7	
Early initiation of drug use (%)	2.9	37.9	11.5	23.0		12.9	
Perceived availability of drugs (%)	18.5	8.3	10.3	14.6		16.9	X
Low perceived risk of drug use (%) 1	60.6	71.4	61.0	59.0		47.5	A
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	65.6	20.0	FC 0	E4.4		70.4	
	65.6	30.8	56.0	54.4		78.4	Y
Youth who perceive drinking one or two alcoholic beverages	F2 2	20.6	40.2	EE 1		64.4	
nearly every day as "moderate" or "great risk" (%)	53.3	29.6	49.3	55.4		64.4	•
Youth who perceive trying marijuana once or twice	20.7	25.0	22.0	22.4		42.0	V
as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	38.7	25.9	32.9	32.1		43.8	•
, , , , , , , , , , , , , , , , , , , ,	70.0	27.0	E2 6	E0 E		79.0	
twice puts a person at "moderate" or "great risk" (%)	70.0	37.0	53.6	58.5		78.0	V
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	45.2	23.1	38.4	49.1		68.8	Y
Youth who perceive occasionally vaping an e-liquid with	45.2	23.1	30.4	49.1		00.0	•
nicotine as "moderate" or "great risk" (%)	51.6	32.0	43.1	49.1		65.7	٧
Youth who perceive regularly vaping an e-liquid with	31.0	32.0	40.1	49.1	4	03.7	•
nicotine as "moderate" or "great risk" (%)	51.6	28.0	45.8	55.6		75.4	٧
SCHOOL	31.0	20.0	40.0	55.0		7 3.4	
High school dropouts (per 1,000) 11	10.0	1.0	0.0				
Low academic performance (%)	58.8	30.0	46.3	46.7		44.0	
Low commitment to school (%)	54.5	46.7	63.2	59.3		59.2	Â
High school substance infraction (per 1,000 population of	J 4 .J	70.1	00.Z	55.5		00.Z	
enrolled high school students) 11	2.4	0.0	12.0				
School opportunities for pro–social involvement (%)	51.4	58.1	66.3	41.9		61.3	
School rewards for pro–social involvement (%)	62.9	45.2	52.4	42.6		50.2	Ť
							•

MONTGOMERY COUNTY

Key Findings

Weakness

- 7th highest percentage of youth misusing prescription drugs
- 10th highest percentage of youth with parental attitudes favorable to drug use
- 12th and 13th highest percentage of youth using smokeless tobacco and cigarettes, respectively

Strengths

 5th and 7th lowest percentage of youth using and vaping marijuana, respectively

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	0.0	2.1				
18–24	1.8	16.0				
25–29	4.6	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	8,555
Population under 18	1,540
Population 18–24	. 548
Population 25–29	439
Youth with a guardian currently in the military (%)	


(%)

Past 30-day Youth Substance Use

■ County ■ State







MONTGOMERY COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	11.4	12.1	13.0	6.6		7.0	V
Past 30–day Youth cigarette use (%)	4.8	2.7	4.9	2.9		1.5	Ă
Past 30-day Youth chewing tobacco use (%)	3.0	4.3	5.4	3.7		1.7	Â
Past 30–day Youth marijuana use (%)	4.8	4.8	9.6	2.2		4.4	Ŷ
Past 30–day Youth heroin use (%)	0.0	0.0	0.0	0.0		0.1	V
Past 30–day Youth prescription drug use (%)	3.0	1.1	2.9	4.4		2.5	À
Past 30-day Youth vape use: flavoring only (%)	12.0	7.4	9.1	4.4		4.0	A
Past 30-day Youth vape use: marijuana (%)	4.8	3.2	8.2	2.2		4.1	Y
Past 30-day Youth vape use: nicotine (%)	16.9	13.2	18.8	9.6		6.8	A
COMMUNITY							
Median Household Income ²	\$41,165	\$41,032	\$47,103				
Persons below poverty level (%) ³	18.5	19.9	20.0				
Unemployment rates (%) ⁴	6.8	4.8	4.8	4.7		3.3	A
Uninsurance (%) ²	10.9	10.9			•—•		
Food Insecurity (%) 5	22.2	18.2					
BA/BS or higher among those 25 or older (%) ²	15.1	15.3	16.4				
Transitions and Mobility (%) 1	44.8	43.7	43.1	43.6		50.5	Y
Disconnected Youth measure ²	0.0	0.0	0.0				
Mental Health Center clients (per 1,000 population) ⁶		13.7	6.9				
Substance use treatment admissions (per 10,000 population) ⁶		32.8	21.0				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	•	74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) ⁸		0.0	0.0	0.0	•	7.1	Y
Substance use–related arrests (per 1,000 population) ⁹				1.4	•	9.2	Y
Total crime index offenses (per 1,000 population) ⁹				1.3	•	8.5	Y
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		101.3	0.0				
FAMILY							
Children living in foster care (per 1,000 population					_		
under 18 years of age) 6	4.3	4.5	9.1				
Poor family management (%) 1	28.8	30.0	30.5	39.4		34.4	A
Family history of anti–social behavior (%)	35.8	28.3	32.5	36.3		25.9	_
Parental attitudes favorable toward drug use (%)	20.6	22.3	29.3	26.9		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	23.1	25.3					
			24.4	22.1		20.7	À
Early initiation of drug use (%)	17.8	18.4	20.1	14.3		12.9	A
Perceived availability of drugs (%)	18.3	20.5	20.1 18.0	14.3 21.6		12.9 16.9	A
Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1			20.1	14.3		12.9	A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	18.3 48.8	20.5 42.1	20.1 18.0 50.5	14.3 21.6 44.9		12.9 16.9 47.5	A V
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	18.3	20.5	20.1 18.0	14.3 21.6		12.9 16.9	A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	18.3 48.8 81.9	20.5 42.1 84.7	20.1 18.0 50.5 77.8	14.3 21.6 44.9 78.0		12.9 16.9 47.5 78.4	* * * * * * * * * *
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)	18.3 48.8	20.5 42.1	20.1 18.0 50.5	14.3 21.6 44.9		12.9 16.9 47.5	A V
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	18.3 48.8 81.9 55.6	20.5 42.1 84.7 61.1	20.1 18.0 50.5 77.8	14.3 21.6 44.9 78.0 64.9		12.9 16.9 47.5 78.4 64.4	*
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	18.3 48.8 81.9	20.5 42.1 84.7	20.1 18.0 50.5 77.8	14.3 21.6 44.9 78.0		12.9 16.9 47.5 78.4	* * * * * * * * * *
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	18.3 48.8 81.9 55.6 47.5	20.5 42.1 84.7 61.1 53.6	20.1 18.0 50.5 77.8 59.1 39.1	14.3 21.6 44.9 78.0 64.9 54.6		12.9 16.9 47.5 78.4 64.4 43.8	*
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	18.3 48.8 81.9 55.6	20.5 42.1 84.7 61.1	20.1 18.0 50.5 77.8	14.3 21.6 44.9 78.0 64.9		12.9 16.9 47.5 78.4 64.4	*
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	18.3 48.8 81.9 55.6 47.5	20.5 42.1 84.7 61.1 53.6 86.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0	14.3 21.6 44.9 78.0 64.9 54.6		12.9 16.9 47.5 78.4 64.4 43.8 78.0	A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	18.3 48.8 81.9 55.6 47.5	20.5 42.1 84.7 61.1 53.6	20.1 18.0 50.5 77.8 59.1 39.1	14.3 21.6 44.9 78.0 64.9 54.6		12.9 16.9 47.5 78.4 64.4 43.8	*
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	18.3 48.8 81.9 55.6 47.5 76.5	20.5 42.1 84.7 61.1 53.6 86.6 71.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	18.3 48.8 81.9 55.6 47.5	20.5 42.1 84.7 61.1 53.6 86.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0	14.3 21.6 44.9 78.0 64.9 54.6		12.9 16.9 47.5 78.4 64.4 43.8 78.0	A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	18.3 48.8 81.9 55.6 47.5 76.5 64.2	20.5 42.1 84.7 61.1 53.6 86.6 71.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0 62.9	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4 68.9		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	A A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	18.3 48.8 81.9 55.6 47.5 76.5	20.5 42.1 84.7 61.1 53.6 86.6 71.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	18.3 48.8 81.9 55.6 47.5 76.5 64.2 55.6 68.8	20.5 42.1 84.7 61.1 53.6 86.6 71.6 69.2 78.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0 62.9 63.4 71.9	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4 68.9		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7	A A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	18.3 48.8 81.9 55.6 47.5 76.5 64.2 55.6 68.8	20.5 42.1 84.7 61.1 53.6 86.6 71.6 69.2 78.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0 62.9 63.4 71.9	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4 68.9 78.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low academic performance (%)	18.3 48.8 81.9 55.6 47.5 76.5 64.2 55.6 68.8	20.5 42.1 84.7 61.1 53.6 86.6 71.6 69.2 78.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0 62.9 63.4 71.9	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4 68.9 78.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) 1	18.3 48.8 81.9 55.6 47.5 76.5 64.2 55.6 68.8	20.5 42.1 84.7 61.1 53.6 86.6 71.6 69.2 78.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0 62.9 63.4 71.9	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4 68.9 78.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive rigularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth sold ropouts (per 1,000) High school dropouts (per 1,000) Low commitment to school (%) High school substance infraction (per 1,000 population of	18.3 48.8 81.9 55.6 47.5 76.5 64.2 55.6 68.8	20.5 42.1 84.7 61.1 53.6 86.6 71.6 69.2 78.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0 62.9 63.4 71.9 0.0 47.1 52.0	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4 68.9 78.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	18.3 48.8 81.9 55.6 47.5 76.5 64.2 55.6 68.8 10.0 48.8 46.7	20.5 42.1 84.7 61.1 53.6 86.6 71.6 69.2 78.6 0.0 46.0 57.9	20.1 18.0 50.5 77.8 59.1 39.1 80.0 62.9 63.4 71.9 0.0 47.1 52.0 34.3	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4 68.9 78.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A A A A A A A A A A A A A A A
Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	18.3 48.8 81.9 55.6 47.5 76.5 64.2 55.6 68.8	20.5 42.1 84.7 61.1 53.6 86.6 71.6 69.2 78.6	20.1 18.0 50.5 77.8 59.1 39.1 80.0 62.9 63.4 71.9 0.0 47.1 52.0	14.3 21.6 44.9 78.0 64.9 54.6 82.4 74.4 68.9 78.5		12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A

NEVADA COUNTY

Key Findings

Weakness

- 11th highest percentage of youth initiating drug use before age 15
- 14th highest percentage of youth misusing prescription drugs

Strengths

- 4th lowest percentage of youth perceiving availability of drugs
- 5th lowest percentage of youth using alcohol
- 8th and 9th lowest percentage of youth with peer and parental attitudes favorable toward drug use, respectively

Consequences

County State

Substance-use related arrests						
per 1,000 population						
Under 18	0.0	2.1				
18–24	6.5	16.0				
25–29	3.4	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000




Demographics





Total Population	8,292
Population under 18	1,866
Population 18–24	771
Population 25–29	298
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







Substrance Sub	NEVADA COUNTY						Arkansas	Vs.
Substance Use		2020	2021	2022	2023	Trend Line		
Plant 30-day Youth originate laue (%) 1.8 2.1 1.9 Plant 30-day Youth manipuans use (%) 1.8 3.8 3.8 3.7 Plant 30-day Youth manipuans use (%) 1.9 Plant 30-day Youth manipuans use (%) 1.9 Plant 30-day Youth manipuans use (%) 1.9 Plant 30-day Youth prescription drug use (%) 1.9 Plant 30-day Youth vapue use filterating (%) 1.9 Plant 30-day Youth vapue use day (%) 1.9 Plant 40-day Youth vapue use day (%)								
Part 30-day Youth oignaretie use (%) 18. 2.1 1.2 2.4 1.5 A Part 30-day Youth manipuans use (%) 18. 38. 1.9 3.2 1.1 7. A Part 30-day Youth manipuans use (%) 10. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0	Past 30–day Youth alcohol use (%)	5.0	7.0	8.0	3.0		7.0	\forall
Piest 30-day Youth networking bishaces use (%)		1.8	2.1	1.2	2.4		1.5	À
Plast 30-day Youth Persins (Pi)	Past 30-day Youth chewing tobacco use (%)	1.8	3.8	1.9	3.2		1.7	
Plast 30-day Youth Persins (%)	Past 30-day Youth marijuana use (%)	3.8	5.2	5.7	5.5		4.4	A
Past 30-day Youth vape use: flavoring only (%) 1	Past 30-day Youth heroin use (%) 1	0.0	0.0	0.0	0.0		0.1	
Plast 30-day Youth vape user marijuama (%)	Past 30-day Youth prescription drug use (%)	0.6	2.4	2.3	3.7		2.5	A
Past 30-day Youth vape user incoline (%) 5.7	Past 30-day Youth vape use: flavoring only (%)	4.4	2.8	7.7	6.7		4.0	A
Median Household Income	Past 30-day Youth vape use: marijuana (%)	1.3	3.9	5.8	3.7		4.1	Y
Median Household Income	Past 30-day Youth vape use: nicotine (%)	5.7	7.0	12.2	10.4		6.8	A
Persons below poverty level (%) 3	COMMUNITY							
Unemployment rates (%)	Wedian Flousehold meetine	\$39,946	\$42,670	\$43,421				
Uninsurance (%) 2	Persons below poverty level (%) ³	21.3	21.2	21.9				
Food Insecurity (%) S		5.9	4.0	3.9	3.4		3.3	A
BABS or higher among those 25 or older (%) 2 11.9 11.1 10.9	, ,	7.8	5.0					
Transitions and Mobility (%) 1								
Disconnected Youth measure 1.9	Bry Be of higher among mode 25 of older (70)							
Mental Health Center clients (per 1,000 population)	• • •				39.4		50.5	V
Substance use reatment admissions (ser 10,000 population) Beer, wine, and liquor stores (per 100,000 population) Beer, wine, and liquor stores (per 100,000 population) Dear vine, and liquor stores (per 10,000 population) Dear vine, and liquor		1.9						
Substance Use relation authoristor's (per ent 0,000 population) 43.2 10.7 10.0 74.2 V 10.0 17.1 10.0 17.1 V 10.0 10.0 V 10.0	Wertai Fleatiff Center Cheffs (per 1,000 population)							
Tobacco sales to minors (percent of failed tobacco checks) 40,0	Substance use treatment aumissions (per 10,000 population)							
Substance use-related arrests (per 1,000 population) 9 2 7 3 22 2 3 9.2 \ Total crime index offenses (per 1,000 population) 9 2 8 3.1 2.5 1.8 8.5 \ Total crime index offenses (per 1,000 population) 9 2 8 3.1 2.5 1.8 8.5 \ Total crime index offenses (per 1,000 population) 9 2 8 3.1 2.5 1.8 8.5 \ Total crime index offenses (per 1,000 population) 9 2 8 3.1 2.5 1.8 8.5 \ Total crime index offenses (per 1,000 population) 9 2 8 3.1 2.5 1.8 8.5 \ Total crime index offenses (per 1,000 population) 9 2 8 3.1 2.5 1.8 8.5 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 8 1.0 2 \ Total crime index offenses (per 1,000 population) 9 2 2 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2								•
Substance deserted aniests (pile in proposed population) Substance deserted aniests (pile in proposed population Substance deserted (pile in proposed Substance deser	Tobacco sales to fillions (percent of failed tobacco checks)							
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) ¹⁰ 0.0 187.1 ————————————————————————————————————	Substance use-related arrests (per 1,000 population)							•
Per 100,000 population 18–29 years old) 10 187.1 10 10 10 10 10 10 10	* * * * * * * * * * * * * * * * * * * *	2.8	3.1	2.5	1.8		8.5	•
FAMILY Children living in foster care (per 1,000 population under 18 years of age) 6 6.8 6.9 10.2	· · · · · · · · · · · · · · · · · · ·		0.0	407.4				
Children living in foster care (per 1,000 population under 18 years of age) 1	(per 100,000 population 10 20 years old)		0.0	187.1				
Under 18 years of age) 6 6 6 6 6 7 5 6 6 6 6 7 6 6 6 6 6								
Poor family management (%)		6.8	6.0	10.2				
Family history of anti-social behavior (%)					45 Q		3/1/	
Parental attitudes favorable toward drug use (%)								
15.3 19.9 24.4 17.0 20.7 Y	· · · · · · · · · · · · · · · · · · ·							
Peer attitudes favorable to drug use (%) 1 15.3 19.9 24.4 17.0 20.7 \$\footnote{\text{Early initiation of drug use (%) 1} 12.4 11.1 12.8 18.7 12.9 \$\text{A}\$ Perceived availability of drugs (%) 1 12.4 11.1 12.8 18.7 12.9 \$\text{A}\$ Perceived availability of drug (%) 1 12.8 13.1 13.4 9.7 16.9 \$\text{V}\$ Low perceived risk of drug use (%) 1 58.9 58.1 58.2 46.1 47.5 \$\footnote{\text{V}}\$ Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 64.6 68.0 69.1 71.5 78.4 \$\footnote{\text{V}}\$ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 50.3 51.3 53.4 59.4 64.4 \$\footnote{\text{V}}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 37.4 36.7 35.2 48.4 43.8 \$\footnote{\text{A}}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 66.7 67.8 68.6 73.5 78.0 \$\footnote{\text{V}}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 \$\footnote{\text{V}}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 \$\footnote{\text{V}}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 61.6 61.0 72.5 75.4 \$\footnote{\text{V}}\$ Eliph School dropouts (per 1,000) 11 54.1 64.6 44.9 37.3 57.3 59.2 \$\footnote{\text{V}}\$ Low academic performance (%) 1 42.1 44.6 44.9 37.3 57.3 59.2 \$\footnote{\text{V}}\$ High School substance infraction (per 1,000 population of enrolled high school students) 11 67.4 56.3 57.4 58.2 56.4 61.3 \$\footnote{\text{V}}\$	5 , ,	10.4	10.5	17.0	10.0		21.0	•
Early initiation of drug use (%) 1 12.4 11.1 12.8 18.7 12.9 A Perceived availability of drugs (%) 1 12.8 12.8 13.1 13.4 9.7 16.9 V Perceived availability of drugs (%) 1 58.9 58.1 58.2 46.1 47.5 V Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 64.6 68.0 69.1 71.5 78.4 V Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 50.3 51.3 53.4 59.4 64.4 V Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 37.4 36.7 35.2 48.4 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 V Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 61.6 61.0 72.5 75.4 V SCHOOL Low academic performance (%) 1 42.1 44.6 44.9 37.3 57.3 59.2 V High school dropouts (per 1,000) 11 42.1 44.6 44.9 37.3 57.3 59.2 V High school dropouts (per 1,000) 11 54.1 51.4 53.4 58.2 56.4 61.3 V School opportunities for pro-social involvement (%) 1 51.4 53.4 58.2 56.4 61.3 V		15.3	19.9	24 4	17.0		20.7	V
Perceived availability of drugs (%) 1 12.8 13.1 13.4 9.7 16.9 V Low perceived risk of drug use (%) 1 58.9 58.1 58.2 46.1 47.5 V Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 64.6 68.0 69.1 71.5 78.4 V Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 50.3 51.3 53.4 59.4 64.4 V Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 37.4 36.7 35.2 48.4 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 66.7 67.8 68.6 73.5 78.0 V Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 61.6 61.0 72.5 75.4 V SCHOOL High school dropouts (per 1,000) 11 9.0 2.4 2.3	- · · ·							
Low perceived risk of drug use (%) 1 58.9 58.1 58.2 46.1 47.5 \$\footnote{V}\$ Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 64.6 68.0 69.1 71.5 78.4 \$\footnote{V}\$ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 50.3 51.3 53.4 59.4 64.4 \$\footnote{V}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 37.4 36.7 35.2 48.4 43.8 \$\footnote{A}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 66.7 67.8 68.6 73.5 78.0 \$\footnote{V}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 \$\footnote{V}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 \$\footnote{V}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 \$\footnote{V}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 57.4 61.6 61.0 72.5 75.4 \$\footnote{V}\$ SCHOOL High school dropouts (per 1,000) 11 9.0 2.4 2.3								
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 64.6 68.0 69.1 71.5 78.4 ▼ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 50.3 51.3 53.4 59.4 64.4 ▼ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 37.4 36.7 35.2 48.4 43.8 ▲ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 66.7 67.8 68.6 73.5 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 ▼ SCHOOL High school dropouts (per 1,000) 11 9.0 2.4 2.3	, , , , , , , , , , , , , , , , , , ,							
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)						_		·
nearly every day as "moderate" or "great risk" (%)	cigarettes per day as "moderate" or "great risk" (%)	64.6	68.0	69.1	71.5		78.4	V
Youth who perceive trying marijuana once or twice 37.4 36.7 35.2 48.4 43.8 ♣ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 66.7 67.8 68.6 73.5 78.0 ✔ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 ✔ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 ✔ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 ✔ SCHOOL High school dropouts (per 1,000) ¹¹ 9.0 2.4 2.3 Low academic performance (%) 1 42.1 44.6 44.9 37.3 44.0 ✔ High school substance infraction (per 1,000 population of enrolled high school students) 1 4.7 9.6 26.8 School opportunities for pro-social involvement (%) 1 51.4 53.4 <t< td=""><td>Youth who perceive drinking one or two alcoholic beverages</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Youth who perceive drinking one or two alcoholic beverages							
as "moderate" or "great risk" (%) 1 37.4 36.7 35.2 48.4 43.8 A Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 66.7 67.8 68.6 73.5 78.0 Y Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 Y Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 Y Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 61.6 61.0 72.5 75.4 Y SCHOOL High school dropouts (per 1,000) 11 9.0 2.4 2.3 Low academic performance (%) 1 42.1 44.6 44.9 37.3 44.0 Y Low commitment to school (%) 1 54.1 61.1 56.3 57.3 59.2 Y High school substance infraction (per 1,000 population of enrolled high school students) 11 4.7 9.6 26.8 School opportunities for pro-social involvement (%) 1 51.4 53.4 58.2 56.4 61.3 Y	nearly every day as "moderate" or "great risk" (%)	50.3	51.3	53.4	59.4		64.4	Y
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 66.7 67.8 68.6 73.5 78.0 ▼ Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 ▼ Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 ▼ Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 61.6 61.0 72.5 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 9.0 2.4 2.3 Low academic performance (%) 1 42.1 44.6 44.9 37.3 44.0 ▼ Low commitment to school (%) 1 54.1 61.1 56.3 57.3 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 4.7 9.6 26.8 School opportunities for pro–social involvement (%) 1 51.4 53.4 58.2 56.4 61.3 ▼	Youth who perceive trying marijuana once or twice							
twice puts a person at "moderate" or "great risk" (%) 1 66.7 67.8 68.6 73.5 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 61.6 61.0 72.5 75.4 SCHOOL High school dropouts (per 1,000) 11 9.0 2.4 2.3 Low academic performance (%) 1 42.1 44.6 44.9 37.3 44.0 Low commitment to school (%) 1 54.1 61.1 56.3 57.3 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 11 4.7 9.6 26.8 School opportunities for pro-social involvement (%) 1 51.4 53.4 58.2 56.4 61.3 Youth who perceive using a vaping product like e-cigarettes, e-cigarett	as "moderate" or "great risk" (%) 1	37.4	36.7	35.2	48.4		43.8	
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 61.6 61.0 72.5 75.4 ▼ SCHOOL High school dropouts (per 1,000)¹¹¹ 9.0 2.4 2.3 Low academic performance (%)¹ 42.1 44.6 44.9 37.3 44.0 ▼ Low commitment to school (%)¹ 54.1 61.1 56.3 57.3 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students)¹¹¹ 4.7 9.6 26.8 School opportunities for pro-social involvement (%)¹¹ 51.4 53.4 58.2 56.4 61.3 ▼	Youth who perceive trying prescription drugs once or							
e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 49.7 54.8 52.4 68.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 49.3 52.2 50.2 63.0 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 61.6 61.0 72.5 75.4 SCHOOL High school dropouts (per 1,000) 11 9.0 2.4 2.3 Low academic performance (%) 1 42.1 44.6 44.9 37.3 444.0 Low commitment to school (%) 1 54.1 61.1 56.3 57.3 59.2 High school substance infraction (per 1,000 population of enrolled high school students) 11 4.7 9.6 26.8 School opportunities for pro-social involvement (%) 1 51.4 53.4 58.2 56.4 61.3 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 49.3 52.2 50.2 63.0 65.7 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 **Touth who p	twice puts a person at "moderate" or "great risk" (%)	66.7	67.8	68.6	73.5		78.0	Y
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	Youth who perceive using a vaping product like e-cigarettes,							
nicotine as "moderate" or "great risk" (%)	e-cigars, and e-hookahs as "moderate" or "great risk" (%)	49.7	54.8	52.4	68.4		68.8	Y
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 57.4 61.6 61.0 72.5 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 9.0 2.4 2.3 Low academic performance (%) 1 42.1 44.6 44.9 37.3 44.0 ▼ Low commitment to school (%) 1 54.1 61.1 56.3 57.3 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 4.7 9.6 26.8 School opportunities for pro-social involvement (%) 1 51.4 53.4 58.2 56.4 61.3 ▼	Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	nicotine as "moderate" or "great risk" (%)	49.3	52.2	50.2	63.0		65.7	Y
SCHOOL High school dropouts (per 1,000) 11 9.0 2.4 2.3 Low academic performance (%) 1 42.1 44.6 44.9 37.3 44.0 ▼ Low commitment to school (%) 1 54.1 61.1 56.3 57.3 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 4.7 9.6 26.8 School opportunities for pro–social involvement (%) 1 51.4 53.4 58.2 56.4 61.3 ▼								
High school dropouts (per 1,000) 11 9.0 2.4 2.3 —— Low academic performance (%) 1 42.1 44.6 44.9 37.3 44.0 ▼ Low commitment to school (%) 1 54.1 61.1 56.3 57.3 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 4.7 9.6 26.8 —— School opportunities for pro–social involvement (%) 1 51.4 53.4 58.2 56.4 61.3 ▼		57.4	61.6	61.0	72.5		75.4	Y
Low academic performance (%) 1								
Low commitment to school (%) 1 54.1 61.1 56.3 57.3 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 4.7 9.6 26.8 School opportunities for pro–social involvement (%) 1 51.4 53.4 58.2 56.4 61.3 ▼	, , ,							
High school substance infraction (per 1,000 population of enrolled high school students) 11 4.7 9.6 26.8 School opportunities for pro–social involvement (%) 1 51.4 53.4 58.2 56.4 61.3	, , ,							•
enrolled high school students) 11 4.7 9.6 26.8 ——School opportunities for pro–social involvement (%) 1 51.4 53.4 58.2 56.4 61.3	. ,	54.1	61.1	56.3	57.3		59.2	V
School opportunities for pro–social involvement (%) 1 51.4 53.4 58.2 56.4 61.3						_		
31.4 30.4 30.2 30.4 01.5	chroned riight school students)							
	Genor opportunities for pro-social involvement (70)							V
School rewards for pro–social involvement (%) 1 54.6 49.3 46.8 54.1 50.2	School rewards for pro-social involvement (%)	54.6	49.3	46.8	54.1		50.2	_

NEWTON COUNTY

Key Findings

Weakness

- 16th highest percentage of youth misusing prescription drugs
- 16th highest percentage of youth vaping nicotine

Strengths

- 7th lowest percentage of youth with peer attitudes favorable to drug use
- 8th lowest percentage of youth using cigarettes

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population					
Under 18	0.0	2.1			
18–24	5.0	16.0			
25–29	8.7	18.7			


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	7,243
Population under 18	1,405
Population 18–24	601
Population 25–29	230
Youth with a guardian currently in the military (%)	


(%)

Past 30-day Youth Substance Use

■ County ■ State







Name	NEWTON COUNTY						Automore	
SUBSTANCE USE	NEWTON COUNTY	2020	2021	2022	2023	Trend Line	Arkansas	Vs.
Plact 30-day Youth sicherius (%) Plact 30-day Youth placeted use (%) 2 2 200 4.0 0.6 Plact 30-day Youth chewing lobacous use (%) 3.6 0.0 3.9 4.2 2 4.4 4 Yell Plact 30-day Youth chewing lobacous use (%) 3.6 0.0 3.9 4.2 4.4 4 Yell Plact 30-day Youth chewing lobacous use (%) 1.4 0.0 0.6 3.6 2.5 0.0 0.0 1.7 1.8 Plact 30-day Youth precipition drug use (%) 1.4 0.0 0.6 3.6 2.5 0.0 1.7 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0		2020	2021	2022	2023	Helia Lilie	2023	State
Plact 30-cally Youth organizer use (%) Plact 30-cally Youth manipuan use (%) Plact 30-cally Youth prescription drug use (%) Plact 30-cally Youth pregress (%) Plact 40-cally You		6.5	0.0	4.5	8.4		7.0	
Pleat 30-day Youth chewing ceaceouse (%)	Table de day Todar dicorior dec (70)							
Pleat 30-day Youth maliquinn use (%)	, , , , , , , , , , , , , , , , , , , ,							
Plast 30-day Youth becoming (%) Plast 30-day Youth precinition drug use (%) Plast 30-day Youth vape use throating ceys (%) Median Household Income Staps (%) Median Household Income Staps (%) 105 105 105 105 105 105 105 10	, ,							
Past 30-day Youth prescription drug use (%) 1	, , ,							
Plast 30-day Youth vape use: filtworting only (%)	. , ,							
Plast 30-day Youth vago use: mariptana (%)								
Plant 30-day Youth vage user income (%)								
Median Household Income								
Median Hossehold Income							-	
Persons below powerly feword (%)		\$39.542	\$42.817	\$50.699				
Unemplyment rates (%)								
Uninsurance (%)					3.2		3.3	V
BARBS of higher among those 25 or older (%) 2 15.9 16.4 14.8		4.4	5.7					
Transitions and Mobility (%)	Food Insecurity (%) 5	18.5	14.1					
Disconnected Youth measure 2	BA/BS or higher among those 25 or older (%)	15.9	16.4	14.8				
Disconnected Youth measure 2	, ,	36.4	44.4		36.7		50.5	V
Substance use treatment admissions (per 10,000 population) Beer, wine, and liquor stores (per 100,000 population) Beer, wine,	* ` '	0.0	0.0	0.0		•		
Substance use relation authorishment (a) Substance use serior (a) Substance use related arrests (per 100,000 population) Substance use related arrests (per 1,000 population under 18 years of age) Substance use related arrests (per 1,000 population) Substance use related arrests (per 1,000 population) Substance use related arrests (per 1,000 population under 18 years of age) Substance use related arrests (per 1,000 population) Substance use related arrests (per 1,000 population under 18 years of age) Substance use related arrests (per 1,000 population) Substance use related arrests (per 1,000 population under 18 years of age) Substance use related arrest (per 1,000 population under 18 years of age) Substance use related arrest (per 1,000 population under 18 years of age) Substance use related arrest (per 1,000 population under 18 years (per 1,000 population) Substance use related (per 1,000 population under 18 years of age) Substance use related (per 1,000 population under 18 years (per 1,000 population und								
Tobacco sales to minors (percent of failed tobacco checks) 4.9 5.8 4.0 2.2 9.2 V	Substance use treatment admissions (per 10,000 population) ⁶		16.3	1.4				
Substance use-related arrests (per 1,000 population) 9 4.9 5.8 4.0 2.2 9.2 ▼ Total crime index offenses (per 1,000 population) 9 2.1 3.5 2.4 2.4 8.5 ▼ Total crime index offenses (per 1,000 population) 9 2.1 3.5 2.4 2.4 8.5 ▼ Total crime index offenses (per 1,000 population) 9 2.1 3.5 2.4 2.4 8.5 ▼ Total crime index offenses (per 1,000 population) 9 2.1 3.5 2.4 2.4 8.5 ▼ Total crime index offenses (per 1,000 population) 9 2.1 3.5 2.4 2.4 8.5 ▼ Total crime index offenses (per 1,000 population) 9 2.1 3.5 2.4 2.4 8.5 ▼ Total crime index offenses (per 1,000 population) 9 2.1 3.5 2.4 2.4 8.5 ▼ Total crime index offenses (per 1,000 population) 9 2.1 3.5 2.4 2.4 8.5 ▼ Total crime index offenses (per 1,000 population) 9 2.1 3.5 2.4 2.4 8.5 ▼ Total crime index offenses (per 1,000 population) 9 2.1 2.4 8.5 ■ Total crime index offenses (per 1,000 population) 9 2.1 2.4 8.5 ■ Total crime index of age) 9 4.5 4.7 4.3 ■ Total crime index offenses (per 1,000 population) 9 2.1 2.4 8.5 ■ Total crime index of age) 9 4.5 4.7 4.3 ■ Total crime index of age) 9 4.5 4.7 4.3 ■ Total crime index of age) 9 4.5 4.7 4.3 ■ Total crime index of age) 9 4.5 4.7 4.3 ■ Total crime index of age) 9 4.5 4.7 4.3 ■ Total crime index of age) 9 4.5 4.7 4.3 ■ Total crime index of age) 9 4.5 4.7 4.3 ■ Total crime index of age) 9 4.5 4.7 4.3 ■ Total crime index of age (per 1,000 population) 9 2.2 2.4 11.1 2.16 2.8 8 2.2 17.6 2.7 2.1 2.0 A Total crime index of age (per 1,000 population) 9 2.2 2.4 11.1 2.16 2.8 8 2.2 17.6 2.7 2.7 2.1 2.0 A Total crime index of age (per 1,000 population of age) 14.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0	Beer, wine, and liquor stores (per 100,000 population) 7		0.0	0.0	0.0	• • • • • • • • • • • • • • • • • • • •	74.2	Y
Substance deservation chases (per 1,000 population) Substance deservation chases (per 1,000 population of enrotled displaced deservation chases (per 1,000 population of enrotled disp	Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	0.0	6.1	0.0		7.1	\
Fatal crashes with drivers aged 18–29 (per 100,000 population 18–29 years old) 19 0.0 361.0 ————————————————————————————————————	Substance use–related arrests (per 1,000 population)	4.9	5.8	4.0	2.2		9.2	V
Company Comp	Total crime index offenses (per 1,000 population)	2.1	3.5	2.4	2.4		8.5	\
FAMILY Children living in foster care (per 1,000 population under 18 years of age) 6	Fatal crashes with drivers aged 18–29					_		
Children living in foster care (per 1,000 population under 18 years of age) \$ 4.5 4.7 4.3 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	(per 100,000 population 18–29 years old) 10		0.0	361.0				
under 18 years of age) 6 4.5 4.7 4.3 4.3 4.7 Poor family management (%) 1 29.0 44.4 40.4 30.4 30.4 33.4 Yearnily history of anti-social behavior (%) 1 29.0 41.1 1.1 21.6 28.8 22.7 21.0 A Rariny history of anti-social behavior (%) 1 25.8 22.2 17.6 22.7 21.0 A RIDIVIDUALPEERS Rear statistics favorable to drug use (%) 1 19.3 20.0 22.4 16.9 20.7 Y Early initiation of drug use (%) 1 23.1 0.0 15.0 17.9 16.9 A Perceived availability of drugs (%) 1 23.1 0.0 15.0 17.9 16.9 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 72.7 70.0 73.1 73.0 73.1 73.0 78.4 Y Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 39.5 60.0 39.5 60.0 43.9 39.5 43.8 Y Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 70.1 70.1 70.1 70.2 70.0 73.3 70.0 73.3 70.5 70.0 73.3 70.5 70.0 73.3 70.5 70.0 70.0 70.0 70.0 70.0 70.0 70.0	FAMILY							
Poor family management (%) 1	Children living in foster care (per 1,000 population							
Family history of anti-social behavior (%)	under 18 years of age) ⁶	4.5	4.7	4.3				
Parental attitudes favorable toward drug use (%) 1 25.8 22.2 17.6 22.7 22.1.0 A INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 19.3 20.0 22.4 16.9 20.7 Y Early initiation of drug use (%) 1 9.3 20.0 12.4 15.1 12.9 A Perceived availability of drugs (%) 1 23.1 0.0 15.0 17.9 16.9 A Low perceived risk of drug use (%) 1 72.7 70.0 73.1 73.0 74.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 72.7 70.0 73.1 73.0 78.4 Y Youth who perceive drinking one or two alcoholic beverages rearry every day as "moderate" or "great risk" (%) 1 54.5 60.0 56.5 59.1 64.4 Y Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 Y Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 Y Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 Y Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Y SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 Low academic performance (%) 1 58.0 54.5 58.2 54.1 59.2 Y High school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school substance infraction (per 1,000 population of enrolled high school students) 1 1.4 0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 63.0	Poor family management (%) ¹	29.0	44.4	40.4	30.4		34.4	\
Peer attitudes favorable to drug use (%)	Family history of anti-social behavior (%)	24.2	11.1	21.6	28.8		25.9	
Peer attitudes favorable to drug use (%) 1 19.3 20.0 22.4 16.9 20.7 Early initiation of drug use (%) 1 9.3 20.0 12.4 15.1 12.9 A Perceived availability of drugs (%) 1 23.1 0.0 15.0 17.9 16.9 A Low perceived availability of drug (%) 1 57.6 50.0 53.8 49.7 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 72.7 70.0 73.1 73.0 73.0 78.4 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.5 60.0 56.5 59.1 64.4 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great	Parental attitudes favorable toward drug use (%)	25.8	22.2	17.6	22.7		21.0	
Early initiation of drug use (%) 1 9.3 20.0 12.4 15.1 12.9 A Perceived availability of drugs (%) 1 23.1 0.0 15.0 17.9 16.9 A Low perceived risk of drug use (%) 1 57.6 50.0 53.8 49.7 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 72.7 70.0 73.1 73.0 78.4 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.5 60.0 56.5 59.1 64.4 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 39.5 60.0 43.9 39.5 43.8 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.0 55.6 58.2 54.1 59.2 Youth who perceive regularly caping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.0 55.6 58.2 54.1 59.2 Youth who perceive regularly caping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.0 55.6 58.2 54.1 59.2 Youth who perceive regularly caping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.0 55.6 58.2 54.1 59.2 Youth who perceive regularly caping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.0 58.0 54.5 58.2 54.1 59.2 Youth who perceive regularly caping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.0 58.0 54.5 58.2 54.1 59.2 Youth who perceive regularly caping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.0 58.0 54.5 58.2 54.1 59.2 Youth who perceive regularly caping an e-liquid with nicotine as "moderate"	INDIVIDUAL/PEERS							
Perceived availability of drugs (%) 1	Peer attitudes favorable to drug use (%) 1	19.3	20.0	22.4	16.9		20.7	-
Low perceived risk of drug use (%) 1 57.6 50.0 53.8 49.7 47.5 A Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 72.7 70.0 73.1 73.0 78.4 V Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.5 60.0 56.5 59.1 64.4 V Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 V Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 V Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 V Youth who perceive cocasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 V Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.0 55.6 70.3 67.3 75.4 V SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 Low academic performance (%) 1 58.0 54.5 58.2 54.1 59.2 V High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3	Early initiation of drug use (%) 1	9.3	20.0	12.4	15.1		12.9	
Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 72.7 70.0 73.1 73.0 78.4 \$\footnote{\text{Y}}\$ Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.5 60.0 56.5 59.1 64.4 \$\footnote{\text{Y}}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 39.5 60.0 43.9 39.5 43.8 \$\footnote{\text{Y}}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 \$\footnote{\text{Y}}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 \$\footnote{\text{Y}}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 \$\footnote{\text{Y}}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 \$\footnote{\text{Y}}\$ SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0	Perceived availability of drugs (%)	23.1	0.0	15.0	17.9		16.9	
cigarettes per day as "moderate" or "great risk" (%) 1 72.7 70.0 73.1 73.0 78.4 Y Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.5 60.0 56.5 59.1 64.4 Y Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 39.5 60.0 43.9 39.5 43.8 Y Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 Y Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 Y Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 Y Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 Y SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 Low academic performance (%) 1 53.6 72.7 50.9 42.1 44.0 Y Low commitment to school (%) 1 58.0 54.5 58.2 54.1 59.2 Y High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3	Low perceived risk of drug use (%) 1	57.6	50.0	53.8	49.7		47.5	
Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 54.5 60.0 56.5 59.1 64.4 \$\forall \text{Y}\$ Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 39.5 60.0 43.9 39.5 43.8 \$\forall \text{Y}\$ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 \$\forall \text{Y}\$ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 \$\forall \text{Y}\$ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 \$\forall \text{Y}\$ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 \$\forall \text{SCHOOL}\$ High school dropouts (per 1,000) 11 1.7 2.0 0.0 \$\forall \text{SCHOOL}\$ Low academic performance (%) 1 53.6 72.7 50.9 42.1 44.0 \$\forall \text{Low commitment to school (%) 1} 58.0 54.5 58.2 54.1 59.2 \$\forall \text{High school students)} 11 14.0 7.0 0.0 \$\forall Chool opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3 \$\forall \text{School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7	Youth who perceive smoking one or more packs of							
nearly every day as "moderate" or "great risk" (%)	cigarettes per day as "moderate" or "great risk" (%)	72.7	70.0	73.1	73.0		78.4	Y
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 39.5 60.0 43.9 39.5 43.8 ▼ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 Low academic performance (%) 1 53.6 72.7 50.9 42.1 44.0 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3 ▲	Youth who perceive drinking one or two alcoholic beverages							
as "moderate" or "great risk" (%) 1 39.5 60.0 43.9 39.5 43.8 ¥ Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 ¥ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 ¥ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 ¥ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 ¥ SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 Low academic performance (%) 1 53.6 72.7 50.9 42.1 44.0 ¥ Low commitment to school (%) 1 58.0 54.5 58.2 54.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3 ▲	nearly every day as "moderate" or "great risk" (%)	54.5	60.0	56.5	59.1		64.4	V
Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 ▼ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 ▼ Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 7.2 50.9 42.1 44.0 ▼ Low commitment to school (%) 1 58.0 54.5 58.2 54.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 7.0 0.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 7.0 50.0 50								
twice puts a person at "moderate" or "great risk" (%) 1 70.3 70.0 73.3 72.5 78.0 \ Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 63.3 66.7 65.8 64.4 68.8 \ \text{Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 \ \text{Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 \ \text{YOUTH who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 \ \text{YOUTH WHO PERCEIVE REGISTERS STATE STAT	as "moderate" or "great risk" (%)	39.5	60.0	43.9	39.5		43.8	Y
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	Youth who perceive trying prescription drugs once or							
e-cigars, and e-hookahs as "moderate" or "great risk" (%) 63.3 66.7 65.8 64.4 68.8 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 70	twice puts a person at "moderate" or "great risk" (%)	70.3	70.0	73.3	72.5		78.0	V
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 58.3 55.6 65.8 56.2 65.7 ▼ Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 Low academic performance (%) 1 53.6 72.7 50.9 42.1 44.0 ▼ Low commitment to school (%) 1 58.0 54.5 58.2 54.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3 ▲								
nicotine as "moderate" or "great risk" (%)	c-cigars, and c-nockars as moderate or great risk (70)	63.3	66.7	65.8	64.4		68.8	Y
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 Low academic performance (%) 1 53.6 72.7 50.9 42.1 44.0 ▼ Low commitment to school (%) 1 58.0 54.5 58.2 54.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3 ▲						_		
nicotine as "moderate" or "great risk" (%) 1 68.5 55.6 70.3 67.3 75.4 ▼ SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 Low academic performance (%) 1 53.6 72.7 50.9 42.1 44.0 ▼ Low commitment to school (%) 1 58.0 54.5 58.2 54.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3 ▲	nicotine as "moderate" or "great risk" (%)	58.3	55.6	65.8	56.2		65.7	Y
SCHOOL High school dropouts (per 1,000) 11 1.7 2.0 0.0 — Low academic performance (%) 1 53.6 72.7 50.9 42.1 44.0 V Low commitment to school (%) 1 58.0 54.5 58.2 54.1 59.2 V High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 — — School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3 ▲								
High school dropouts (per 1,000) 11		68.5	55.6	70.3	67.3		75.4	Y
Low academic performance (%) 1 53.6 72.7 50.9 42.1 44.0 V Low commitment to school (%) 1 58.0 54.5 58.2 54.1 59.2 V High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3								
Low commitment to school (%) 1 58.0 54.5 58.2 54.1 59.2 ▼ High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3 ♠								
High school substance infraction (per 1,000 population of enrolled high school students) 11 14.0 7.0 0.0 School opportunities for pro-social involvement (%) 1 63.1 54.5 63.0 67.7 61.3	. , ,							
enrolled high school students) 11 14.0 7.0 0.0 ——School opportunities for pro–social involvement (%) 1 63.1 54.5 63.0 67.7 61.3	. ,	58.0	54.5	58.2	54.1		59.2	\forall
School opportunities for pro–social involvement (%) 1 63.1 54.5 63.0 67.7 61.3								
00.10 04.00 00.00 07.7	chroned high school students)							
School rewards for pro–social involvement (%) 1 56.0 90.9 59.5 73.0 50.2	denote opportunities for pro-social involvement (70)							
	School rewards for pro–social involvement (%)	56.0	90.9	59.5	73.0		50.2	

OUACHITA COUNTY

Key Findings

Weakness

- Highest percentage of youth using or vaping marijuana
- 1st and 3rd highest percentage of youth vaping nicotine and flavor, respectively
- 2nd highest percentage of youth using alcohol
- 5th highest percentage of youth using smokeless tobacco

Strengths

 7th lowest percentage of youth misusing prescription drugs

Consequences

■ County ■ State

	Substance-use related arrests					
	per 1,000 population					
Uı	nder 18	0.2	2.1			
18	3–24	7.3	16.0			
25	5–29	4.9	18.7			


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	22,606
Population under 18	5,064
Population 18–24	1,786
Population 25–29	1,216
Youth with a guardian currently in the military (%)	12.6


(%)

Past 30-day Youth Substance Use

■ County ■ State







OUACHITA COUNTY	2022	2024	2022	2022	Torond Line	Arkansas	Vs.
Indicator SUBSTANCE USE	2020	2021	2022	2023	Trend Line	2023	State
Past 30–day Youth alcohol use (%)	14.9	13.5	4.5	18.1		7.0	A
Past 30–day Youth cigarette use (%)	5.1	3.4	0.7	4.0		1.5	Â
Past 30–day Youth chewing tobacco use (%)	7.4	1.7	2.6	5.4		1.7	Â
Past 30–day Youth marijuana use (%)	4.3	9.6	1.9	14.1		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.4	0.0	0.0		0.1	Ŷ
Past 30–day Youth Prescription drug use (%)	5.0	4.3	2.6	1.4		2.5	Ť
Past 30–day Youth vape use: flavoring only (%)	9.9	5.7	4.5	12.7		4.0	×
Past 30–day Youth vape use: marijuana (%)	2.8	6.1	0.6	10.6		4.0	Â
Past 30–day Youth vape use: nicotine (%)	16.3	13.9	5.8	20.6		6.8	Â
COMMUNITY	10.5	10.0	5.0	20.0		0.0	
Median Household Income ²	\$38,279	\$43,338	\$47,348				
Persons below poverty level (%)	21.6	20.2	18.1				
Unemployment rates (%)	6.0	3.9	3.9	3.6		3.3	A
Uninsurance (%) ²	6.2	6.2	5.5	5.0		5.5	
Food Insecurity (%) 5	19.2	17.0					
BA/BS or higher among those 25 or older (%)	13.5	13.3	15.0				
Transitions and Mobility (%)	36.5	47.8	38.7	47.0		50.5	V
Disconnected Youth measure ²	1.7	1.8	0.0	77.0		50.5	
Mental Health Center clients (per 1,000 population) 6	1.7	26.8	28.7				
Substance use treatment admissions (per 10,000 population) 6		25.8	20.7				
Beer, wine, and liquor stores (per 100,000 population) 7		150.4	150.4	146.0		74.2	
Tobacco sales to minors (percent of failed tobacco checks) 8		20.0	15.5	0.0		7.1	Ŷ
Substance use–related arrests (per 1,000 population)	6.0	2.7	2.1	3.0	-	9.2	Ť
Total crime index offenses (per 1,000 population)	7.9	9.2	8.1	7.3		8.5	¥
Fatal crashes with drivers aged 18–29	1.5	3.2	0.1	7.5		0.5	•
(per 100,000 population 18–29 years old) ¹⁰		33.3	133.2				
FAMILY		33.3	133.2				
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	9.9	10.4	10.5				
Poor family management (%)	30.9	32.8	32.4	32.2		34.4	V
Family history of anti–social behavior (%)	30.4	36.5	35.8	35.2		25.9	Ă
Parental attitudes favorable toward drug use (%)	24.8	24.0	17.3	32.1		21.0	Â
INDIVIDUAL/PEERS	24.0	24.0	17.0	OZ. I		21.0	
Peer attitudes favorable to drug use (%)	24.7	24.8	21.2	23.9		20.7	A
Early initiation of drug use (%)	18.4	16.6	14.7	17.5		12.9	Â
Perceived availability of drugs (%)	17.5	22.4	15.9	17.3		16.9	Â
Low perceived risk of drug use (%)	55.9	53.1	42.9	57.5		47.5	Â
Youth who perceive smoking one or more packs of	00.0	00.1	12.0	07.10			
cigarettes per day as "moderate" or "great risk" (%)	73.0	81.1	84.9	73.5		78.4	V
Youth who perceive drinking one or two alcoholic beverages	70.0	01.1	01.0	70.0		70.4	_
nearly every day as "moderate" or "great risk" (%)	50.4	62.1	64.3	54.9		64.4	V
Youth who perceive trying marijuana once or twice	50.4	02.1	04.0	54.5		04.4	•
as "moderate" or "great risk" (%)	41.9	37.3	55.1	30.2		43.8	V
Youth who perceive trying prescription drugs once or	41.5	37.3	55.1	30.2		40.0	•
twice puts a person at "moderate" or "great risk" (%)	73.7	82.3	83.6	71.6		78.0	V
Youth who perceive using a vaping product like e-cigarettes,	75.7	02.0	00.0	71.0		70.0	•
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	62.3	62.5	77.0	54.8		68.8	Y
Youth who perceive occasionally vaping an e-liquid with	02.3	02.5	77.0	54.0		00.0	•
nicotine as "moderate" or "great risk" (%)	55.4	61.9	73.8	47.8		65.7	V
Youth who perceive regularly vaping an e-liquid with	JU. T	01.0	70.0	11.5	-	00.1	•
nicotine as "moderate" or "great risk" (%)	70.1	73.1	84.9	62.6		75.4	V
SCHOOL	7 0.1	7 0. 1	0 1.0	0 <u>2</u> .0		70.7	
High school dropouts (per 1,000) 11	10.0	1.0	0.0				
Low academic performance (%)	48.3	44.3	50.7	28.2		44.0	
	TU.U	77.5	30.7				¥
• • • • • • • • • • • • • • • • • • • •		54 1	48 1	55.3		59.2	
Low commitment to school (%) 1	49.3	54.1	48.1	55.3		59.2	•
Low commitment to school (%) ¹ High school substance infraction (per 1,000 population of	49.3			55.3		59.2	
Low commitment to school (%) ¹ High school substance infraction (per 1,000 population of enrolled high school students) ¹¹	49.3 4.3	0.9	21.7				
Low commitment to school (%) ¹ High school substance infraction (per 1,000 population of enrolled high school students) ¹¹	49.3			55.3 61.3 40.9		59.2 61.3 50.2	 =

PERRY COUNTY

Key Findings

Weakness

 N/A due to limited data available

Strengths

 N/A due to limited data available

Consequences

■ County ■ State

Substance–use related arrests per 1,000 population						
Under 18	0.9	2.1				
18–24	9.2	16.0				
25–29	11.5	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	10,055
Population under 18	2,252
Population 18–24	654
Population 25–29	. 520
Youth with a guardian currently in the military (%)	NA

Past 30-day Youth Substance Use

■ County ■ State







PERRY COUNTY						Automono	V/a
PERRY COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	ITEIIU LIIIC	2023	State
Past 30–day Youth alcohol use (%)			4.7		•	7.0	
Past 30–day Youth cigarette use (%)			3.8		•	1.5	
Past 30–day Youth chewing tobacco use (%)			0.5		•	1.7	
Past 30–day Youth marijuana use (%)			3.7		•	4.4	
Past 30–day Youth heroin use (%)			0.0		•	0.1	
Past 30–day Youth prescription drug use (%)			1.6		•	2.5	
Past 30–day Youth vape use: flavoring only (%)			4.2		•	4.0	
Past 30–day Youth vape use: marijuana (%)			3.1		•	4.1	
Past 30-day Youth vape use: nicotine (%)			7.3		•	6.8	
COMMUNITY							
Median Household Income ²	\$44,926	\$47,500	\$53,980				
Persons below poverty level (%) ³	16.2	15.2	16.2				
Unemployment rates (%) 4	5.5	4.1	3.6	3.4		3.3	A
Uninsurance (%) ²	4.9	3.4					
Food Insecurity (%) 5	20.2	16.1					
BA/BS or higher among those 25 or older (%) ²	17.8	17.5	15.2				
Transitions and Mobility (%) 1			40.0		•	50.5	
Disconnected Youth measure ²	0.8	0.6	0.0				
Mental Health Center clients (per 1,000 population) ⁶		34.2	34.8				
Substance use treatment admissions (per 10,000 population) 6		16.9	11.9				
Beer, wine, and liquor stores (per 100,000 population) 7		0.0	0.0	0.0		74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) 8		10.7	4.0	0.0		7.1	V
Substance use–related arrests (per 1,000 population)	2.7	2.8	6.5	6.1		9.2	Ý
Total crime index offenses (per 1,000 population)	2.9	2.0	2.3	2.7		8.5	¥
Fatal crashes with drivers aged 18–29							·
(per 100,000 population 18–29 years old) ¹⁰		0.0	85.2				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	9.9	9.9	12.0				
Poor family management (%) 1			34.2		•	34.4	
Family history of anti-social behavior (%)			34.7		•	25.9	
Parental attitudes favorable toward drug use (%)			24.2		•	21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)			22.9		•	20.7	
Early initiation of drug use (%)			23.6		•	12.9	
Perceived availability of drugs (%)			23.8		•	16.9	
Low perceived risk of drug use (%) 1			48.4		•	47.5	
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)			81.5		•	78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)			65.4		•	64.4	
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)			48.9		•	43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)			81.5		•	78.0	
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)			70.8		•	68.8	
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)			69.1		•	65.7	
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)			76.7		•	75.4	
SCHOOL							
High school dropouts (per 1,000) 11	7.0	1.3	1.3				
Low academic performance (%) 1			45.7		•	44.0	
Low commitment to school (%) 1			56.3		•	59.2	
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	9.1	0.0	10.1				
School opportunities for pro–social involvement (%)			56.8		•	61.3	
School rewards for pro–social involvement (%)			41.7		•	50.2	

PHILLIPS COUNTY

Key Findings

Weakness

 N/A due to limited data available

Strengths

 N/A due to limited data available

Consequences

■ County ■ State

Substance-use related arrests							
per 1,000 population							
Under 18	0.7	2.1					
18–24	6.5	16.0					
05.00		40.7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	16,373
Population under 18	4,322
Population 18–24	1,375
Population 25–29	900
Youth with a guardian currently in the military (%)	NA

Past 30-day Youth Substance Use

■ County ■ State







PHILLIPS COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	1.4	3.1	9.3			7.0	
Past 30-day Youth cigarette use (%)	1.3	1.3	4.8			1.5	
Past 30-day Youth chewing tobacco use (%)	0.0	0.0	4.5			1.7	
Past 30-day Youth marijuana use (%) ¹	0.0	5.4	7.1			4.4	
Past 30–day Youth heroin use (%) ¹	0.0	0.0	0.0			0.1	
Past 30-day Youth prescription drug use (%)	2.8	3.2	2.4			2.5	
Past 30-day Youth vape use: flavoring only (%) 1	2.8	3.1	7.3			4.0	
Past 30-day Youth vape use: marijuana (%)	0.0	3.1	2.4			4.1	
Past 30-day Youth vape use: nicotine (%)	2.8	0.9	2.4			6.8	
COMMUNITY							
Median Household Income ²	\$33,724	\$32,235	\$37,458				
Persons below poverty level (%) 3	31.3	35.7	34.9				
Unemployment rates (%) 4	9.1	7.7	6.3	6.0		3.3	
Uninsurance (%) ²	7.5	7.3					
Food Insecurity (%) ⁵	25.6	22.2					
BA/BS or higher among those 25 or older (%) ²	15.5	14.3	15.2				
Transitions and Mobility (%)	38.7	41.5	42.9			50.5	
Disconnected Youth measure ²	4.7	3.8	2.8				
Mental Health Center clients (per 1,000 population) 6		54.4	49.2				
Substance use treatment admissions (per 10,000 population) ⁶		9.5	7.3				
Beer, wine, and liquor stores (per 100,000 population)		195.4	171.0	164.9		74.2	
Tobacco sales to minors (percent of failed tobacco checks)	0.0	0.0	15.0	0.0		7.1	V
Substance use–related arrests (per 1,000 population)	5.2	5.9	3.5	4.5		9.2	
Total crime index offenses (per 1,000 population)	13.7	13.5	11.9	13.7		8.5	A
Fatal crashes with drivers aged 18–29					_		
(per 100,000 population 18–29 years old) 10		44.0	87.9				
FAMILY							
Children living in foster care (per 1,000 population	5 0	5 0	5 0				
under 18 years of age) ⁶	5.2	5.6	5.6				
	00.0	40.4	FO 4			04.4	
Poor family management (%) 1	30.6	43.1	52.4			34.4	
Poor family management (%) ¹ Family history of anti–social behavior (%) ¹	35.9	20.2	38.1			25.9	
Poor family management (%) ¹ Family history of anti–social behavior (%) ¹ Parental attitudes favorable toward drug use (%) ¹							
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS	35.9 8.1	20.2 17.1	38.1 16.7			25.9 21.0	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	35.9 8.1 15.0	20.2 17.1 15.1	38.1 16.7 18.2			25.9 21.0 20.7	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1	35.9 8.1 15.0 8.9	20.2 17.1 15.1 6.3	38.1 16.7 18.2 9.3			25.9 21.0 20.7 12.9	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1	35.9 8.1 15.0 8.9 7.7	20.2 17.1 15.1 6.3 8.9	38.1 16.7 18.2 9.3 7.1			25.9 21.0 20.7 12.9 16.9	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1	35.9 8.1 15.0 8.9	20.2 17.1 15.1 6.3	38.1 16.7 18.2 9.3			25.9 21.0 20.7 12.9	
Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	35.9 8.1 15.0 8.9 7.7 72.2	20.2 17.1 15.1 6.3 8.9 67.4	38.1 16.7 18.2 9.3 7.1 77.3			25.9 21.0 20.7 12.9 16.9 47.5	
Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1	35.9 8.1 15.0 8.9 7.7	20.2 17.1 15.1 6.3 8.9	38.1 16.7 18.2 9.3 7.1			25.9 21.0 20.7 12.9 16.9	
Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	35.9 8.1 15.0 8.9 7.7 72.2 51.4	20.2 17.1 15.1 6.3 8.9 67.4	38.1 16.7 18.2 9.3 7.1 77.3			25.9 21.0 20.7 12.9 16.9 47.5	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1	35.9 8.1 15.0 8.9 7.7 72.2	20.2 17.1 15.1 6.3 8.9 67.4	38.1 16.7 18.2 9.3 7.1 77.3			25.9 21.0 20.7 12.9 16.9 47.5	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice	35.9 8.1 15.0 8.9 7.7 72.2 51.4	20.2 17.1 15.1 6.3 8.9 67.4 53.2	38.1 16.7 18.2 9.3 7.1 77.3 35.9			25.9 21.0 20.7 12.9 16.9 47.5 78.4	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1	35.9 8.1 15.0 8.9 7.7 72.2 51.4	20.2 17.1 15.1 6.3 8.9 67.4	38.1 16.7 18.2 9.3 7.1 77.3			25.9 21.0 20.7 12.9 16.9 47.5	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1	35.9 8.1 15.0 8.9 7.7 72.2 51.4	20.2 17.1 15.1 6.3 8.9 67.4 53.2	38.1 16.7 18.2 9.3 7.1 77.3 35.9			25.9 21.0 20.7 12.9 16.9 47.5 78.4	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e–cigarettes,	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) 1	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e–liquid with	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e–liquid with	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1 40.8	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1 43.5	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6 25.6			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1 40.8 42.3 48.6	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1 43.5 47.1	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6 25.6 28.2 41.0			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1 40.8 42.3 48.6	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1 43.5 47.1 48.8	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6 25.6 28.2 41.0			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1 40.8 42.3 48.6	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1 43.5 47.1 48.8	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6 25.6 28.2 41.0			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1 40.8 42.3 48.6	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1 43.5 47.1 48.8	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6 25.6 28.2 41.0			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1 40.8 42.3 48.6	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1 43.5 47.1 48.8 3.5 56.2 52.5	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6 25.6 28.2 41.0 3.5 40.5 55.8			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Poor family management (%) 1 Family history of anti-social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of enrolled high school students) 11	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1 40.8 42.3 48.6 16.0 64.1 47.4	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1 43.5 47.1 48.8 3.5 56.2 52.5 3.1	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6 25.6 28.2 41.0 3.5 40.5 55.8 16.2			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Poor family management (%) 1 Family history of anti–social behavior (%) 1 Parental attitudes favorable toward drug use (%) 1 INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1 Early initiation of drug use (%) 1 Perceived availability of drugs (%) 1 Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1 Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1 Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of	35.9 8.1 15.0 8.9 7.7 72.2 51.4 51.3 17.6 45.1 40.8 42.3 48.6	20.2 17.1 15.1 6.3 8.9 67.4 53.2 45.5 25.5 48.1 43.5 47.1 48.8 3.5 56.2 52.5	38.1 16.7 18.2 9.3 7.1 77.3 35.9 28.2 21.1 31.6 25.6 28.2 41.0 3.5 40.5 55.8			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	

PIKE COUNTY

Key Findings

Weakness

- 1st and 3rd highest percentage of youth with parental and peer attitudes favorable to drug use, respectively
- 3rd highest percentage of youth initiating drug use before age 15
- 3rd highest percentage of youth using alcohol
- 4th, 6th, and 8th highest percentage of youth using cigarettes, vaping nicotine and using smokeless tobacco, respectively

Strengths

• N/A

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population							
Under 18	0.0	2.1					
18–24	4.7	16.0					
25–29	8.6	18.7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	10,205
Population under 18	2,214
Population 18–24	857
Population 25–29	581
Youth with a guardian currently in the military (%)	10.7

Past 30-day Youth Substance Use

■ County ■ State







PIKE COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	2.6	8.6	8.6	17.7		7.0	A
Past 30-day Youth cigarette use (%)	2.5	0.0	5.7	6.0		1.5	
Past 30-day Youth chewing tobacco use (%)	5.3	5.5	2.3	4.6		1.7	A
Past 30–day Youth marijuana use (%)	5.1	3.5	4.3	6.6		4.4	
Past 30–day Youth heroin use (%)	0.0	3.5	2.2	0.0		0.1	V
Past 30–day Youth prescription drug use (%)	0.0	1.7	4.3	3.2		2.5	<u> </u>
Past 30–day Youth vape use: flavoring only (%)	10.3	5.2	5.4	9.7		4.0	A
Past 30-day Youth vape use: marijuana (%)	2.6	5.3	4.3	6.7		4.1	À
Past 30–day Youth vape use: nicotine (%)	10.3	15.8	7.5	14.8		6.8	
COMMUNITY							
Median Household Income ²	\$42,983	\$46,672	\$49,248				
Persons below poverty level (%) 3	16.7	18.6	19.1				
Unemployment rates (%) 4	5.9	4.4	3.7	3.2		3.3	Y
Uninsurance (%) ²	8.6	8.4					
Food Insecurity (%) ⁵	19.6	17.1					
BA/BS or higher among those 25 or older (%)	18.3	19.5	18.5				
Transitions and Mobility (%)	48.7	32.7	41.1	50.9		50.5	
Disconnected Youth measure 2 Mental Health Center clients (per 1 000 population) 6	2.2	0.9	1.2				
Wertai Fleatif Center cherts (per 1,000 population)		12.1	7.0				
Substance use treatment admissions (per 10,000 population)		20.5	7.8				
Beer, wine, and liquor stores (per 100,000 population)		0.0	0.0	0.0		74.2	Ă
Tobacco sales to minors (percent of failed tobacco checks)		0.0	0.0	0.0		7.1	
Substance use-related arrests (per 1,000 population)	6.1	5.1	3.4	3.1		9.2	
Total crime index offenses (per 1,000 population)	3.9	2.8	1.7	2.1		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) 10		0.0	0.0				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	11.1	11.7	14.5				
Poor family management (%) 1 Family history of anti-social behavior (%) 1	25.6	37.3	43.3	22.4		34.4	
Taring history of anti–social behavior (76)	30.8	22.6	34.8	40.7		25.9	A
							A
Parental attitudes favorable toward drug use (%)	28.2	28.3	24.2	40.8		21.0	A
INDIVIDUAL/PEERS							
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%)	27.5	16.7	22.3	28.8		20.7	A .
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%)	27.5 17.5	16.7 15.2	22.3 17.0	28.8 21.2		20.7 12.9	Å
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) 1	27.5 17.5 10.3	16.7 15.2 15.1	22.3 17.0 17.2	28.8 21.2 23.6		20.7 12.9 16.9	
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	27.5 17.5	16.7 15.2	22.3 17.0	28.8 21.2		20.7 12.9	Å
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	27.5 17.5 10.3 32.5	16.7 15.2 15.1 38.1	22.3 17.0 17.2 54.3	28.8 21.2 23.6 50.8		20.7 12.9 16.9 47.5	A A A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) 1	27.5 17.5 10.3	16.7 15.2 15.1	22.3 17.0 17.2	28.8 21.2 23.6		20.7 12.9 16.9	Å
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	27.5 17.5 10.3 32.5	16.7 15.2 15.1 38.1 85.2	22.3 17.0 17.2 54.3	28.8 21.2 23.6 50.8 85.0		20.7 12.9 16.9 47.5 78.4	A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)	27.5 17.5 10.3 32.5	16.7 15.2 15.1 38.1	22.3 17.0 17.2 54.3	28.8 21.2 23.6 50.8		20.7 12.9 16.9 47.5	A A A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	27.5 17.5 10.3 32.5 81.1	16.7 15.2 15.1 38.1 85.2 57.6	22.3 17.0 17.2 54.3 75.3	28.8 21.2 23.6 50.8 85.0 59.3		20.7 12.9 16.9 47.5 78.4	A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	27.5 17.5 10.3 32.5	16.7 15.2 15.1 38.1 85.2	22.3 17.0 17.2 54.3	28.8 21.2 23.6 50.8 85.0		20.7 12.9 16.9 47.5 78.4	A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	27.5 17.5 10.3 32.5 81.1 72.2 60.6	16.7 15.2 15.1 38.1 85.2 57.6	22.3 17.0 17.2 54.3 75.3 60.0	28.8 21.2 23.6 50.8 85.0 59.3		20.7 12.9 16.9 47.5 78.4 64.4	A A Y Y
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	27.5 17.5 10.3 32.5 81.1	16.7 15.2 15.1 38.1 85.2 57.6	22.3 17.0 17.2 54.3 75.3	28.8 21.2 23.6 50.8 85.0 59.3		20.7 12.9 16.9 47.5 78.4	A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3	16.7 15.2 15.1 38.1 85.2 57.6 51.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8	28.8 21.2 23.6 50.8 85.0 59.3 40.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8	A A Y Y A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	27.5 17.5 10.3 32.5 81.1 72.2 60.6	16.7 15.2 15.1 38.1 85.2 57.6	22.3 17.0 17.2 54.3 75.3 60.0	28.8 21.2 23.6 50.8 85.0 59.3		20.7 12.9 16.9 47.5 78.4 64.4	A A Y Y
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice ass "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3	16.7 15.2 15.1 38.1 85.2 57.6 51.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8	28.8 21.2 23.6 50.8 85.0 59.3 40.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8	A A Y Y A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4 55.6	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7 73.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7 67.8	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4 55.6	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7 73.7 66.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7 67.8 60.0	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4 55.6 75.0	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7 73.7 66.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7 67.8 60.0	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9 67.8		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 1	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4 55.6 75.0	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7 73.7 66.7 81.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7 67.8 60.0 73.8	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9 67.8 86.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive or "great risk" (%) Youth who perceive or "great risk" (%) 1 Youth so perceive or "great risk" (%) 1 Youth who perceive or	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4 55.6 75.0	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7 73.7 66.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7 67.8 60.0	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9 67.8		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4 55.6 75.0 2.0 45.0 40.0	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7 73.7 66.7 81.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7 67.8 60.0 73.8	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9 67.8 86.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth special risk" (%) Youth special risk (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth special risk (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Low commitment to school (%) High school dropouts (per 1,000) 11 Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4 55.6 75.0 2.0 45.0 40.0	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7 73.7 66.7 81.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7 67.8 60.0 73.8	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9 67.8 86.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	27.5 17.5 10.3 32.5 81.1 72.2 60.6 85.3 69.4 55.6 75.0 2.0 45.0 40.0	16.7 15.2 15.1 38.1 85.2 57.6 51.7 87.7 73.7 66.7 81.7	22.3 17.0 17.2 54.3 75.3 60.0 38.8 76.7 67.8 60.0 73.8	28.8 21.2 23.6 50.8 85.0 59.3 40.0 82.5 71.9 67.8 86.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A

POINSETT COUNTY

Key Findings

Weakness

 N/A due to limited data available

Strengths

 N/A due to limited data available

Consequences

■ County ■ State

Substance–use related arrests per 1,000 population						
Under 18	0.4	2.1				
18–24	20.1	16.0				
25–29	35.6	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	22,997
Population under 18	5,496
Population 18–24	1,886
Population 25–29	1,434
Youth with a guardian currently in the military (%)	NA

Past 30-day Youth Substance Use

■ County ■ State







POINSETT COUNTY						Arkansas	Vs.
Indicator SUBSTANCE USE	2020	2021	2022	2023	Trend Line	2023	State
	7.7	40.4	7.0			7.0	
Past 30–day Youth alcohol use (%) Past 30–day Youth cigarette use (%) 1	7.7 1.7	10.4 3.7	7.2 1.7			7.0 1.5	
Past 30–day Youth chewing tobacco use (%)	2.2	3.2	1.7			1.7	
Past 30–day Youth marijuana use (%)	5.1	4.7	3.0			4.4	
Past 30–day Youth heroin use (%)	0.0	0.0	0.0			0.1	
Past 30–day Youth Prescription drug use (%)	1.6	2.9	3.6			2.5	
Past 30–day Youth vape use: flavoring only (%)	8.2	6.0	5.7			4.0	
Past 30–day Youth vape use: marijuana (%)	2.2	4.0	2.7			4.0	
Past 30–day Youth vape use: nicotine (%)	11.2	13.8	11.4			6.8	
COMMUNITY	11.2	13.0	11.4			0.0	
Median Household Income ²	\$40,700	\$42,854	\$43,440				
Persons below poverty level (%)	20.4	22.2	20.0				
Unemployment rates (%)	5.5	3.9	3.4	3.1		3.3	Y
Uninsurance (%) ²	10.5	10.5	5.4	5.1		5.5	
Food Insecurity (%) 5	21.5	18.2					
BA/BS or higher among those 25 or older (%)	11.5	11.5	11.5				
Transitions and Mobility (%)	41.7	51.2	40.0			50.5	
Disconnected Youth measure ²	3.3	2.0	3.0			00.0	
Mental Health Center clients (per 1,000 population)	0.0	31.1	27.4				
Substance use treatment admissions (per 10,000 population) 6		30.6	13.0				
Beer, wine, and liquor stores (per 100,000 population) 7		152.2	143.5	143.5		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	4.7	0.0	0.0		7.1	Ŷ
Substance use–related arrests (per 1,000 population) 9	18.3	16.2	19.4	20.6		9.2	Ă
Total crime index offenses (per 1,000 population)	12.9	12.5	15.4	16.9		8.5	Â
Fatal crashes with drivers aged 18–29	12.0	12.0	10.4	10.0		0.0	
(per 100,000 population 18–29 years old) ¹⁰		120.5	30.1				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	20.6	20.9	21.5				
Poor family management (%) 1	29.3	32.7	34.8			34.4	
Family history of anti–social behavior (%)	32.4	31.0	29.8			25.9	
Parental attitudes favorable toward drug use (%)	21.9	20.0	18.4			21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	19.1	21.9	19.0			20.7	
Early initiation of drug use (%)	16.8	13.4	14.1			12.9	
Perceived availability of drugs (%)	18.6	16.1	14.8			16.9	
Low perceived risk of drug use (%) 1	53.4	57.8	54.3			47.5	
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	73.6	75.7	76.3			78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	57.6	57.6	57.3			64.4	
Youth who perceive trying marijuana once or twice					_		
as "moderate" or "great risk" (%)	41.4	36.7	39.4			43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	74.6	76.7	78.5			78.0	
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	56.7	59.7	64.4			68.8	
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	54.3	58.5	61.8		-	65.7	
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	67.1	69.5	72.8		-	75.4	
SCHOOL							
High school dropouts (per 1,000) 11	11.0	2.8	3.0				
Low academic performance (%)	48.5	47.0	47.9			44.0	
Low commitment to school (%) 1	52.4	59.2	59.8			59.2	
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	33.3	8.9	12.7				
School opportunities for pro–social involvement (%)	55.3	59.8	56.0			61.3	
School rewards for pro–social involvement (%)	51.9	51.8	49.8			50.2	

POLK COUNTY

Key Findings

Weakness

- 15th highest percentage of youth initiating drug use before age 15
- 15th highest percentage of youth with parental attitudes favorable to drug use
- 15th highest percentage of youth using cigarettes

Strengths

 5th lowest percentage of youth perceiving low risk of drug use

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	0.5	2.1				
18–24	10.2	16.0				
25–29	13.1	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





(%)


Total Population	19,384
Population under 18	4,400
Population 18–24	1,473
Population 25–29	990
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







POLY SOUNTY						Automore	
POLK COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	LULI	LULL	2023	TICHU LINC	2025	Otate
Past 30–day Youth alcohol use (%)	5.7	9.2	11.0	7.9		7.0	A
Past 30–day Youth cigarette use (%)	0.9	2.3	3.6	2.8		1.5	Â
Past 30–day Youth chewing tobacco use (%)	2.3	3.1	2.8	2.2		1.7	Â
Past 30–day Youth marijuana use (%)	4.1	3.9	7.3	3.6		4.4	Ŷ
Past 30–day Youth heroin use (%)	0.0	0.0	0.4	0.0		0.1	Ý
Past 30–day Youth prescription drug use (%)	1.1	3.2	2.9	3.0		2.5	À
Past 30-day Youth vape use: flavoring only (%)	6.0	4.8	8.4	5.2		4.0	A
Past 30-day Youth vape use: marijuana (%)	2.5	3.2	6.5	3.6		4.1	V
Past 30-day Youth vape use: nicotine (%)	9.0	10.8	15.0	10.0		6.8	A
COMMUNITY							
Median Household Income ²	\$39,084	\$43,444	\$48,449				
Persons below poverty level (%) ³	22.2	19.3	17.3				
Unemployment rates (%) 4	6.6	4.4	3.7	3.4		3.3	A
Uninsurance (%) ²	9.6	10.2					
Food Insecurity (%) 5	22.4	18.8					
BA/BS or higher among those 25 or older (%) ²	15.3	15.5	16.3				
Transitions and Mobility (%) 1	51.4	47.6	50.7	48.1		50.5	Y
Disconnected Youth measure ²	7.9	6.2	6.6				
Mental Health Center clients (per 1,000 population) ⁶		29.3	30.0				
Substance use treatment admissions (per 10,000 population) ⁶		45.7	23.7				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	72.2		74.2	\forall
Tobacco sales to minors (percent of failed tobacco checks) ⁸		0.0	4.5	0.0		7.1	\forall
Substance use–related arrests (per 1,000 population) ⁹	7.3	5.7	5.5	4.6		9.2	Y
Total crime index offenses (per 1,000 population) ⁹	5.1	5.3	3.7	6.1		8.5	\forall
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		81.2	81.2		•—•		
FAMILY							
Children living in foster care (per 1,000 population					_		
under 18 years of age) 6	11.3	11.8	10.7				
Poor family management (%)	30.3	37.3	29.0	33.7		34.4	V
Family history of anti–social behavior (%)	29.8	31.5	29.8	30.9		25.9	^
Parental attitudes favorable toward drug use (%)	22.7	23.7	24.2	25.5		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	17.5	21.7	24.3	21.4		20.7	^
Early initiation of drug use (%)	18.0	19.9	18.5	17.2		12.9	A
Perceived availability of drugs (%)	18.1	20.9	21.7	18.1		16.9	
Low perceived risk of drug use (%) 1	46.8	46.7	47.0	42.9		47.5	V
Youth who perceive smoking one or more packs of	04.0	05.4	04.7	00.0		70.4	A
cigarettes per day as "moderate" or "great risk" (%)	81.6	85.4	84.7	82.6		78.4	A
Youth who perceive drinking one or two alcoholic beverages	00.0	05.0	00.0	05.0		04.4	A
nearly every day as "moderate" or "great risk" (%)	63.8	65.3	63.2	65.6		64.4	A
Youth who perceive trying marijuana once or twice	40.0	40.4	44.7	50.4		40.0	A
as "moderate" or "great risk" (%)	48.9	48.1	44.7	52.1		43.8	
Youth who perceive trying prescription drugs once or	00.5	00.0	00.4	05.0		70.0	
twice puts a person at "moderate" or "great risk" (%)	83.5	86.2	86.4	85.0		78.0	A
Youth who perceive using a vaping product like e-cigarettes,	70.1	70.0	60.4	72.0		60.0	A
c-cigars, and c-nockaris as moderate or great risk (70)	70.1	72.2	69.1	73.8		68.8	A
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	67.5	67.3	64.8	69.3		65.7	A
• , ,	07.5	07.3	04.0	09.3		03.7	
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	80.1	80.1	79.3	81.6		75.4	A
SCHOOL	00. I	00. I	19.3	01.0		13.4	
High school dropouts (per 1,000) 11	3.0	0.9	1.0				
Low academic performance (%)	48.8	49.9	46.8	44.8		44.0	
Low commitment to school (%)	43.6	55.4	48.2	54.2		59.2	Ŷ
High school substance infraction (per 1,000 population of	70.0	JJ. 1	70.2	UT.Z		00.Z	•
enrolled high school students)	31.0	15.8	9.7				
School opportunities for pro–social involvement (%)	65.5	64.7	69.4	65.2		61.3	
School rewards for pro–social involvement (%)	57.0	57.0	55.8	53.0		50.2	Â
20.100. Total do for pro-occide involvement (70)	07.0	01.0	00.0	00.0		00.2	

POPE COUNTY

Key Findings

Weakness

- 12th highest percentage of youth misusing prescription drugs
- 14th highest percentage of youth using alcohol

Strengths

 4th and 8th highest percentage of youth perceiving smoking or regular vaping as "moderate" or "great" risk

Consequences

■ County ■ State

Substance-use related arrests						
per 1,000 population						
Under 18	1.6	2.1				
18–24	12.3	16.0				
25–29	16.0	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	63,475
Population under 18	14,536
Population 18–24	7,871
Population 25–29	3,993
Youth with a guardian currently in the military (%)	14.0

Past 30-day Youth Substance Use

■ County ■ State







DODE COUNTY				_		Aukamana	Vo
POPE COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE					Trong Line	2020	Otato
Past 30–day Youth alcohol use (%)	10.2	11.9	8.7	11.5		7.0	A
Past 30–day Youth cigarette use (%)	1.3	3.4	0.7	2.1		1.5	Â
Past 30–day Youth chewing tobacco use (%)	5.1	2.6	2.0	3.0		1.7	Â
Past 30–day Youth marijuana use (%)	6.1	8.6	5.6	3.8		4.4	Ÿ
Past 30–day Youth heroin use (%) 1	0.0	0.0	0.0	0.0	•	0.1	Ý
Past 30–day Youth prescription drug use (%)	3.1	3.6	3.2	3.8		2.5	À
Past 30-day Youth vape use: flavoring only (%)	7.6	5.3	4.4	5.0		4.0	A
Past 30-day Youth vape use: marijuana (%)	5.1	7.6	5.4	4.1		4.1	=
Past 30-day Youth vape use: nicotine (%)	14.5	13.9	8.8	8.6		6.8	A
COMMUNITY							
Median Household Income ²	\$46,004	\$47,322	\$51,678				
Persons below poverty level (%) ³	15.9	18.0	15.3				
Unemployment rates (%) 4	5.9	4.0	3.9	3.6		3.3	A
Uninsurance (%) ²	7.3	8.6					
Food Insecurity (%) 5	19.0	14.8					
BA/BS or higher among those 25 or older (%) ²	24.6	23.2	23.9				
Transitions and Mobility (%) 1	50.0	43.7	44.7	46.6		50.5	V
Disconnected Youth measure ²	0.6	0.6	0.4				
Mental Health Center clients (per 1,000 population) ⁶		32.7	25.6				
Substance use treatment admissions (per 10,000 population) ⁶		62.0	48.8				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	•	74.2	\forall
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	12.5	11.7	4.4		7.1	\forall
Substance use–related arrests (per 1,000 population) ⁹	15.3	14.2	10.8	7.6		9.2	\forall
Total crime index offenses (per 1,000 population) ⁹	7.8	6.2	5.2	3.8		8.5	\forall
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		59.0	0.0				
FAMILY							
Children living in foster care (per 1,000 population					_		
under 18 years of age) 6	8.2	8.2	8.9				
Poor family management (%)	19.6	23.5	25.4	24.9		34.4	V
Family history of anti–social behavior (%)	30.9	30.4	23.9	27.9		25.9	A
Parental attitudes favorable toward drug use (%)	23.6	20.1	17.9	23.5		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	23.1	18.4	19.0	20.8		20.7	^
Early initiation of drug use (%)	21.5	16.1	12.9	15.2		12.9	_
Perceived availability of drugs (%)	23.5	21.2	17.8	20.0		16.9	
Low perceived risk of drug use (%) 1	41.0	35.9	42.9	47.4		47.5	V
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	93.0	92.6	89.1	86.1		78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	71.5	73.9	65.8	65.5		64.4	A
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	51.6	56.7	53.9	43.4		43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	93.0	91.2	88.1	84.7		78.0	A
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	71.3	74.6	77.7	72.7		68.8	A
Youth who perceive occasionally vaping an e-liquid with	70.7	70.0	00.0	07.0		05.7	
nicotine as "moderate" or "great risk" (%)	72.7	72.2	69.9	67.3		65.7	A
Youth who perceive regularly vaping an e-liquid with	00.5	00.0	00.0	04.0		75.4	
nicotine as "moderate" or "great risk" (%)	86.5	83.2	86.6	81.9		75.4	
SCHOOL High paper disparence (per 4 000) 11	5.0	0.5	1.0				
High school dropouts (per 1,000) ¹¹	5.0	0.5	1.0 36.3	40.4		44.0	
Law and demin performance (9/) 1			3D 3	48.4		44.0	A
Low academic performance (%) 1	44.4	36.4					\sim
Low commitment to school (%) 1	44.4 51.0	46.9	52.7	59.0		59.2	V
Low commitment to school (%) 1 High school substance infraction (per 1,000 population of	51.0	46.9	52.7				V
Low commitment to school (%) 1 High school substance infraction (per 1,000 population of enrolled high school students) 11	51.0 25.4	46.9 14.6	52.7 18.2	59.0		59.2	
Low commitment to school (%) ¹ High school substance infraction (per 1,000 population of	51.0	46.9	52.7				 A

PRAIRIE COUNTY

Key Findings

Weakness

 N/A due to limited data available

Strengths

• N/A due to limited data available

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	0.0	2.1				
18–24	13.9	16.0				
25-29	19.5	18 7				

Rate of all-cause crashes with fatalities with drivers aged 18-29 per 100,000





High school dropout rate per 1,000



Protective Factors ■ County ■ State

Demographics







Total Population	8,217
	1,643
Population 18–24	575
Population 25–29	411
Youth with a guardian currently in the military (%)	


Past 30-day Youth Substance Use

■ County ■ State









PRAIRIE COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)						7.0	
Past 30–day Youth cigarette use (%)						1.5	
Past 30–day Youth chewing tobacco use (%)						1.7	
Past 30–day Youth marijuana use (%)						4.4	
Past 30–day Youth heroin use (%)						0.1	
Past 30-day Youth prescription drug use (%)						2.5	
Past 30-day Youth vape use: flavoring only (%)						4.0	
Past 30-day Youth vape use: marijuana (%)						4.1	
Past 30-day Youth vape use: nicotine (%)						6.8	
COMMUNITY Median Household Income 2	A 40 == 4	A 17 007	0.17.0.17				
Wedan Floudenda Moone	\$42,754	\$47,335	\$47,045				
r croons bolow poverty level (70)	10.4	15.7	14.9	0.0		0.0	
Unemployment rates (%) 4	5.3	3.7	3.0	2.9		3.3	Y
Uninsurance (%) ²	6.6	6.9					
Food Insecurity (%) ⁵ BA/BS or higher among those 25 or older (%) ²	18.1	14.0	40.0				
by the criming these 25 critical (75)	15.3	15.3	16.0			50.5	
Transitions and Mobility (%)	40.0	0.4	0.0			50.5	
Disconnected Youth measure Mental Health Center clients (per 1 000 population) 6	10.9	8.4	8.3				
Wernar Fleath Certar Cherna (per 1,000 population)		11.6	13.6				
Substance use treatment aumissions (per 10,000 population)		13.2	17.0	450.0		74.0	
beer, wire, and liquor stores (per 100,000 population)	0.0	182.6	158.2	158.2		74.2	*
Tobacco sales to minors (percent of failed tobacco checks)	0.0	30.6	7.3	0.0		7.1	
Cubstance use-related arrests (per 1,000 population)	4.2	6.7	5.1	12.2		9.2	-
Total crime index offenses (per 1,000 population)	3.3	3.3	2.2	4.1		8.5	V
Fatal crashes with drivers aged 18–29 (per 100 000 population 18–29 years old) 10		0.0	0.0				
(per 100,000 population 18–29 years old) ¹⁰ FAMILY		0.0	0.0				
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	6.1	5.7	9.1				
	0.1	5.7	9.1			34.4	
Poor family management (%) 1							
Family history of anti-social behavior (%)						25.9	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) 1							
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS						25.9 21.0	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%)						25.9 21.0 20.7	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%)						25.9 21.0 20.7 12.9	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%)						25.9 21.0 20.7 12.9 16.9	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1						25.9 21.0 20.7 12.9	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of						25.9 21.0 20.7 12.9 16.9 47.5	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)						25.9 21.0 20.7 12.9 16.9	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages						25.9 21.0 20.7 12.9 16.9 47.5	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)						25.9 21.0 20.7 12.9 16.9 47.5	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice						25.9 21.0 20.7 12.9 16.9 47.5 78.4	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)						25.9 21.0 20.7 12.9 16.9 47.5	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or						25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)						25.9 21.0 20.7 12.9 16.9 47.5 78.4	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,						25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)						25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with						25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)						25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with						25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)						25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1 Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with	10.0	2.0	2.0			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	10.0	2.0	2.0			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%)	10.0	2.0	2.0			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) 1	10.0	2.0	2.0			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%)						25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth special risk" or "great risk" (10.0	2.0	2.0			25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	
Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth special risk" (%) Youth special risk" (%) Youth special risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth special risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e–liquid with nicotine as "moderate" or "great risk" (%) High school dropouts (per 1,000) 11 Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)						25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	

PULASKI COUNTY

Key Findings

Weakness

- · 4th highest rate of academic failure
- 7th highest rate of tobacco sales to minors

Strengths

- 4th lowest percentage of youth with parental attitudes favorable to drug use
- 7th lowest percentage of youth using alcohol or vaping nicotine
- 9th lowest percentage of youth perceiving availability of drugs

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	1.3	2.1				
18–24	14.7	16.0				
25–29	16.4	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Past 30-day Youth Substance Use


Population 25–29


Youth with a guardian currently in the military (%)

■ County ■ State



Protective Factors ■ County ■ State





29,141

..... 12.7

DILL ACKLI COLLATY						Autonoso	W-
PULASKI COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	ITEIIU LIIIC	2023	State
Past 30–day Youth alcohol use (%)	6.0	6.9	6.2	4.3		7.0	V
Past 30–day Youth cigarette use (%)	1.2	1.5	1.0	1.1		1.5	Ý
Past 30–day Youth chewing tobacco use (%)	0.9	1.1	1.1	1.3		1.7	¥
Past 30-day Youth marijuana use (%)	5.6	5.5	6.0	4.3		4.4	Ý
Past 30–day Youth heroin use (%)	0.1	0.1	0.1	0.1		0.1	=
Past 30-day Youth prescription drug use (%)	2.0	2.6	2.1	2.1		2.5	V
Past 30-day Youth vape use: flavoring only (%)	2.8	3.7	4.5	3.6		4.0	\
Past 30-day Youth vape use: marijuana (%)	3.1	4.2	5.3	4.2		4.1	A
Past 30-day Youth vape use: nicotine (%)	4.5	5.6	5.6	4.3		6.8	\forall
COMMUNITY							
Median Household Income ²	\$52,930	\$55,235	\$58,326				
Persons below poverty level (%) ³	15.8	17.6	17.3				
Unemployment rates (%) ⁴	7.4	4.9	3.5	3.0		3.3	Y
Uninsurance (%) ²	7.9	8.5					
Food Insecurity (%) ⁵	17.8	14.7					
BA/BS or higher among those 25 or older (%) ²	35.2	36.3	37.0				
Transitions and Mobility (%) 1	57.2	56.3	58.2	56.1		50.5	A
Disconnected Youth measure ²	1.7	1.6	1.2				
Mental Health Center clients (per 1,000 population) ⁶		10.7	11.4				
Substance use treatment admissions (per 10,000 population) ⁶		50.1	57.8				
Beer, wine, and liquor stores (per 100,000 population) ⁷		114.5	107.5	105.4		74.2	
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	8.9	11.1	15.6		7.1	
Substance use–related arrests (per 1,000 population) 9	10.2	10.2	8.6	8.0		9.2	Y
Total crime index offenses (per 1,000 population)	13.8	12.6	12.8	12.9		8.5	A
Fatal crashes with drivers aged 18–29					_		
(per 100,000 population 18–29 years old) 10		40.0	46.2				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	9.8	9.7	10.7				
Poor family management (%) 1	28.1	35.4	38.6	40.7		34.4	- 3
Family history of anti–social behavior (%)	25.1	24.5	25.4	22.6		25.9	
Parental attitudes favorable toward drug use (%)	18.2	17.1	18.9	17.8		21.0	—
INDIVIDUAL/PEERS	40.0	04.0	04.7	00.4		00.7	
Peer attitudes favorable to drug use (%)	19.3	21.8	21.7	22.4		20.7	
Early initiation of drug use (%) Perceived availability of drugs (%)	10.5	12.8	13.4	11.7		12.9	
1 crocived availability of drugs (70)	15.7 50.6	15.0 54.8	15.9 55.4	14.2 54.3		16.9 47.5	
Low perceived risk of drug use (%) ¹ Youth who perceive smoking one or more packs of	50.0	54.0	55.4	54.5		47.5	_
cigarettes per day as "moderate" or "great risk" (%)	76.7	73.4	71.1	68.7		78.4	~
Youth who perceive drinking one or two alcoholic beverages	70.7	73.4	71.1	00.7		70.4	•
nearly every day as "moderate" or "great risk" (%)	64.3	61.1	59.9	59.1		64.4	~
Youth who perceive trying marijuana once or twice	04.5	01.1	33.3	33.1		04.4	•
as "moderate" or "great risk" (%)	38.6	35.4	36.3	35.2		43.8	V
Youth who perceive trying prescription drugs once or	30.0	55.4	30.3	55.2		40.0	•
twice puts a person at "moderate" or "great risk" (%)	76.1	72.7	70.3	66.8		78.0	V
Youth who perceive using a vaping product like e-cigarettes,	70.1	, 2.,	70.0	00.0		70.0	•
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	64.8	59.2	60.0	59.1		68.8	V
Youth who perceive occasionally vaping an e-liquid with	00	00.2	00.0	00.1		00.0	•
nicotine as "moderate" or "great risk" (%)	62.4	57.6	57.2	56.6		65.7	V
Youth who perceive regularly vaping an e-liquid with							•
nicotine as "moderate" or "great risk" (%)	72.4	68.1	66.4	64.7		75.4	Y
SCHOOL							
High school dropouts (per 1,000) ¹¹	22.0	3.9	4.0				
Low academic performance (%) 1	51.3	51.1	50.0	50.3		44.0	A
Low commitment to school (%)	52.7	61.1	60.8	63.9		59.2	Â
High school substance infraction (per 1,000 population of					_		
enrolled high school students) 11	5.1	8.9	23.9				
School opportunities for pro–social involvement (%)	59.1	54.6	56.8	56.2		61.3	V
School rewards for pro–social involvement (%)	53.3	45.7	45.5	45.5		50.2	Y
. , ,							

RANDOLPH COUNTY

Key Findings

Weakness

- Highest percentage of youth with peer attitudes favorable to drug use
- Highest percentage of youth using alcohol, using cigarettes or misusing prescription drugs
- Highest percentage of youth perceiving availability of drugs

Strengths

13th lowest percentage of youth vaping marijuana

Consequences

■ County ■ State

Substance-use related arrests							
per	per 1,000 population						
Under 18	0.2	2.1					
18–24	9.3	16.0					
25–29	15.6	18.7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	18,619
Population under 18	4,431
Population 18–24	
Population 25–29	1,090
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







RANDOLPH COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	11.3	15.0	12.7	19.7		7.0	A
Past 30-day Youth cigarette use (%) Past 30-day Youth chewing tobacco use (%)	3.9	3.6	3.4	8.3		1.5	^
1 ast 50-day four chewing tobacco use (76)	4.3	3.6	2.8	5.6		1.7	
Past 30–day Youth marijuana use (%)	3.7	4.9	7.4	7.2		4.4	
Past 30–day Youth prescription drug use (%)	0.0	0.0	0.0	0.0		0.1	Y
rast so-day routh prescription drug use (70)	2.3	2.2	2.0	10.3		2.5	
Past 30–day Youth vape use: flavoring only (%)	8.6	5.5	5.5	6.0		4.0	
Past 30–day Youth vape use: marijuana (%)	3.8	4.7	7.0	3.0		4.1	Y
Past 30–day Youth vape use: nicotine (%)	10.2	13.7	12.7	11.6		6.8	
COMMUNITY Median Household Income 2	040.044	0.40.005	045.000				
Wedain Household moonie	\$42,844	\$42,225	\$45,993				
1 cracina below poverty lever (70)	18.9	17.0	19.9	0.0		0.0	
Unemployment rates (%) 4	5.9	3.9	3.4	3.3		3.3	_=
Uninsurance (%) ²	7.5	6.5					
Food Insecurity (%) ⁵ BA/BS or higher among those 25 or older (%) ²	20.7	17.6	1 <i>E E</i>				
By VBC of higher among those 20 of older (70)	13.8	16.1	15.5	40.0		50.5	
Transitions and Mobility (%) 1	53.3	49.3	51.3	40.3		50.5	Y
Disconnected Youth measure 2 Mental Health Center clients (per 1 000 population) 6	1.2	0.7 52.1	1.4 47.0				
Wertai Fleatiff Center clients (per 1,000 population)							
Substance use treatment aumissions (per 10,000 population)		33.6	20.9	CA E		74.0	
beer, wine, and liquor stores (per 100,000 population)	0.0	48.3	64.5	64.5		74.2	V
robacco sales to minors (percent of failed tobacco checks)	0.0	2.3	0.0	0.0		7.1	
Substance use-related arrests (per 1,000 population)	10.1	8.1	5.9	6.4		9.2	
Total crime index offenses (per 1,000 population)	5.8	4.4	3.2	4.0		8.5	•
Fatal crashes with drivers aged 18–29 (per 100 000 population 18–29 years old) 10		201.1	40.2				
(per 100,000 population 18–29 years old) ¹⁰ FAMILY		201.1	40.2				
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	9.2	8.5	7.2				
Poor family management (%)	31.0	33.7	37.9	25.0		34.4	<u> </u>
Family history of anti–social behavior (%)	28.4	24.6	30.5	27.9		25.9	Ă
Parental attitudes favorable toward drug use (%)	23.8	19.3	22.5	27.9		21.0	Â
INDIVIDUAL/PEERS	20.0	10.0	22.5	27.5		21.0	
Peer attitudes favorable to drug use (%)	20.3	23.6	25.6	30.6		20.7	A
Early initiation of drug use (%)	14.2	14.2	16.4	20.3		12.9	
Perceived availability of drugs (%)	19.0	13.5	19.0	27.1		16.9	Â
Low perceived risk of drug use (%)	50.3	51.2	54.7	46.5		47.5	- Ş
Youth who perceive smoking one or more packs of	00.0	02	· · · ·	10.0	-		•
cigarettes per day as "moderate" or "great risk" (%)	79.3	76.8	78.5	84.5		78.4	A
Youth who perceive drinking one or two alcoholic beverages	70.0	70.0	70.0	0 1.0			
rount who perceive drinking one of two diconolic beverages						70.4	
nearly every day as "moderate" or "great risk" (%)	60.8	52.7	56.7	62.1			V
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	60.8	52.7	56.7	62.1		64.4	Y
Youth who perceive trying marijuana once or twice						64.4	V
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	60.8	52.7 43.1	56.7 37.5	62.1 43.1			Y
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	43.5	43.1	37.5	43.1		64.4 43.8	Y
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)						64.4	Y A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	43.5 81.7	43.1 76.8	37.5 79.4	43.1 90.5		64.4 43.8 78.0	
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	43.5	43.1	37.5	43.1		64.4 43.8	Y A A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	43.5 81.7 64.8	43.1 76.8 62.8	37.5 79.4 62.9	43.1 90.5 80.9		64.4 43.8 78.0 68.8	A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1	43.5 81.7	43.1 76.8	37.5 79.4	43.1 90.5		64.4 43.8 78.0	
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with	43.5 81.7 64.8 61.7	43.1 76.8 62.8 61.0	37.5 79.4 62.9 59.0	43.1 90.5 80.9 67.2		64.4 43.8 78.0 68.8 65.7	A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1	43.5 81.7 64.8	43.1 76.8 62.8	37.5 79.4 62.9	43.1 90.5 80.9		64.4 43.8 78.0 68.8	A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	43.5 81.7 64.8 61.7 73.5	43.1 76.8 62.8 61.0 69.5	37.5 79.4 62.9 59.0 73.6	43.1 90.5 80.9 67.2		64.4 43.8 78.0 68.8 65.7	A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 1	43.5 81.7 64.8 61.7 73.5	43.1 76.8 62.8 61.0 69.5	37.5 79.4 62.9 59.0 73.6	43.1 90.5 80.9 67.2 83.1		64.4 43.8 78.0 68.8 65.7 75.4	A A A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low academic performance (%) 1	43.5 81.7 64.8 61.7 73.5	43.1 76.8 62.8 61.0 69.5 3.0 50.3	37.5 79.4 62.9 59.0 73.6 2.0 47.6	43.1 90.5 80.9 67.2 83.1		64.4 43.8 78.0 68.8 65.7 75.4	A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1	43.5 81.7 64.8 61.7 73.5	43.1 76.8 62.8 61.0 69.5	37.5 79.4 62.9 59.0 73.6	43.1 90.5 80.9 67.2 83.1		64.4 43.8 78.0 68.8 65.7 75.4	A A A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of	43.5 81.7 64.8 61.7 73.5 6.0 52.1 59.1	43.1 76.8 62.8 61.0 69.5 3.0 50.3 55.9	37.5 79.4 62.9 59.0 73.6 2.0 47.6 63.6	43.1 90.5 80.9 67.2 83.1		64.4 43.8 78.0 68.8 65.7 75.4	A A A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1 Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) 1 Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of enrolled high school students) 11	43.5 81.7 64.8 61.7 73.5 6.0 52.1 59.1	43.1 76.8 62.8 61.0 69.5 3.0 50.3 55.9 5.4	37.5 79.4 62.9 59.0 73.6 2.0 47.6 63.6	43.1 90.5 80.9 67.2 83.1 34.3 66.2		64.4 43.8 78.0 68.8 65.7 75.4 44.0 59.2	A A A
Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students) 11	43.5 81.7 64.8 61.7 73.5 6.0 52.1 59.1	43.1 76.8 62.8 61.0 69.5 3.0 50.3 55.9	37.5 79.4 62.9 59.0 73.6 2.0 47.6 63.6	43.1 90.5 80.9 67.2 83.1		64.4 43.8 78.0 68.8 65.7 75.4	A A A

ST. FRANCIS COUNTY

Key Findings

Weakness

- 2nd highest percentage of youth with peer attitudes favorable to drug use
- 2nd, 2nd, 3rd, and 6th highest percentage of youth vaping flavor, vaping nicotine, using smokeless tobacco and using cigarettes, respectively
- 4th highest percentage of youth using alcohol
- 4th highest percentage of youth misusing prescription drugs

Strengths

• N/A

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population					
Under 18	0.4	2.1			
18–24	7.3	16.0			
25–29	5.0	18.7			


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Total Population	23,138
Population under 18	4,928
Population 18–24	1,920
Population 25–29	1,799
Youth with a guardian currently in the military (%)	


(%)


55.3

Past 30-day Youth Substance Use

■ County ■ State







OT ED ANOIG COUNTY						Adams	1/-
ST. FRANCIS COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Helia Lille	2023	State
Past 30–day Youth alcohol use (%)	2.6		12.1	17.2		7.0	A
Past 30–day Youth cigarette use (%)	0.6		4.5	4.1		1.5	Â
Past 30–day Youth chewing tobacco use (%)	0.6		5.4	6.1		1.7	Â
Past 30–day Youth marijuana use (%)	2.6		3.8	5.2		4.4	Â
Past 30–day Youth heroin use (%)	0.0		0.0	1.0		0.1	Â
Past 30–day Youth prescription drug use (%)	1.3		0.8	5.2		2.5	Â
Past 30–day Youth vape use: flavoring only (%)	1.3		8.3	13.3		4.0	Â
Past 30–day Youth vape use: marijuana (%)	0.0		3.0	4.1		4.1	
Past 30–day Youth vape use: nicotine (%)	1.3		15.9	20.4		6.8	A
COMMUNITY							
Median Household Income ²	\$36,053	\$34,981	\$39,822				
Persons below poverty level (%) 3	28.4	32.2	34.4				
Unemployment rates (%) 4	7.9	6.2	4.9	4.7		3.3	A
Uninsurance (%) ²	9.9	9.3					
Food Insecurity (%) 5	20.6	19.5					
BA/BS or higher among those 25 or older (%) ²	10.9	11.4	13.3				
Transitions and Mobility (%) 1	51.4		38.6	32.6		50.5	V
Disconnected Youth measure ²	6.6	6.6	8.3				
Mental Health Center clients (per 1,000 population) ⁶		33.4	27.4				
Substance use treatment admissions (per 10,000 population) ⁶		18.6	8.6				
Beer, wine, and liquor stores (per 100,000 population) ⁷		146.9	146.9	142.6		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	9.7	9.4	0.0		7.1	V
Substance use-related arrests (per 1,000 population) 9	7.5	2.5	3.3	3.3		9.2	Y
Total crime index offenses (per 1,000 population) ⁹	6.8	6.0	5.3	7.4		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		107.6	134.4				
FAMILY							
Children living in foster care (per 1,000 population					_		
under 18 years of age) ⁶	10.4	12.3	9.9				
under 18 years of age) ⁶ Poor family management (%) ¹	27.8	12.3	19.7	22.6		34.4	 V
under 18 years of age) ⁶ Poor family management (%) ¹ Family history of anti–social behavior (%) ¹	27.8 27.0	12.3	19.7 31.1	39.6		25.9	 V
under 18 years of age) ⁶ Poor family management (%) ¹ Family history of anti–social behavior (%) ¹ Parental attitudes favorable toward drug use (%) ¹	27.8	12.3	19.7				 V
under 18 years of age) ⁶ Poor family management (%) ¹ Family history of anti–social behavior (%) ¹ Parental attitudes favorable toward drug use (%) ¹ INDIVIDUAL/PEERS	27.8 27.0 14.9	12.3	19.7 31.1 14.5	39.6 33.7		25.9 21.0	A
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	27.8 27.0 14.9	12.3	19.7 31.1 14.5	39.6 33.7 29.3		25.9 21.0 20.7	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%)	27.8 27.0 14.9 11.5 8.6	12.3	19.7 31.1 14.5 20.5 15.2	39.6 33.7 29.3 15.5		25.9 21.0 20.7 12.9	A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) 1	27.8 27.0 14.9 11.5 8.6 6.8	12.3	19.7 31.1 14.5 20.5 15.2 20.9	39.6 33.7 29.3 15.5 19.4		25.9 21.0 20.7 12.9 16.9	A A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	27.8 27.0 14.9 11.5 8.6	12.3	19.7 31.1 14.5 20.5 15.2	39.6 33.7 29.3 15.5		25.9 21.0 20.7 12.9	A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	27.8 27.0 14.9 11.5 8.6 6.8 60.9	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3	39.6 33.7 29.3 15.5 19.4 42.9		25.9 21.0 20.7 12.9 16.9 47.5	A A A Y
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	27.8 27.0 14.9 11.5 8.6 6.8	12.3	19.7 31.1 14.5 20.5 15.2 20.9	39.6 33.7 29.3 15.5 19.4		25.9 21.0 20.7 12.9 16.9	A A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	27.8 27.0 14.9 11.5 8.6 6.8 60.9	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6	39.6 33.7 29.3 15.5 19.4 42.9		25.9 21.0 20.7 12.9 16.9 47.5	A A A A A A A A A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)	27.8 27.0 14.9 11.5 8.6 6.8 60.9	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3	39.6 33.7 29.3 15.5 19.4 42.9		25.9 21.0 20.7 12.9 16.9 47.5	A A A Y
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8		25.9 21.0 20.7 12.9 16.9 47.5 78.4	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	27.8 27.0 14.9 11.5 8.6 6.8 60.9	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6	39.6 33.7 29.3 15.5 19.4 42.9		25.9 21.0 20.7 12.9 16.9 47.5	A A A A A A A A A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	A A A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8		25.9 21.0 20.7 12.9 16.9 47.5 78.4	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4	A A A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived availability of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e–cigarettes, e–cigars, and e–hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e–liquid with	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A A A A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived availability of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9 50.0	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5 62.9	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4 70.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A A A A A A
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9	12.3	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A A A A A
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9 50.0		19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5 62.9 60.2	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4 70.5		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A A A A A A
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9 50.0 51.4 55.5	2.0	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5 62.9 60.2 71.5	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4 70.5 68.8 80.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A A
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9 50.0 51.4 55.5		19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5 62.9 60.2 71.5	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4 70.5 68.8 80.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A A
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) 1	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9 50.0 51.4 55.5		19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5 62.9 60.2 71.5	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4 70.5 68.8 80.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A A
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Liby school substance infraction (per 1,000 population of	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9 50.0 51.4 55.5	2.0	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5 62.9 60.2 71.5	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4 70.5 68.8 80.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A A
under 18 years of age) Poor family management (%) Family history of anti–social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive rigreat risk" (%) Youth who perceive or "great risk" (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) 1 High school substance infraction (per 1,000 population of enrolled high school students)	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9 50.0 51.4 55.5 12.0 40.7 44.2		19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5 62.9 60.2 71.5	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4 70.5 68.8 80.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A A A A A A A A A A A A A A A
under 18 years of age) Poor family management (%) Family history of anti-social behavior (%) Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived availability of drugs (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) High school substance infraction (per 1,000 population of enrolled high school students)	27.8 27.0 14.9 11.5 8.6 6.8 60.9 57.9 49.7 36.4 57.9 50.0 51.4 55.5	2.0	19.7 31.1 14.5 20.5 15.2 20.9 52.3 80.6 59.1 37.2 79.5 62.9 60.2 71.5	39.6 33.7 29.3 15.5 19.4 42.9 83.2 68.8 49.5 93.4 70.5 68.8 80.9		25.9 21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A A

SALINE COUNTY

Key Findings

Weakness

• 8th highest rate of tobacco sales to minors

Strengths

- 7th lowest percentage of youth initiating drug use before age 15
- 7th lowest percentage of youth perceiving low risk of drug use
- 9th and 11th lowest percentage of youth using chewing tobacco and vaping nicotine, respectively

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18	1.8	2.1				
18–24	16.3	16.0				
25–29	17.0	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	123,988
Population under 18	28,517
Population 18–24	
Population 25–29	7,343
Youth with a guardian currently in the military (%)	


(%)

Past 30-day Youth Substance Use

■ County ■ State







SALINE COUNTY		_		_		Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE	2020	2021	LULL	LULU	TICHU LING	2023	Otate
Past 30–day Youth alcohol use (%)	7.3	6.8	9.8	6.2		7.0	V
Past 30-day Youth cigarette use (%)	1.4	0.8	1.3	1.1		1.5	Ÿ
Past 30-day Youth chewing tobacco use (%)	1.3	0.6	1.4	0.9		1.7	¥
Past 30-day Youth marijuana use (%)	4.2	3.2	6.6	4.0		4.4	V
Past 30-day Youth heroin use (%) 1	0.1	0.4	0.1	0.1		0.1	=
Past 30-day Youth prescription drug use (%)	2.7	3.4	3.7	3.1		2.5	A
Past 30-day Youth vape use: flavoring only (%)	4.5	3.2	4.4	2.4		4.0	Y
Past 30-day Youth vape use: marijuana (%)	3.5	2.6	5.3	3.8		4.1	Y
Past 30-day Youth vape use: nicotine (%)	8.2	6.7	9.2	5.3		6.8	V
COMMUNITY							
Median Household Income ²	\$66,876	\$68,605	\$73,236				
Persons below poverty level (%) 3	8.4	8.5	9.8				
Unemployment rates (%) 4	5.1	3.1	2.8	2.6		3.3	Y
Uninsurance (%) ²	5.8	6.0					
Food Insecurity (%) 5	14.7	11.6					
BA/BS or higher among those 25 or older (%)	27.6	27.9	28.5				
Transitions and Mobility (%)	62.0	64.1	59.7	63.7		50.5	
Disconnected Youth measure 2 Mental Health Center clients (per 1 000 population) 6	3.1	3.1	1.8				
Wertain Teath Gerter Cherics (per 1,000 population)		21.7	23.2				
Substance use treatment aumissions (per 10,000 population)		31.7	17.5	00.0		74.0	
beer, wine, and riquor stores (per 100,000 population)	0.7	80.7	78.2	82.3		74.2	A
Tobacco sales to militors (percent of falled tobacco checks)	3.7	12.5	7.7	12.5		7.1	
Substance use-related arrests (per 1,000 population)	7.5 9.4	8.8	8.6	8.0		9.2	V V
Total crime index offenses (per 1,000 population) Fatal crashes with drivers aged 18–29	9.4	8.7	8.5	7.8		8.5	V
(per 100,000 population 18–29 years old) 10		54.1	36.1				
FAMILY		34.1	30.1				
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	5.0	4.9	5.1				
Poor family management (%) ¹	26.5	29.9	28.0	28.5		34.4	V
Family history of anti–social behavior (%)	24.0	23.8	25.0	23.0		25.9	Ý
Parental attitudes favorable toward drug use (%)	16.8	17.9	20.2	22.3		21.0	A
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	17.6	22.5	21.3	21.3		20.7	A
Early initiation of drug use (%)	12.7	10.5	10.9	10.4		12.9	Y
Perceived availability of drugs (%)	17.4	18.8	18.7	17.0		16.9	A
Low perceived risk of drug use (%) 1	41.0	43.3	47.1	43.5		47.5	\forall
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	84.2	83.6	82.4	83.0		78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	69.6	67.0	65.1	68.5		64.4	
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	50.0	46.7	41.1	44.2		43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	83.9	83.8	81.6	82.0		78.0	
Youth who perceive using a vaping product like e-cigarettes,					_		
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	70.7	69.7	71.1	72.4		68.8	
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	67.3	65.2	64.8	68.4		65.7	A
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	78.4	78.4	79.5	80.0		75.4	
SCHOOL High school drapaute (per 1 000) 11	F ^	0.2	0.2				
High school dropouts (per 1,000) 11	5.0	0.3	0.2	26.0		44.0	
Low academic performance (%) 1	39.8	41.4	36.4	36.6		44.0	V
Low commitment to school (%) ¹ High school substance infraction (per 1,000 population of	46.4	54.4	56.1	57.8		59.2	V
enrolled high school students) 11	15.2	74.9	221.3				
School opportunities for pro–social involvement (%)	61.3	64.1	63.0	63.3		61.3	
School rewards for pro–social involvement (%)	50.0	48.0	46.0	48.8		50.2	- Ş
Constant of pro-occident volver from (70)	55.0	10.0	10.0	10.0		00.Z	_

SCOTT COUNTY

Key Findings

Weakness

- 7th highest percentage of youth initiating drug use before age 15
- 6th highest percentage of youth using smokeless tobacco
- 7th highest percentage of youth using marijuana
- 10th highest percentage of youth vaping nicotine

Strengths

• N/A

Consequences

County State

Substance-use related arrests per 1,000 population						
Under 18	0.4	2.1				
18–24	26.8	16.0				
25–29	36.9	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	9,871
Population under 18	2,290
Population 18–24	671
Population 25–29	. 569
Youth with a guardian currently in the military (%)	


(%)

Past 30-day Youth Substance Use

■ County ■ State







SCOTT COUNTY			_	_		Arkonooo	Vo
Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	LULL	2023	TICHU LINC	2023	Otato
Past 30–day Youth alcohol use (%)	11.2	17.4	14.1	12.1		7.0	A
Past 30–day Youth cigarette use (%)	4.3	3.5	4.7	2.5		1.5	Â
Past 30–day Youth chewing tobacco use (%)	7.4	6.7	4.5	5.0		1.7	Â
Past 30–day Youth marijuana use (%)	3.9	10.9	6.6	7.8		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.4	0.0	0.0		0.1	Ŷ
Past 30–day Youth prescription drug use (%)	2.6	3.5	3.3	2.5		2.5	_
Past 30-day Youth vape use: flavoring only (%)	8.6	10.6	5.9	4.4		4.0	<u> </u>
Past 30-day Youth vape use: marijuana (%)	3.9	8.8	4.6	5.6		4.1	Ā
Past 30-day Youth vape use: nicotine (%)	16.3	18.9	12.8	12.5		6.8	A
COMMUNITY							
Median Household Income ²	\$42,635	\$43,577	\$45,340				
Persons below poverty level (%) ³	17.4	17.3	21.2				
Unemployment rates (%) 4	4.5	3.3	2.8	2.8		3.3	Y
Uninsurance (%) ²	6.7	9.0					
Food Insecurity (%) 5	20.2	16.4					
BA/BS or higher among those 25 or older (%) ²	12.1	10.9	12.0				
Transitions and Mobility (%) 1	42.2	40.4	39.0	40.5		50.5	Y
Disconnected Youth measure ²	2.9	6.6	6.9				
Mental Health Center clients (per 1,000 population) ⁶		41.0	40.6				
Substance use treatment admissions (per 10,000 population) ⁶		56.4	33.4				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	•	74.2	\forall
Tobacco sales to minors (percent of failed tobacco checks) ⁸	0.0	0.0	10.9	0.0		7.1	\forall
Substance use–related arrests (per 1,000 population) ⁹	17.3	13.1	8.5	14.8		9.2	A
Total crime index offenses (per 1,000 population) ⁹	6.2	5.7	5.2	6.6		8.5	\forall
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		0.0	161.3				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	29.2	32.9	26.2				
Poor family management (%)	30.2	35.2	33.7	38.7		34.4	A
Family history of anti–social behavior (%)	33.6	36.2	33.1	33.6		25.9	A
Parental attitudes favorable toward drug use (%)							
• • • • • • • • • • • • • • • • • • • •	20.0	30.0	26.4	23.7		21.0	A
INDIVIDUAL/PEERS							
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	16.7	25.9	26.1	23.8		20.7	A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%)	16.7 22.1	25.9 23.7	26.1 22.8	23.8 19.9		20.7 12.9	A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%)	16.7 22.1 21.9	25.9 23.7 23.5	26.1 22.8 22.2	23.8 19.9 20.5		20.7 12.9 16.9	A A A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	16.7 22.1	25.9 23.7	26.1 22.8	23.8 19.9		20.7 12.9	A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	16.7 22.1 21.9 42.8	25.9 23.7 23.5 43.8	26.1 22.8 22.2 52.7	23.8 19.9 20.5 46.9		20.7 12.9 16.9 47.5	A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	16.7 22.1 21.9	25.9 23.7 23.5	26.1 22.8 22.2	23.8 19.9 20.5		20.7 12.9 16.9	A A A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages	16.7 22.1 21.9 42.8	25.9 23.7 23.5 43.8 85.3	26.1 22.8 22.2 52.7 80.7	23.8 19.9 20.5 46.9		20.7 12.9 16.9 47.5 78.4	A A V A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) 1	16.7 22.1 21.9 42.8	25.9 23.7 23.5 43.8	26.1 22.8 22.2 52.7	23.8 19.9 20.5 46.9		20.7 12.9 16.9 47.5	A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	16.7 22.1 21.9 42.8 82.7	25.9 23.7 23.5 43.8 85.3	26.1 22.8 22.2 52.7 80.7	23.8 19.9 20.5 46.9 82.0		20.7 12.9 16.9 47.5 78.4	A Y
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	16.7 22.1 21.9 42.8	25.9 23.7 23.5 43.8 85.3	26.1 22.8 22.2 52.7 80.7	23.8 19.9 20.5 46.9		20.7 12.9 16.9 47.5 78.4	A A V A
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	16.7 22.1 21.9 42.8 82.7 60.5	25.9 23.7 23.5 43.8 85.3 65.7	26.1 22.8 22.2 52.7 80.7 56.3	23.8 19.9 20.5 46.9 82.0 60.9		20.7 12.9 16.9 47.5 78.4 64.4	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	16.7 22.1 21.9 42.8 82.7	25.9 23.7 23.5 43.8 85.3	26.1 22.8 22.2 52.7 80.7	23.8 19.9 20.5 46.9 82.0		20.7 12.9 16.9 47.5 78.4	A Y
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	16.7 22.1 21.9 42.8 82.7 60.5 51.1	25.9 23.7 23.5 43.8 85.3 65.7 47.8	26.1 22.8 22.2 52.7 80.7 56.3 43.8	23.8 19.9 20.5 46.9 82.0 60.9 51.5		20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	16.7 22.1 21.9 42.8 82.7 60.5	25.9 23.7 23.5 43.8 85.3 65.7	26.1 22.8 22.2 52.7 80.7 56.3	23.8 19.9 20.5 46.9 82.0 60.9		20.7 12.9 16.9 47.5 78.4 64.4	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice ass "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice ass "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	16.7 22.1 21.9 42.8 82.7 60.5 51.1	25.9 23.7 23.5 43.8 85.3 65.7 47.8	26.1 22.8 22.2 52.7 80.7 56.3 43.8	23.8 19.9 20.5 46.9 82.0 60.9 51.5		20.7 12.9 16.9 47.5 78.4 64.4 43.8	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9 70.0	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4 71.0	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4 70.8		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1 66.7	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9 70.0 66.7	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4 71.0 68.8	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4 70.8		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1 66.7 77.5	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9 70.0 66.7 76.3	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4 71.0 68.8 77.3	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4 70.8 70.3		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 1	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1 66.7 77.5	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9 70.0 66.7 76.3	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4 71.0 68.8 77.3	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4 70.8 70.3 81.8		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low commitment to school (%) 1	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1 66.7 77.5	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9 70.0 66.7 76.3	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4 71.0 68.8 77.3	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4 70.8 70.3		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) Low commitment to school (%) High school substance infraction (per 1,000 population of	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1 66.7 77.5	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9 70.0 66.7 76.3	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4 71.0 68.8 77.3	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4 70.8 70.3 81.8		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth special risk" (%) Youth special risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth special risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth special risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth special risk" (%) 1 Youth who perceive risk (%) 1 Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 Youth who perceive risk (%) 1 Youth who pe	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1 66.7 77.5 8.0 44.8 52.1	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9 70.0 66.7 76.3 0.7 43.9 50.2	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4 71.0 68.8 77.3 4.2 40.6 57.8	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4 70.8 70.3 81.8		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A A A A A A A A A A A A A A A A
Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) High school substance infraction (per 1,000 population of enrolled high school students)	16.7 22.1 21.9 42.8 82.7 60.5 51.1 83.6 68.1 66.7 77.5	25.9 23.7 23.5 43.8 85.3 65.7 47.8 81.9 70.0 66.7 76.3	26.1 22.8 22.2 52.7 80.7 56.3 43.8 79.4 71.0 68.8 77.3	23.8 19.9 20.5 46.9 82.0 60.9 51.5 83.4 70.8 70.3 81.8		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	A A A A

SEARCY COUNTY

Key Findings

Weakness

- 5th, 7th, and 8th highest percentage of youth using cigarettes, using smokeless tobacco and vaping nicotine, respectively
- 6th and 11th highest percentage of youth using and vaping marijuana, respectively

Strengths

• N/A

Consequences

■ County ■ State

per 1,000 population					
Under 18	0.0	2.1			
18–24	35.8	16.0			
25_29	31.8	18 7			


Rate of all-cause crashes with fatalities with drivers aged 18-29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	7,880
Population under 18	1,592
Population 18–24	
Population 25–29	. 377
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







AT LEAV COLUMN							
SEARCY COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Trenu Line	2023	State
Past 30–day Youth alcohol use (%)	0.0	6.3	5.5	10.8		7.0	A
Past 30–day Youth cigarette use (%)	0.0	1.5	2.4	4.5		1.5	Â
Past 30–day Youth chewing tobacco use (%)	0.0	2.4	3.6	4.9		1.7	Â
Past 30–day Youth marijuana use (%)	0.0	3.4	3.6	7.9		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.0	0.4	0.5		0.1	Â
Past 30–day Youth prescription drug use (%)	0.0	2.0	2.0	2.0		2.5	Ŷ
Past 30–day Youth vape use: flavoring only (%)	2.4	6.3	2.0	6.4		4.0	×
Past 30–day Youth vape use: marijuana (%)	0.0	3.9	3.2	5.9		4.1	Â
Past 30–day Youth vape use: nicotine (%)	2.4	12.1	11.5	12.6		6.8	Â
COMMUNITY	2.7	12.1	11.5	12.0		0.0	
Median Household Income ²	\$35,077	\$39,627	\$42,063		-		
Persons below poverty level (%)	25.9	20.9	21.7				
Unemployment rates (%)	6.4	4.2	4.5	4.1		3.3	<u> </u>
Uninsurance (%) ²	5.4	5.7	4.0	7.1		0.0	
Food Insecurity (%) ⁵	21.8	20.3					
BA/BS or higher among those 25 or older (%)	10.9	15.3	14.9				
Transitions and Mobility (%) 1	42.5	39.7	44.6	44.2		50.5	V
Disconnected Youth measure ²	11.5	8.5	12.7	71.2		00.0	
Mental Health Center clients (per 1,000 population) 6	17.5	42.6	45.3				
Substance use treatment admissions (per 10,000 population) 6		17.8	16.5				
Beer, wine, and liquor stores (per 100,000 population) 7		0.0	0.0	0.0		74.2	V
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	13.2	11.2	0.0		7.1	Ť
Substance use–related arrests (per 1,000 population) 9	20.5	18.3	13.1	15.4		9.2	Ă
Total crime index offenses (per 1,000 population) 9	4.3	3.8	4.2	3.4		8.5	Ŷ
Fatal crashes with drivers aged 18–29	4.0	3.0	7.2	5.4		0.5	•
(per 100,000 population 18–29 years old) ¹⁰		106.8	0.0				
FAMILY		100.0	0.0				
Children living in foster care (per 1,000 population							
under 18 years of age) 6	17.0	17.0	13.2				
Poor family management (%)	45.0	30.9	32.9	27.0		34.4	V
Family history of anti–social behavior (%)	29.3	31.7	26.6	26.0		25.9	À
Parental attitudes favorable toward drug use (%)	17.1	22.3	21.5	22.2		21.0	Ā
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	14.3	16.7	21.2	20.2		20.7	V
Early initiation of drug use (%)	14.3	14.8	13.1	14.4		12.9	À
Perceived availability of drugs (%)	22.0	18.8	19.0	19.1		16.9	Ā
Low perceived risk of drug use (%) 1	23.8	49.3	56.0	48.8		47.5	A
Youth who perceive smoking one or more packs of							, ,
cigarettes per day as "moderate" or "great risk" (%)	85.0	86.3	78.9	81.6		78.4	A
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	71.8	59.4	56.7	64.1		64.4	V
Youth who perceive trying marijuana once or twice							·
as "moderate" or "great risk" (%)	66.7	48.2	41.4	44.4		43.8	A
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	83.8	89.7	80.6	82.1		78.0	A
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	75.7	62.2	64.2	68.1		68.8	Y
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	77.8	59.4	59.1	62.0		65.7	V
Youth who perceive regularly vaping an e-liquid with							•
nicotine as "moderate" or "great risk" (%)	82.9	77.9	75.5	75.3		75.4	Y
SCHOOL							
High school dropouts (per 1,000) 11	4.0	33.4	33.0				
Low academic performance (%)	56.1	52.6	52.2	49.7		44.0	A
Low commitment to school (%)	64.3	58.8	70.2	64.8		59.2	Â
High school substance infraction (per 1,000 population of	3 1.0	00.0	. 0.2	00			~
enrolled high school students) ¹¹	16.3	2.3	6.6				
School opportunities for pro–social involvement (%)	52.4	58.1	52.3	50.7		61.3	Y
School rewards for pro–social involvement (%)	48.8	54.1	43.8	46.3		50.2	Ť
25.155. 15.1.ardo for pro-ocolar involverificiti (70)	10.0	0-1.1	10.0	10.0		00.Z	V

SEBASTIAN COUNTY

Key Findings

Weakness

- 6th and 9th highest percentage of youth vaping and using marijuana, respectively
- 14th highest percentage of youth with parental attitudes favorable to drug use
- 18th highest percentage of youth vaping nicotine

Strengths

 15th lowest percentage of youth perceiving availability of drugs

Consequences

■ County ■ State

Substance-use related arrests					
per 1,000 population					
Under 18	6.0	2.1			
18–24	13.7	16.0			
25–29	20.9	18.7			


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Past 30-day Youth Substance Use


Population 25–29


Youth with a guardian currently in the military (%)

■ County ■ State



Protective Factors ■ County ■ State





8,564

..... 12.0

SEBASTIAN COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	7.0	7.7	7.2	6.5		7.0	V
Past 30-day Youth cigarette use (%)	1.4	1.5	1.2	1.9		1.5	A
Past 30-day Youth chewing tobacco use (%)	1.1	1.4	1.6	2.8		1.7	A
Past 30-day Youth marijuana use (%) 1	5.0	6.8	6.0	7.2		4.4	
Past 30-day Youth heroin use (%) 1	0.0	0.0	0.0	0.2		0.1	A
Past 30-day Youth prescription drug use (%)	2.1	2.7	2.0	2.6		2.5	A
Past 30-day Youth vape use: flavoring only (%) 1	5.5	5.8	4.3	5.0		4.0	A
Past 30-day Youth vape use: marijuana (%)	4.4	6.4	5.6	6.7		4.1	A
Past 30-day Youth vape use: nicotine (%)	7.4	9.0	6.9	10.3		6.8	<u> </u>
COMMUNITY							
Median Household Income ²	\$47,878	\$50,226	\$54,047				
Persons below poverty level (%) 3	16.7	19.5	17.1				
Unemployment rates (%) 4	6.0	3.7	3.1	3.2		3.3	
Uninsurance (%) ²	10.8	11.5					
Food Insecurity (%) 5	20.1	16.5					
BA/BS or higher among those 25 or older (%)	23.3	24.0	23.9				
Transitions and Mobility (%)	51.1	58.3	54.6	53.4		50.5	
Disconnected Youth measure Mental Health Center clients (per 1 000 population) 6	3.6	3.1	4.7				
Werkar Fleatin Gener cherts (per 1,000 population)		45.0	49.9				
Substance use treatment admissions (per 10,000 population)		83.5	38.1				
Beer, wine, and liquor stores (per 100,000 population)		86.6	81.9	81.1		74.2	
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	0.0	11.3	0.0		7.1	Y
Substance use–related arrests (per 1,000 population)	10.9	10.7	10.1	11.5		9.2	
Total crime index offenses (per 1,000 population)	10.1	8.1	8.3	8.1		8.5	
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) 10		49.1	34.4				
FAMILY							
Children living in foster care (per 1,000 population					-		
under 18 years of age) 6	25.5	25.4	23.6				
Poor family management (%) 1 Family history of anti-social behavior (%) 1	32.7	33.4	34.1	25.7		34.4	
Taring history of anti–social behavior (70)	26.6	26.5	25.3	27.7		25.9	^
Parental attitudes favorable toward drug use (%)	18.7	18.7	19.7	25.9		21.0	
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	40.0	04.0	40.7	20.0		20.7	V
r cer attitudes lavorable to drug disc (70)	19.8	21.3	19.7	20.0		20.7	
Early initiation of drug use (%)	12.4	12.7	11.7	14.5		12.9	- \$
Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	18.4 48.2	17.5 50.3	17.8 51.1	15.6 49.5		16.9 47.5	
Youth who perceive smoking one or more packs of	40.2	50.5	31.1	49.5		47.5	^
cigarettes per day as "moderate" or "great risk" (%)	80.8	80.6	78.8	86.7		78.4	A
Youth who perceive drinking one or two alcoholic beverages	60.6	60.0	70.0	00.7		70.4	
nearly every day as "moderate" or "great risk" (%)	67.6	65.7	65.2	66.3		64.4	A
Youth who perceive trying marijuana once or twice	07.0	03.7	03.2	00.3		04.4	~
as "moderate" or "great risk" (%)	45.1	41.0	41.0	42.0		43.8	_
Youth who perceive trying prescription drugs once or	45.1	41.0	41.0	42.0		43.6	•
twice puts a person at "moderate" or "great risk" (%)	82.2	80.9	79.9	83.9		78.0	A
		00.9	19.9	05.5		70.0	^
	02.2						
Youth who perceive using a vaping product like e-cigarettes,		65.5	67.1	72.0		60 0	A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	66.9	65.5	67.1	72.8		68.8	A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	66.9						
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)		65.5 62.2	67.1	72.8 68.7		68.8 65.7	A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	66.9 65.6	62.2	64.0	68.7		65.7	A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	66.9						
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	66.9 65.6 76.6	62.2 76.0	64.0 75.9	68.7		65.7	A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	66.9 65.6 76.6	62.2 76.0	64.0 75.9 2.2	68.7 81.3		65.7 75.4	A A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%)	66.9 65.6 76.6 6.0 48.4	62.2 76.0 3.0 47.7	64.0 75.9 2.2 48.8	68.7 81.3 42.1		65.7 75.4 44.0	A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%)	66.9 65.6 76.6	62.2 76.0	64.0 75.9 2.2	68.7 81.3		65.7 75.4	A A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	66.9 65.6 76.6 6.0 48.4 51.6	62.2 76.0 3.0 47.7 54.5	64.0 75.9 2.2 48.8 56.6	68.7 81.3 42.1		65.7 75.4 44.0	A A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	66.9 65.6 76.6 6.0 48.4 51.6	62.2 76.0 3.0 47.7 54.5	64.0 75.9 2.2 48.8 56.6 430.9	68.7 81.3 42.1 58.0		65.7 75.4 44.0 59.2	A A
Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	66.9 65.6 76.6 6.0 48.4 51.6	62.2 76.0 3.0 47.7 54.5	64.0 75.9 2.2 48.8 56.6	68.7 81.3 42.1		65.7 75.4 44.0	A A

SEVIER COUNTY

Key Findings

Weakness

 19th highest percentage of youth with parental attitudes favorable to drug use

Strengths

- 8th lowest percentage of youth using cigarettes
- 11th lowest percentage of youth misusing prescription drugs
- 12th lowest percentage of youth perceiving low risk of drug use

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population				
Under 18	4.0	2.1		
18–24	18.9	16.0		
25–29	18.9	18.7		


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Total Population	15,913
Population under 18	4,503
Population 18–24	1,591
Population 25–29	954
Youth with a guardian currently in the military (%)	5.9


(%)


50.1

Past 30-day Youth Substance Use

■ County ■ State







SEVIER COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE Past 30–day Youth alcohol use (%) 1	16.0	14.5	16.3	7.5		7.0	
Past 30–day Youth cigarette use (%)	3.6	3.2	2.1	0.6		1.5	A
Past 30–day Youth chewing tobacco use (%)	5.6	7.5	2.3	1.3		1.7	¥
Past 30–day Youth marijuana use (%)	2.5	5.9	5.6	3.3		4.4	¥
Past 30–day Youth Harijuana use (%)	0.8	0.0	0.4	0.0		0.1	¥
Past 30–day Youth Prescription drug use (%)	0.8	3.9	2.5	1.6		2.5	¥
Past 30–day Youth vape use: flavoring only (%)	8.4	9.0	4.9	3.2		4.0	Ť
Past 30–day Youth vape use: marijuana (%)	1.7	4.5	4.9	3.3		4.0	¥
Past 30–day Youth vape use: nicotine (%)	14.3	16.1	10.7	6.2		6.8	¥
COMMUNITY	14.3	10.1	10.7	0.2		0.0	_
Median Household Income ²	\$47,872	\$49,470	\$53,567				
Persons below poverty level (%)	19.8	18.3	20.6				
Unemployment rates (%)	5.8	4.4	3.9	3.5		3.3	
Uninsurance (%) ²	16.1	19.6	3.9	3.3		3.3	
Food Insecurity (%) 5	18.0	15.2					
BA/BS or higher among those 25 or older (%)	13.4	11.6	11.7				
Transitions and Mobility (%)	40.2	34.0	38.9	36.9		50.5	Y
Disconnected Youth measure ²	1.4	1.7	0.7	30.9		50.5	•
Mental Health Center clients (per 1,000 population) 6	1.4	20.7	18.9				
Substance use treatment admissions (per 10,000 population) 6		42.9	27.7		v v		
Beer, wine, and liquor stores (per 100,000 population) 7		88.0	119.4	119.4		74.2	
		8.3	5.3	0.0		7.1	Ŷ
Tobacco sales to fillions (percent of falled tobacco checks)	6.0	5.8	7.0	6.6		9.2	¥
Substance use-related arrests (per 1,000 population) Total crime index offenses (per 1,000 population)	3.9	2.5	3.6	3.3		8.5	¥
Fatal crashes with drivers aged 18–29	3.9	2.5	3.0	3.3		0.5	•
(per 100,000 population 18–29 years old) ¹⁰		39.3	0.0				
FAMILY		38.3	0.0				
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	21.9	23.1	16.9				
Poor family management (%)	32.7	32.2	31.2	38.9		34.4	
Family history of anti–social behavior (%)	34.9	37.3	29.5	27.5		25.9	Â
Parental attitudes favorable toward drug use (%)	34.9	32.7	29.7	24.0		21.0	Â
INDIVIDUAL/PEERS	34.9	32.1	29.7	24.0		21.0	_
Peer attitudes favorable to drug use (%)	35.8	31.4	23.9	18.7		20.7	Y
Early initiation of drug use (%)	16.3	21.5	17.9	14.4		12.9	Ă
Perceived availability of drugs (%)	30.6	28.7	24.1	17.1		16.9	Â
Low perceived risk of drug use (%)	41.3	47.1	48.9	44.8		47.5	- Ş
Youth who perceive smoking one or more packs of	41.5	47.1	40.3	44.0		47.5	•
cigarettes per day as "moderate" or "great risk" (%)	84.0	83.0	84.8	79.7		78.4	A
	04.0	03.0	04.0	19.1		70.4	A
Youth who perceive drinking one or two alcoholic beverages	63.0	50.7	65.9	64.2		64.4	
nearly every day as "moderate" or "great risk" (%)	03.0	30.7	00.9	04.2		04.4	•
Youth who perceive trying marijuana once or twice	E7 1	40.0	42.6	4E E		42.0	A
as "moderate" or "great risk" (%)	57.1	49.0	43.6	45.5		43.8	A
Youth who perceive trying prescription drugs once or	0 <i>E E</i>	00.7	05.6	70 F		70.0	A
twice puts a person at "moderate" or "great risk" (%)	85.5	88.7	85.6	79.5		78.0	A
Youth who perceive using a vaping product like e-cigarettes,	00.0	C4 7	00.0	74.4		CO 0	
c-digars, and c-nookans as moderate or great risk (70)	63.2	61.7	69.6	71.1		68.8	A
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	70.2	6E 1	67.1	69.7		65.7	A
, , , , , , , , , , , , , , , , , , ,	70.3	65.1	67.1	69.7		65.7	A
Youth who perceive regularly vaping an e-liquid with	70.0	76.7	90.7	77.0		75.4	A
nicotine as "moderate" or "great risk" (%) SCHOOL	78.8	76.7	80.7	77.9		75.4	
	9.0	1.0	0.0		-		
High school dropouts (per 1,000) ¹¹ Low academic performance (%) ¹	9.0	1.0	0.0	10 4		44.0	
	54.5	49.3	51.1	48.4		44.0	*
Low commitment to school (%) 1	55.0	51.0	54.7	57.2		59.2	
High school substance infraction (per 1,000 population of	17.0	0.6	2.0				
chiolica high school students)	17.2	0.6	2.8	60.7		64.0	
Certool opportunities for pro-social involvement (70)	50.0	52.2	71.5	63.7		61.3	
School rewards for pro–social involvement (%)	58.1	55.4	54.8	55.2		50.2	

SHARP COUNTY

Key Findings

Weakness

- 1st, 2nd, and 3rd highest percentage of youth using smokeless tobacco, using cigarettes and vaping nicotine, respectively
- Highest percentage of youth initiating drug use before age 15
- 2nd highest percentage of youth using or vaping marijuana
- 5th highest percentage of youth using alcohol

Strengths

• N/A

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population						
Under 18 0.3 2.1						
18–24	6.7	16.0				
25–29	11.3	18.7				


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics






(%)


49.1


50.9

Past 30-day Youth Substance Use

■ County ■ State







SHARP COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Trend Line	2023	State
Past 30–day Youth alcohol use (%)	10.4	11.6	12.9	16.5		7.0	A
Past 30–day Youth cigarette use (%)	3.8	4.3	2.6	6.9		1.5	Â
Past 30–day Youth chewing tobacco use (%)	4.0	2.3	4.4	6.5		1.7	Â
Past 30–day Youth marijuana use (%)	3.8	6.9	6.8	9.4		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.9	0.0	0.0		0.1	Ŷ
Past 30–day Youth Prescription drug use (%)	2.8	3.2	3.0	4.2		2.5	×
Past 30–day Youth vape use: flavoring only (%)	6.9	9.2	5.8	10.5		4.0	Â
Past 30–day Youth vape use: marijuana (%)	3.5	6.0	5.8	9.0		4.1	Â
Past 30–day Youth vape use: nicotine (%)	9.7	15.4	13.7	19.5		6.8	Â
COMMUNITY	0.1	10.1	10.7	10.0		0.0	
Median Household Income ²	\$35,573	\$37,361	\$43,332				
Persons below poverty level (%)	18.1	18.3	19.5				
Unemployment rates (%)	7.1	4.9	4.1	3.7		3.3	A
Uninsurance (%) ²	5.8	5.8		0.7		0.0	
Food Insecurity (%) ⁵	22.9	18.2					
BA/BS or higher among those 25 or older (%)	10.5	11.1	11.5				
Transitions and Mobility (%)	46.9	45.2	45.0	49.4		50.5	V
Disconnected Youth measure ²	1.7	2.1	4.5			22.0	
Mental Health Center clients (per 1,000 population) 6		38.1	33.6				
Substance use treatment admissions (per 10,000 population) ⁶		22.6	10.9				
Beer, wine, and liquor stores (per 100,000 population) ⁷		143.5	149.2	137.8		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	26.5	4.7	0.0		7.1	V
Substance use–related arrests (per 1,000 population) 9	8.5	4.6	4.0	4.2		9.2	Ÿ
Total crime index offenses (per 1,000 population)	3.2	1.8	2.0	2.8		8.5	¥
Fatal crashes with drivers aged 18–29							·
(per 100,000 population 18–29 years old) ¹⁰		0.0	0.0		•—•		
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	18.8	18.7	20.5				
Poor family management (%) 1	30.5	33.2	37.7	33.9		34.4	V
Family history of anti–social behavior (%)	32.7	33.9	32.9	40.6		25.9	A
Parental attitudes favorable toward drug use (%)	22.7	25.1	29.5	29.8		21.0	A
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	22.4	22.4	25.5	27.3		20.7	A
Early initiation of drug use (%)	16.9	17.0	21.6	25.8		12.9	A
Perceived availability of drugs (%)	13.2	20.2	22.2	24.7		16.9	A
Low perceived risk of drug use (%) 1	49.8	52.1	54.2	50.6		47.5	A
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	82.0	81.6	81.5	83.4		78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	58.9	60.7	61.7	59.6		64.4	Y
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	47.4	38.2	39.9	39.0		43.8	Y
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	85.1	82.9	80.0	85.0		78.0	A
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	66.8	64.4	68.4	67.1		68.8	Y
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	65.4	57.5	61.7	59.8		65.7	V
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	76.4	70.3	74.2	74.2		75.4	Y
SCHOOL							
High school dropouts (per 1,000) 11	4.0	0.4	0.0				
Low academic performance (%) 1	53.9	50.7	43.5	49.6		44.0	A
Low commitment to school (%) 1	52.0	60.7	65.8	65.9		59.2	A
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	20.5	6.8	24.6				
School opportunities for pro–social involvement (%)	56.9	61.4	64.0	61.0		61.3	
School opportunities for pro–social involvement (%) School rewards for pro–social involvement (%) 1	56.9 50.8	61.4 51.4	64.0 50.5	61.0 55.4		61.3 50.2	V

STONE COUNTY

Key Findings

Weakness

- 9th highest percentage of youth with parental attitudes favorable to drug use
- 14th highest percentage of youth using smokeless tobacco

Strengths


- 6th and 11th lowest percentage of youth using and vaping marijuana, respectively
- 10th lowest percentage of youth misusing prescription drugs

Consequences

■ County ■ State


Substance-use related arrests per 1,000 population				
Under 18	2.0	2.1		
18–24	11.7	16.0		
25–29	3.4	18.7		

Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000





Demographics





Past 30-day Youth Substance Use


Population 25–29

Youth with a guardian currently in the military (%)

■ County ■ State







STONE COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE Past 30-day Youth alcohol use (%) 1	5.0	40.0	7.4	0.0		7.0	\sim
Past 30–day Youth alcohol use (%) Past 30–day Youth cigarette use (%)	5.9 2.8	12.0 5.9	7.1 1.7	6.0 0.9		7.0 1.5	¥
Past 30–day Youth chewing tobacco use (%)	0.7	6.2	2.4	3.3		1.7	V
Past 30–day Youth marijuana use (%)	2.4	7.1	4.1	2.4		4.4	- \$
Past 30–day Youth heroin use (%)	0.0	0.0	0.3	0.0		0.1	¥
Past 30–day Youth Prescription drug use (%)	1.4	2.2	3.4	1.5		2.5	Ť
Past 30–day Youth vape use: flavoring only (%)	4.2	7.7	5.1	3.0		4.0	V
Past 30–day Youth vape use: marijuana (%)	1.4	6.5	3.1	2.7		4.0	Ť
Past 30–day Youth vape use: nicotine (%)	7.3	16.0	7.5	6.9		6.8	A
COMMUNITY	7.3	10.0	7.5	0.9		0.0	
Median Household Income ²	\$36,067	\$32,813	\$37,664				
Persons below poverty level (%)	20.4	20.8	20.4				
Unemployment rates (%)	7.1	5.0	4.2	3.9		3.3	<u> </u>
Uninsurance (%) ²	7.3	8.0	7.2	5.5		3.5	
Food Insecurity (%) ⁵	21.8	19.3					
BA/BS or higher among those 25 or older (%)	12.6	14.4	14.4				
Transitions and Mobility (%) 1	40.2	41.2	43.6	45.3		50.5	V
Disconnected Youth measure ²	3.1	0.6	0.9	.0.0		00.0	
Mental Health Center clients (per 1,000 population) 6	0.1	43.8	41.6				
Substance use treatment admissions (per 10,000 population) 6		30.7	16.1		-		
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0		74.2	V
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	11.1	5.0	0.0		7.1	Ý
Substance use–related arrests (per 1,000 population)	4.6	6.9	3.7	6.5		9.2	Ý
Total crime index offenses (per 1,000 population)	2.4	2.8	3.8	5.2		8.5	Ý
Fatal crashes with drivers aged 18–29		2.0	0.0	0.2		0.0	•
(per 100,000 population 18–29 years old) ¹⁰		69.3	138.6				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	10.7	10.5	14.3				
Poor family management (%) 1	21.2	35.4	34.2	35.7		34.4	
Family history of anti–social behavior (%)	28.1	32.3	29.8	29.7		25.9	A
Parental attitudes favorable toward drug use (%)	17.9	30.2	22.1	27.5		21.0	A
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	17.2	28.0	23.6	24.0		20.7	A
Early initiation of drug use (%)	10.5	17.7	16.0	16.3		12.9	A
Perceived availability of drugs (%)	17.3	20.2	17.1	16.5		16.9	V
Low perceived risk of drug use (%) 1	42.9	56.2	47.3	47.5		47.5	
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	86.6	78.7	81.7	83.1		78.4	A
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	67.4	59.9	66.8	69.0		64.4	
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%) 1	50.6	38.2	44.0	43.9		43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	86.4	83.3	82.1	84.3		78.0	A
Youth who perceive using a vaping product like e-cigarettes,							
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	72.5	63.5	68.2	73.6		68.8	
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	70.0	56.8	61.8	68.2		65.7	A
Youth who perceive regularly vaping an e-liquid with					_		
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1	83.9	73.2	75.9	83.8		75.4	A
, , , , , , , , , , , , , , , , , , , ,	83.9	73.2	75.9	83.8		75.4	A
nicotine as "moderate" or "great risk" (%)	83.9	73.2	75.9	83.8		75.4	
nicotine as "moderate" or "great risk" (%) SCHOOL				83.8		75.4 44.0	
nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	2.0	1.0	1.0				
nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	2.0 44.7	1.0 45.0	1.0 47.5	46.9		44.0	
nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1	2.0 44.7	1.0 45.0	1.0 47.5	46.9		44.0	
nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of	2.0 44.7 44.7	1.0 45.0 60.4	1.0 47.5 57.5	46.9		44.0	
nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1 Low commitment to school (%) 1 High school substance infraction (per 1,000 population of enrolled high school students) 11	2.0 44.7 44.7 24.4	1.0 45.0 60.4 8.4	1.0 47.5 57.5	46.9 60.6		44.0 59.2	

UNION COUNTY

Key Findings

Weakness

- 6th highest percentage of youth with peer attitudes favorable to drug use
- 7th highest percentage of youth using alcohol
- 8th highest percentage of youth perceiving low risk of drug use
- 8th and 9th highest percentage of youth vaping nicotine and flavor, respectively

Strengths

• N/A

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population			
Under 18	0.8	2.1	
18–24	14.7	16.0	
25–29	17.4	18.7	


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics





Total Population	38,815
Population under 18	9,277
Population 18–24	3,066
Population 25–29	2,412
Youth with a guardian currently in the military (%)	10.9


(%)

Past 30-day Youth Substance Use

■ County ■ State







LINION COUNTY						Automono	V-
UNION COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	Helia Lille	2023	State
Past 30–day Youth alcohol use (%)	11.1	14.4	10.4	13.5		7.0	A
Past 30–day Youth cigarette use (%)	2.8	2.6	2.1	2.2		1.5	Â
Past 30–day Youth chewing tobacco use (%)	3.9	2.6	1.8	3.2		1.7	Â
Past 30–day Youth marijuana use (%)	6.0	7.2	8.6	6.0		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.1	0.1	0.2		0.1	Â
Past 30–day Youth prescription drug use (%)	2.7	3.4	3.7	4.2		2.5	Â
Past 30–day Youth vape use: flavoring only (%)	7.9	7.4	7.8	7.4		4.0	Â
Past 30–day Youth vape use: marijuana (%)	4.0	6.1	7.1	5.6		4.1	Â
Past 30–day Youth vape use: nicotine (%)	11.5	13.6	11.8	12.6		6.8	À
COMMUNITY	1110	10.0	1110	12.0		0.0	
Median Household Income ²	\$45,293	\$46,444	\$49,745				
Persons below poverty level (%) ³	19.7	17.8	18.9				
Unemployment rates (%) 4	8.3	6.1	4.8	4.3		3.3	A
Uninsurance (%) ²	6.9	7.4					
Food Insecurity (%) 5	18.3	15.9					
BA/BS or higher among those 25 or older (%)	21.2	18.4	18.5				
Transitions and Mobility (%) 1	43.8	43.9	44.5	40.0		50.5	V
Disconnected Youth measure ²	0.7	1.1	0.0				
Mental Health Center clients (per 1,000 population) ⁶		32.8	35.6				
Substance use treatment admissions (per 10,000 population) ⁶		32.3	28.1				
Beer, wine, and liquor stores (per 100,000 population) 7		154.6	152.0	144.3		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8		0.0	11.2	0.0		7.1	V
Substance use–related arrests (per 1,000 population) 9	6.3	8.1	5.8	7.4		9.2	Ÿ
Total crime index offenses (per 1,000 population)	10.4	11.2	11.1	11.3		8.5	À
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		73.0	36.5				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	9.2	9.3	8.3				
Poor family management (%) 1	37.3	38.6	31.8	40.1	-	34.4	A
Family history of anti–social behavior (%)	31.0	30.2	32.4	30.1		25.9	A
Parental attitudes favorable toward drug use (%)	21.4	21.8	21.8	23.2		21.0	A
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	22.8	24.2	23.9	26.3		20.7	A
Early initiation of drug use (%)	16.6	18.9	13.9	18.9		12.9	A
Perceived availability of drugs (%)	16.2	17.4	18.6	16.4		16.9	V
Low perceived risk of drug use (%) 1	53.0	51.0	52.2	58.6		47.5	A
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	69.6	75.7	77.9	67.1		78.4	Y
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	56.6	59.5	63.9	48.0	-	64.4	Y
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	38.1	41.5	40.6	36.7		43.8	Y
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	69.1	74.7	78.4	65.7		78.0	V
Youth who perceive using a vaping product like e-cigarettes,					_		
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	56.6	60.2	62.6	54.7		68.8	Y
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	53.9	58.6	58.9	52.4		65.7	Y
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	62.6	67.4	70.7	58.8		75.4	Y
SCHOOL							
High school dropouts (per 1,000) 11	4.0	1.6	2.0				
Low academic performance (%)	53.7	48.2	41.7	44.4		44.0	A
Low commitment to school (%) 1	55.8	60.5	57.7	64.1		59.2	A
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	15.5	5.3	11.7				
School opportunities for pro–social involvement (%)	49.8	56.8	60.7	60.8		61.3	V
School rewards for pro–social involvement (%)	52.2	50.0	49.4	51.1		50.2	À
1							

VAN BUREN COUNTY

Key Findings

Weakness

• N/A

Strengths

- Lowest percentage of youth perceiving low risk of drug use
- 6th lowest percentage of youth misusing prescription drugs
- 8th and 12th lowest percentage of youth vaping flavor and nicotine, respectively
- 10th lowest percentage of youth with peer attitudes favorable to drug use

Consequences

County State

Substance-use related arrests per 1,000 population								
Under 18 0.0 2.1								
18–24	12.4	16.0						
25–29 8.8 18.7								


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000




Demographics





Total Population	15,900
Population under 18	3,085
Population 18–24	1,049
Population 25–29	. 685
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







VAN BUREN COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	8.2	7.6	8.7	6.9		7.0	V
Past 30-day Youth cigarette use (%)	2.3	2.7	2.3	1.6		1.5	
Past 30-day Youth chewing tobacco use (%)	1.7	2.2	2.8	2.2		1.7	A
Past 30–day Youth marijuana use (%)	3.4	5.1	4.1	3.5		4.4	
Past 30–day Youth heroin use (%)	0.3	0.0	0.0	0.0		0.1	V
Past 30–day Youth prescription drug use (%)	3.1	2.9	4.1	1.3		2.5	V
Past 30-day Youth vape use: flavoring only (%)	7.1	2.9	4.3	2.8		4.0	V
Past 30-day Youth vape use: marijuana (%)	2.8	2.9	4.1	3.8		4.1	Y
Past 30–day Youth vape use: nicotine (%)	9.6	9.6	8.7	5.7		6.8	
COMMUNITY							
Median Household Income ²	\$40,442	\$40,763	\$45,768				
Persons below poverty level (%) 3	16.3	17.1	19.6				
Unemployment rates (%) 4	7.1	4.9	4.3	3.7		3.3	
Uninsurance (%) ²	9.4	10.1					
Food Insecurity (%) ⁵	21.3	17.7					
BA/BS or higher among those 25 or older (%)	15.8	16.3	16.8				
Transitions and Mobility (%)	41.0	44.4	42.7	43.4		50.5	Y
Disconnected Youth measure ²	14.9	10.0	5.0				
Mental Health Center clients (per 1,000 population)		27.9	25.5				
Substance use treatment admissions (per 10,000 population) ⁶		15.8	14.5				
Beer, wine, and liquor stores (per 100,000 population) 7		125.8	125.8	132.1		74.2	
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	0.0	3.1	0.0		7.1	V
Substance use–related arrests (per 1,000 population)	6.9	5.5	3.8	4.3		9.2	
Total crime index offenses (per 1,000 population)	2.8	2.5	1.5	2.9		8.5	V
Fatal crashes with drivers aged 18–29					_		
(per 100,000 population 18–29 years old) ¹⁰		230.7	57.7				
FAMILY							
Children living in foster care (per 1,000 population					_		
under 18 years of age) 6	9.7	10.5	15.2				
Poor family management (%)	28.9	28.4	34.7	28.5		34.4	_ Y
Family history of anti–social behavior (%)	30.1	29.9	31.7	32.9		25.9	
Parental attitudes favorable toward drug use (%)	23.5	20.7	20.9	23.6		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	18.6	21.5	21.9	17.2		20.7	Y
Early initiation of drug use (%)	15.3	13.8	18.9	11.7		12.9	V
Perceived availability of drugs (%)	17.4	18.8	19.1	18.7		16.9	
Low perceived risk of drug use (%) 1	48.9	49.7	51.6	36.8		47.5	V
Youth who perceive smoking one or more packs of					_		
cigarettes per day as "moderate" or "great risk" (%)	80.1	82.2	79.3	86.8		78.4	A
Youth who perceive drinking one or two alcoholic beverages						70.4	~
the state of the s					_	70.4	
nearly every day as "moderate" or "great risk" (%)	58.9	61.2	59.6	71.5		64.4	A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	58.9	61.2	59.6	71.5			A
nearly every day as "moderate" or "great risk" (%)	58.9 45.7	61.2 45.7	59.6 43.8	71.5 55.9			A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice						64.4	A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) 1						64.4	A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	45.7	45.7	43.8	55.9		64.4 43.8	A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	45.7	45.7	43.8	55.9		64.4 43.8	A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	45.7 80.1 69.6	45.7 84.0 69.0	43.8 79.2 70.2	55.9 87.9 81.3		64.4 43.8 78.0 68.8	A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	45.7 80.1	45.7 84.0	43.8	55.9 87.9		64.4 43.8 78.0	A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	45.7 80.1 69.6 62.3	45.7 84.0 69.0 69.0	43.8 79.2 70.2 64.5	55.9 87.9 81.3 77.0		64.4 43.8 78.0 68.8 65.7	A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	45.7 80.1 69.6	45.7 84.0 69.0	43.8 79.2 70.2	55.9 87.9 81.3		64.4 43.8 78.0 68.8	A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	45.7 80.1 69.6 62.3 74.8	45.7 84.0 69.0 69.0 80.0	43.8 79.2 70.2 64.5 76.8	55.9 87.9 81.3 77.0		64.4 43.8 78.0 68.8 65.7	A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	45.7 80.1 69.6 62.3 74.8	45.7 84.0 69.0 69.0 80.0	43.8 79.2 70.2 64.5 76.8	55.9 87.9 81.3 77.0 86.4		64.4 43.8 78.0 68.8 65.7 75.4	A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%)	45.7 80.1 69.6 62.3 74.8	45.7 84.0 69.0 69.0 80.0	43.8 79.2 70.2 64.5 76.8 1.0 45.6	55.9 87.9 81.3 77.0 86.4		64.4 43.8 78.0 68.8 65.7 75.4	A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) 1	45.7 80.1 69.6 62.3 74.8	45.7 84.0 69.0 69.0 80.0	43.8 79.2 70.2 64.5 76.8	55.9 87.9 81.3 77.0 86.4		64.4 43.8 78.0 68.8 65.7 75.4	A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	45.7 80.1 69.6 62.3 74.8 10.0 46.8 51.4	45.7 84.0 69.0 69.0 80.0 5.0 44.8 50.9	43.8 79.2 70.2 64.5 76.8 1.0 45.6 58.6	55.9 87.9 81.3 77.0 86.4		64.4 43.8 78.0 68.8 65.7 75.4	A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	45.7 80.1 69.6 62.3 74.8 10.0 46.8 51.4	45.7 84.0 69.0 69.0 80.0 5.0 44.8 50.9	43.8 79.2 70.2 64.5 76.8 1.0 45.6 58.6	55.9 87.9 81.3 77.0 86.4 43.7 53.3		64.4 43.8 78.0 68.8 65.7 75.4 44.0 59.2	A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	45.7 80.1 69.6 62.3 74.8 10.0 46.8 51.4	45.7 84.0 69.0 69.0 80.0 5.0 44.8 50.9	43.8 79.2 70.2 64.5 76.8 1.0 45.6 58.6	55.9 87.9 81.3 77.0 86.4		64.4 43.8 78.0 68.8 65.7 75.4	A A A A

WASHINGTON COUNTY

Key Findings

Weakness

12th highest rate of tobacco sales to minors

Strengths

- 6th lowest percentage of youth initiating drug use before age 15
- 6th lowest percentage of youth vaping nicotine or flavor
- 7th lowest percentage of youth with parental attitudes favorable to drug use
- 9th lowest percentage of youth using smokeless tobacco

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population							
Under 18	Under 18 4.7 2.1						
18–24	18.9	16.0					
25–29	19.3	18.7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	247,331
Population under 18	58,617
Population 18–24	37,594
Population 25–29	19,094
Youth with a guardian currently in the military (%)	

Past 30-day Youth Substance Use

■ County ■ State







WASHINGTON COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30–day Youth alcohol use (%)	7.0	7.0	6.1	5.2		7.0	Y
Past 30–day Youth cigarette use (%)	1.1	1.2	1.0	1.0		1.5	Y
Past 30-day Youth chewing tobacco use (%)	1.4	1.3	1.1	0.9		1.7	Y
Past 30–day Youth marijuana use (%)	4.9	5.0	4.6	4.0		4.4	Y
Past 30–day Youth heroin use (%)	0.1	0.1	0.0	0.0		0.1	×
Past 30-day Youth prescription drug use (%)	1.9	2.2	2.0	1.9		2.5	
Past 30-day Youth vape use: flavoring only (%)	4.5	3.4	3.3	2.6		4.0	V
Past 30-day Youth vape use: marijuana (%)	3.8	4.6	4.3	3.7		4.1	
Past 30–day Youth vape use: nicotine (%)	6.4	6.3	5.4	3.7		6.8	
COMMUNITY							
Median Household Income ²	\$52,380	\$56,610	\$61,985				
Persons below poverty level (%) 3	16.0	12.4	14.3				
Unemployment rates (%) ⁴	4.6	2.9	2.3	2.1		3.3	
Uninsurance (%) ²	11.7	11.8					
Food Insecurity (%) ⁵	16.4	13.5					
BA/BS or higher among those 25 or older (%) ²	33.2	33.7	34.5				
Transitions and Mobility (%) 1	57.6	58.9	58.3	57.1		50.5	A
Disconnected Youth measure ²	1.4	1.6	2.0				
Mental Health Center clients (per 1,000 population) ⁶		23.5	22.6				
Substance use treatment admissions (per 10,000 population) ⁶		37.4	17.7				
Beer, wine, and liquor stores (per 100,000 population) ⁷		74.0	72.0	69.5		74.2	\forall
Tobacco sales to minors (percent of failed tobacco checks) 8	1.9	13.7	9.5	3.1		7.1	Y
Substance use–related arrests (per 1,000 population) ⁹	13.9	14.5	15.1	11.3		9.2	A
Total crime index offenses (per 1,000 population) ⁹	9.9	9.0	10.6	10.9		8.5	A
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		21.2	33.5				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) ⁶	8.2	7.9	7.5				
Poor family management (%) ¹	30.3	34.5	36.7	35.7		34.4	A
Family history of anti–social behavior (%)	21.6	21.2	22.7	21.3		05.0	\sim
. a.i.i., includy of artiful obolial boliavior (70)	21.0	21.2	22.1	21.0		25.9	
Parental attitudes favorable toward drug use (%)	16.7	17.0	17.3	18.1		25.9	¥
Taring history of anti-social behavior (70)							¥
Parental attitudes favorable toward drug use (%)							× ×
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS	16.7	17.0	17.3	18.1		21.0	Y Y Y
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) 1	16.7 17.5	17.0	17.3 18.1	18.1		21.0	Y Y Y Y
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%)	16.7 17.5 11.4	17.0 18.8 11.1	17.3 18.1 10.5	18.1 19.8 10.1		21.0 20.7 12.9	Y
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) 1	16.7 17.5 11.4 16.6	17.0 18.8 11.1 16.5	17.3 18.1 10.5 17.1	19.8 10.1 15.7		21.0 20.7 12.9 16.9	Y
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) 1	16.7 17.5 11.4 16.6	17.0 18.8 11.1 16.5	17.3 18.1 10.5 17.1	19.8 10.1 15.7		21.0 20.7 12.9 16.9	Y
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%)	16.7 17.5 11.4 16.6 47.0	17.0 18.8 11.1 16.5 47.8	17.3 18.1 10.5 17.1 47.5	18.1 19.8 10.1 15.7 45.8		20.7 12.9 16.9 47.5	Y
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of	16.7 17.5 11.4 16.6 47.0	17.0 18.8 11.1 16.5 47.8	17.3 18.1 10.5 17.1 47.5	18.1 19.8 10.1 15.7 45.8		20.7 12.9 16.9 47.5	Y
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%)	16.7 17.5 11.4 16.6 47.0	17.0 18.8 11.1 16.5 47.8	17.3 18.1 10.5 17.1 47.5 78.1	19.8 10.1 15.7 45.8 77.7		20.7 12.9 16.9 47.5	Y
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice	16.7 17.5 11.4 16.6 47.0	17.0 18.8 11.1 16.5 47.8	17.3 18.1 10.5 17.1 47.5 78.1	19.8 10.1 15.7 45.8 77.7		20.7 12.9 16.9 47.5	Y Y A
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	16.7 17.5 11.4 16.6 47.0 79.2	17.0 18.8 11.1 16.5 47.8 77.8	17.3 18.1 10.5 17.1 47.5 78.1	19.8 10.1 15.7 45.8 77.7		20.7 12.9 16.9 47.5 78.4	Y
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or	16.7 17.5 11.4 16.6 47.0 79.2 64.5	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0	19.8 10.1 15.7 45.8 77.7 66.8		20.7 12.9 16.9 47.5 78.4 64.4	Y Y A
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)	16.7 17.5 11.4 16.6 47.0 79.2	17.0 18.8 11.1 16.5 47.8 77.8	17.3 18.1 10.5 17.1 47.5 78.1	19.8 10.1 15.7 45.8 77.7		20.7 12.9 16.9 47.5 78.4	Y Y A
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0	19.8 10.1 15.7 45.8 77.7 66.8 44.4		20.7 12.9 16.9 47.5 78.4 64.4 43.8	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	16.7 17.5 11.4 16.6 47.0 79.2 64.5	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0	19.8 10.1 15.7 45.8 77.7 66.8		20.7 12.9 16.9 47.5 78.4 64.4	Y Y A
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0	19.8 10.1 15.7 45.8 77.7 66.8 44.4		20.7 12.9 16.9 47.5 78.4 64.4 43.8	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6 65.4	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9 65.0	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7 66.9	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9 67.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6 65.4 74.9	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9 65.0 74.9	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7 66.9 75.9	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9 67.0		20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6 65.4 74.9	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9 65.0 74.9	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7 66.9 75.9	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9 67.0 75.9		21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%)	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6 65.4 74.9	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9 65.0 74.9	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7 66.9 75.9	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9 67.0 75.9		21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive rying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%)	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6 65.4 74.9	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9 65.0 74.9	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7 66.9 75.9	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9 67.0 75.9		21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6 65.4 74.9 9.0 47.5 49.8	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9 65.0 74.9 1.1 47.6 55.3	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7 66.9 75.9	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9 67.0 75.9		21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) 1 SCHOOL High school dropouts (per 1,000) 11 Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6 65.4 74.9 9.0 47.5 49.8 18.3	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9 65.0 74.9 1.1 47.6 55.3 15.6	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7 66.9 75.9 1.1 47.4 56.2 35.6	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9 67.0 75.9		21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *
Parental attitudes favorable toward drug use (%) INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%) Early initiation of drug use (%) Perceived availability of drugs (%) Low perceived risk of drug use (%) Youth who perceive smoking one or more packs of cigarettes per day as "moderate" or "great risk" (%) Youth who perceive drinking one or two alcoholic beverages nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) High school substance infraction (per 1,000 population of enrolled high school students)	16.7 17.5 11.4 16.6 47.0 79.2 64.5 44.5 78.7 67.6 65.4 74.9 9.0 47.5 49.8	17.0 18.8 11.1 16.5 47.8 77.8 65.1 42.6 77.2 67.9 65.0 74.9 1.1 47.6 55.3	17.3 18.1 10.5 17.1 47.5 78.1 66.3 44.0 78.7 69.7 66.9 75.9	18.1 19.8 10.1 15.7 45.8 77.7 66.8 44.4 77.0 69.9 67.0 75.9		21.0 20.7 12.9 16.9 47.5 78.4 64.4 43.8 78.0 68.8 65.7 75.4	* * * * * * * * * * * * * * * * * * *

WHITE COUNTY

Key Findings

Weakness

· 13th highest rate of academic failure

Strengths

- 12th lowest percentage of youth vaping flavor
- 16th lowest percentage of youth vaping nicotine
- 17th lowest percentage of youth perceiving low risk of drug use
- 18th lowest percentage of youth using alcohol

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population							
per 1,000 population							
Under 18	0.2 2.1						
18–24	6.7	16.0					
25–29 12.3 18.7							


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000



High school dropout rate per 1,000



Demographics




Past 30-day Youth Substance Use


Population 25–29


Youth with a guardian currently in the military (%)

■ County ■ State



Protective Factors ■ County ■ State





4,307

..... 12.5

WHITE COUNTY						Arkansas	Vs.
Indicator	2020	2021	2022	2023	Trend Line	2023	State
SUBSTANCE USE							
Past 30-day Youth alcohol use (%)	7.8	8.9	6.6	5.9		7.0	V
Past 30-day Youth cigarette use (%)	1.9	2.0	1.8	1.8		1.5	A
Past 30-day Youth chewing tobacco use (%)	3.0	1.6	1.9	1.4		1.7	¥
Past 30-day Youth marijuana use (%) 1	4.9	4.3	4.9	3.8		4.4	Y
Past 30-day Youth heroin use (%) 1	0.2	0.0	0.3	0.0		0.1	V
Past 30-day Youth prescription drug use (%)	2.5	2.9	2.5	2.8		2.5	A
Past 30-day Youth vape use: flavoring only (%)	6.1	4.8	3.8	3.2		4.0	V
Past 30-day Youth vape use: marijuana (%)	3.8	3.4	4.5	3.4		4.1	Y
Past 30-day Youth vape use: nicotine (%)	10.7	9.0	8.4	6.3		6.8	Y
COMMUNITY							
Median Household Income 2	\$44,000	\$46,345	\$51,144				
Persons below poverty level (%) 3	14.4	16.3	15.9				
Unemployment rates (%) 4	6.2	4.0	3.5	3.2		3.3	
Uninsurance (%) ²	9.2	9.3					
Food Insecurity (%) ⁵ BA/BS or higher among those 25 or older (%) ²	18.8	15.4	00.5				
by vec of higher among those 25 of older (70)	20.7	20.3	20.5	47.7		50.5	
Transitions and Mobility (%) 1	45.9	47.1	45.9	47.7		50.5	Y
Disconnected Youth measure ² Mental Health Center clients (per 1,000 population) ⁶	1.6	2.5 12.4	2.2 11.4				
Substance use treatment admissions (per 10,000 population) 6		41.8	40.7				
Beer, wine, and liquor stores (per 100,000 population) 7		0.0	0.0	0.0		74.2	
Tobacco sales to minors (percent of failed tobacco checks) 8	2.1	18.5	5.3	0.0		7.1	Ť
Substance use–related arrests (per 1,000 population)	8.1	8.3	6.4	6.4		9.2	Ť
Total crime index offenses (per 1,000 population)	6.5	5.6	5.7	5.1		8.5	Ť
Fatal crashes with drivers aged 18–29	0.5	5.0	5.1	5.1		0.5	•
(per 100,000 population 18–29 years old) ¹⁰		69.1	53.8				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	10.1	10.3	10.2				
Poor family management (%) 1	30.4	32.4	32.0	34.2		34.4	Y
Family history of anti–social behavior (%)	28.7	27.9	25.3	26.9		25.9	A
Parental attitudes favorable toward drug use (%)	20.7	23.1	19.2	20.1		21.0	\forall
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	20.9	21.1	20.4	21.0		20.7	A
Early initiation of drug use (%)	15.7	14.6	14.7	15.1		12.9	
Perceived availability of drugs (%) 1	18.8	16.9	17.7	16.5		16.9	Y
Low perceived risk of drug use (%) 1	50.6	47.0	46.7	45.6		47.5	V
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	79.2	82.4	80.5	79.8		78.4	
Youth who perceive drinking one or two alcoholic beverages							
nearly every day as "moderate" or "great risk" (%)	61.5	62.4	67.4	64.9		64.4	A
Youth who perceive trying marijuana once or twice							
as "moderate" or "great risk" (%)	43.3	48.7	47.6	47.7		43.8	
Youth who perceive trying prescription drugs once or							
twice puts a person at "moderate" or "great risk" (%)	80.0	83.2	80.0	79.7		78.0	A
Youth who perceive using a vaping product like e-cigarettes,							
c-cigars, and c-modalis as moderate or great risk (70)	64.8	70.8	69.7	70.5		68.8	
Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	60.4	66.0	CE O	67.0		65.7	
• , ,	60.1	66.2	65.3	67.2		65.7	A
Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	72.6	77.8	75.5	77.5		75.4	A
SCHOOL	12.0	11.0	70.0	77.5		70.4	
High school dropouts (per 1,000) 11	7.0	4.0	3.0				
Low academic performance (%)	46.8	45.8	43.8	46.9		44.0	
Low commitment to school (%)	50.6	56.4	58.7	60.5		59.2	Â
High school substance infraction (per 1,000 population of	- 55.5	00.1		00.0			~
enrolled high school students) 11	16.5	7.7	9.1				
School opportunities for pro–social involvement (%)	56.4	59.0	57.2	58.0		61.3	Y
School rewards for pro–social involvement (%)	52.1	50.2	46.5	47.2		50.2	Ý

WOODRUFF COUNTY

Key Findings

Weakness

- · 2nd highest rate of academic failure
- 2nd highest percentage of youth perceiving availability of drugs
- 3rd highest percentage of youth perceiving low risk of drug use
- 3rd highest percentage of youth with parental attitudes favorable to drug use
- 7th highest percentage of youth using alcohol

Strengths

• N/A

Consequences

■ County ■ State

Substance-use related arrests per 1,000 population								
Under 18 0.0 2.1								
18–24	0.0	16.0						
25–29 0.0 18.7								


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics







(%)


49.6

Past 30-day Youth Substance Use

■ County ■ State







WOODDIES COUNTY						Autonoso	V-
WOODRUFF COUNTY Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	2022	2023	ITEIIU LIIIC	2023	State
Past 30–day Youth alcohol use (%)	10.1	2.4		13.5	•	7.0	A
Past 30–day Youth cigarette use (%)	5.1	0.0		1.4		1.5	Ŷ
Past 30–day Youth chewing tobacco use (%)	6.7	0.0		2.7		1.7	A
Past 30–day Youth marijuana use (%)	9.2	0.0		5.7		4.4	Â
Past 30–day Youth heroin use (%)	0.0	0.0		0.0		0.1	V
Past 30-day Youth prescription drug use (%)	3.3	0.0		3.5		2.5	A
Past 30-day Youth vape use: flavoring only (%)	11.9	4.9		5.8		4.0	A
Past 30-day Youth vape use: marijuana (%)	9.3	0.0		5.7		4.1	A
Past 30-day Youth vape use: nicotine (%)	21.0	0.0		9.7		6.8	A
COMMUNITY							
Median Household Income ²	\$40,331	\$43,717	\$49,608				
Persons below poverty level (%) ³	22.4	25.2	22.6				
Unemployment rates (%) ⁴	5.8	5.0	3.5	3.3		3.3	=
Uninsurance (%) ²	5.3	6.6					
Food Insecurity (%) 5	22.0	16.9					
BA/BS or higher among those 25 or older (%) ²	15.1	16.1	16.5				
Transitions and Mobility (%) 1	37.3	41.0		40.9		50.5	Y
Disconnected Youth measure ²	6.1	10.9	12.5				
Mental Health Center clients (per 1,000 population) ⁶		24.2	24.0				
Substance use treatment admissions (per 10,000 population) ⁶		23.7	11.2				
Beer, wine, and liquor stores (per 100,000 population)		143.8	175.8	159.8		74.2	A
Tobacco sales to minors (percent of failed tobacco checks) 8	0.0	6.7	4.2	0.0		7.1	V
Substance use-related arrests (per 1,000 population)	4.6	2.4	1.3	1.6		9.2	¥
Total crime index offenses (per 1,000 population)	3.2	2.3	2.7	3.8		8.5	V
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		0.0	0.0				
FAMILY							
Children living in foster care (per 1,000 population	04.4	04.0	07.5				
under 18 years of age) 6	21.4	21.8	27.5	00.0		04.4	
Poor family management (%) 1	29.5	45.0		29.3		34.4	
Family history of anti–social behavior (%)	35.4	25.0		34.4		25.9	
Parental attitudes favorable toward drug use (%)	23.0	15.0		33.9		21.0	<u> </u>
INDIVIDUAL/PEERS Peer attitudes favorable to drug use (%)	25.6	14.3		24.2		20.7	A
Early initiation of drug use (%)	25.6 18.0	26.2		24.3 15.4		20.7 12.9	Â
Perceived availability of drugs (%)	29.5	5.1		26.0		16.9	~
Low perceived risk of drug use (%)	54.2	56.1		60.4		47.5	Â
Youth who perceive smoking one or more packs of	54.2	30.1		00.4		47.5	
cigarettes per day as "moderate" or "great risk" (%)	81.9	52.6		67.4		78.4	~
Youth who perceive drinking one or two alcoholic beverages	01.5	32.0		07.4		70.4	_
nearly every day as "moderate" or "great risk" (%)	51.7	47.4		48.2		64.4	V
Youth who perceive trying marijuana once or twice	0			10.2		· · · ·	•
as "moderate" or "great risk" (%)	47.4	34.2		35.3		43.8	V
Youth who perceive trying prescription drugs once or						12.12	•
twice puts a person at "moderate" or "great risk" (%)	86.0	52.8		72.9		78.0	V
Youth who perceive using a vaping product like e-cigarettes,							•
e-cigars, and e-hookahs as "moderate" or "great risk" (%)	62.6	48.7		55.5		68.8	V
Youth who perceive occasionally vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	59.6	48.7		55.6		65.7	V
Youth who perceive regularly vaping an e-liquid with							
nicotine as "moderate" or "great risk" (%)	71.3	55.3		67.2		75.4	Y
SCHOOL							
High school dropouts (per 1,000) ¹¹	31.8	32.0	2.2				
Low academic performance (%) 1	57.3	44.2		52.1		44.0	A
Low commitment to school (%) 1	58.5	39.5		60.9		59.2	
High school substance infraction (per 1,000 population of							
enrolled high school students) 11	12.4	0.0	4.0				
School opportunities for pro–social involvement (%)	56.6	44.2		59.1		61.3	V
School rewards for pro-social involvement (%)	55.7	70.5		59.2		50.2	

YELL COUNTY

Key Findings

Weakness

- 7th and 19th highest percentage of students vaping flavor and using smokeless tobacco, respectively
- 17th highest percentage of youth with parental attitudes favorable to drug use

Strengths

- 5th and 10th lowest percentage of youth
- · vaping or using marijuana
- 7th lowest percentage of youth misusing
- · prescription drugs

Consequences

County State

Substance-use related arrests							
per 1,000 population							
Under 18	3 1.2 2.1						
18–24	26.1	16.0					
25_29	24.4	18 7					


Rate of all–cause crashes with fatalities with drivers aged 18–29 per 100,000




High school dropout rate per 1,000



Demographics








Total Population	20,342
Population under 18	4,841
Population 18–24	1,648
Population 25–29	1,231
Youth with a guardian currently in the military (%)	7.6

Past 30-day Youth Substance Use

■ County ■ State







YELL COUNTY							1/-
Indicator	2020	2021	2022	2023	Trend Line	Arkansas 2023	Vs. State
SUBSTANCE USE	2020	2021	LULL	ZUZU	TICHU LINC	2025	Otate
Past 30–day Youth alcohol use (%)	13.3	7.6	10.0	8.7		7.0	A
Past 30–day Youth cigarette use (%)	0.0	2.3	2.6	1.5		1.5	=
Past 30–day Youth chewing tobacco use (%)	0.0	1.2	1.3	2.9		1.7	
Past 30–day Youth marijuana use (%)	0.0	4.1	6.3	2.9		4.4	Ŷ
Past 30–day Youth heroin use (%)	0.0	0.0	0.0	0.0		0.1	Ÿ
Past 30–day Youth prescription drug use (%)	6.7	1.2	1.3	1.4		2.5	Ÿ
Past 30-day Youth vape use: flavoring only (%)	0.0	6.4	8.9	8.7		4.0	À
Past 30-day Youth vape use: marijuana (%)	0.0	3.5	6.3	1.4		4.1	V
Past 30-day Youth vape use: nicotine (%)	6.7	7.5	16.7	7.2		6.8	A
COMMUNITY							
Median Household Income ²	\$47,981	\$51,070	\$55,879				
Persons below poverty level (%) ³	14.8	15.1	16.3				
Unemployment rates (%) 4	5.1	4.0	3.8	3.5		3.3	A
Uninsurance (%) ²	7.2	8.0					
Food Insecurity (%) 5	17.8	14.0					
BA/BS or higher among those 25 or older (%) ²	13.3	14.0	13.8				
Transitions and Mobility (%) 1	33.3	36.5	50.7	36.9		50.5	V
Disconnected Youth measure ²	1.0	0.9	1.9				
Mental Health Center clients (per 1,000 population) ⁶		24.4	21.2				
Substance use treatment admissions (per 10,000 population) ⁶		25.9	30.5				
Beer, wine, and liquor stores (per 100,000 population) ⁷		0.0	0.0	0.0	•	74.2	Y
Tobacco sales to minors (percent of failed tobacco checks) 8		0.0	3.5	0.0		7.1	\forall
Substance use–related arrests (per 1,000 population)	6.4	8.0	8.3	11.9		9.2	A
Total crime index offenses (per 1,000 population) ⁹	4.2	4.2	5.3	4.5		8.5	\
Fatal crashes with drivers aged 18–29							
(per 100,000 population 18–29 years old) ¹⁰		69.5	104.2				
FAMILY							
Children living in foster care (per 1,000 population							
under 18 years of age) 6	17.0	18.0	17.4				
Poor family management (%) 1	6.7	26.5	26.9	33.8		34.4	\forall
Family history of anti–social behavior (%)	20.0	22.3	38.5	31.8		25.9	
Parental attitudes favorable toward drug use (%)	20.0	22.3	23.1	24.2		21.0	
INDIVIDUAL/PEERS							
Peer attitudes favorable to drug use (%)	6.7	11.9	20.5	21.9		20.7	A
Early initiation of drug use (%)	0.0	9.1	20.7	15.1		12.9	A
Perceived availability of drugs (%)	13.3	16.8	25.6	16.7		16.9	Y
Low perceived risk of drug use (%) 1	33.3	41.7	53.7	48.6		47.5	A
Youth who perceive smoking one or more packs of							
cigarettes per day as "moderate" or "great risk" (%)	86.7	80.5	70.0	84.3			
			70.0	04.5		78.4	A
Youth who perceive drinking one or two alcoholic beverages			70.0			78.4	
nearly every day as "moderate" or "great risk" (%)	66.7	62.5	59.5	64.3		78.4 64.4	A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice			59.5	64.3		64.4	Y
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%)	66.7 42.9	62.5 47.3					
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or			59.5	64.3		64.4	V
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%)			59.5	64.3		64.4	Y
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes,	42.9	47.3	59.5 48.1	64.3 48.5		64.4 43.8	V
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%)	42.9	47.3	59.5 48.1	64.3 48.5		64.4 43.8	V
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with	42.9 93.3 73.3	47.3 79.1 71.8	59.5 48.1 70.1 61.3	64.3 48.5 79.4 75.0		64.4 43.8 78.0 68.8	A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	42.9 93.3	47.3 79.1	59.5 48.1 70.1	64.3 48.5 79.4		64.4 43.8 78.0	Y A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with	42.9 93.3 73.3 73.3	47.3 79.1 71.8 67.1	59.5 48.1 70.1 61.3 53.2	64.3 48.5 79.4 75.0 73.1		64.4 43.8 78.0 68.8 65.7	A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%)	42.9 93.3 73.3	47.3 79.1 71.8	59.5 48.1 70.1 61.3	64.3 48.5 79.4 75.0		64.4 43.8 78.0 68.8	A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL	42.9 93.3 73.3 73.3 80.0	47.3 79.1 71.8 67.1 76.7	59.5 48.1 70.1 61.3 53.2 64.6	64.3 48.5 79.4 75.0 73.1		64.4 43.8 78.0 68.8 65.7	*
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11	42.9 93.3 73.3 73.3 80.0	47.3 79.1 71.8 67.1 76.7	59.5 48.1 70.1 61.3 53.2 64.6	64.3 48.5 79.4 75.0 73.1 78.8		64.4 43.8 78.0 68.8 65.7 75.4	V A A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) 1	42.9 93.3 73.3 73.3 80.0	47.3 79.1 71.8 67.1 76.7 2.8 57.1	59.5 48.1 70.1 61.3 53.2 64.6 3.0 57.8	64.3 48.5 79.4 75.0 73.1 78.8		64.4 43.8 78.0 68.8 65.7 75.4	A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%)	42.9 93.3 73.3 73.3 80.0	47.3 79.1 71.8 67.1 76.7	59.5 48.1 70.1 61.3 53.2 64.6	64.3 48.5 79.4 75.0 73.1 78.8		64.4 43.8 78.0 68.8 65.7 75.4	V A A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	42.9 93.3 73.3 73.3 80.0 4.0 56.3 31.3	47.3 79.1 71.8 67.1 76.7 2.8 57.1 49.7	59.5 48.1 70.1 61.3 53.2 64.6 3.0 57.8 64.2	64.3 48.5 79.4 75.0 73.1 78.8		64.4 43.8 78.0 68.8 65.7 75.4	A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of enrolled high school students)	42.9 93.3 73.3 73.3 80.0 4.0 56.3 31.3	47.3 79.1 71.8 67.1 76.7 2.8 57.1 49.7	59.5 48.1 70.1 61.3 53.2 64.6 3.0 57.8 64.2 18.8	64.3 48.5 79.4 75.0 73.1 78.8		64.4 43.8 78.0 68.8 65.7 75.4 44.0 59.2	A A A A A A
nearly every day as "moderate" or "great risk" (%) Youth who perceive trying marijuana once or twice as "moderate" or "great risk" (%) Youth who perceive trying prescription drugs once or twice puts a person at "moderate" or "great risk" (%) Youth who perceive using a vaping product like e-cigarettes, e-cigars, and e-hookahs as "moderate" or "great risk" (%) Youth who perceive occasionally vaping an e-liquid with nicotine as "moderate" or "great risk" (%) Youth who perceive regularly vaping an e-liquid with nicotine as "moderate" or "great risk" (%) SCHOOL High school dropouts (per 1,000) 11 Low academic performance (%) Low commitment to school (%) High school substance infraction (per 1,000 population of	42.9 93.3 73.3 73.3 80.0 4.0 56.3 31.3	47.3 79.1 71.8 67.1 76.7 2.8 57.1 49.7	59.5 48.1 70.1 61.3 53.2 64.6 3.0 57.8 64.2	64.3 48.5 79.4 75.0 73.1 78.8		64.4 43.8 78.0 68.8 65.7 75.4	A A A A

Annual Profile of Substance Use

Arkansas State Epidemiological Outcomes Workgroup

Appendix

TECHNICAL NOTES

Transforming raw numbers to rates

Each measure included in this report is based on the number (or frequency) of events taking place during a given time and in a specific place (e.g., the total number of arrests for substance use in Arkansas during 2022). The frequency might be a good measure to use if you only wanted to know what was happening in County A. What if you wanted to know whether County A was doing better than County B? Suppose that the number of substance-related arrests in County A is 250 and the number in County B is 100. From these counts, we might assume that County A has a larger substance use problem. A fair comparison, however, means accounting for the total population in each county. What if we knew that County A had 10,000 residents while County B had 1,000? Would that change our assumption that County A had a bigger substance use problem? We first convert the frequencies into rates by relating the number of arrests to the size of the population in the counties.

County A: 250/10,000 = 0.025

County B: 100/2,000 = 0.050

This result shows that County B has a higher rate than County A. However, this rate is the number of arrests per individual and is hard to understand. If we instead multiply each result by 1,000, we have the number of arrests per 1,000 residents. Neither county has exactly 1,000 people living there but we now have a description more people understand just by changing the decimals to this standard population size.

County A: 250/10,000 = 0.025 * 1,000 = 25

County B: 100/2,000 = 0.050 * 1,000 = 50

Thus, the rate of substance abuse arrests is less in County A (25 per 1,000 persons) compared with County B (50 per 1,000 persons). The substance use arrest rate in County B is twice as high as the rate in County A.

ARKANSAS REGIONAL MAP

Arkansas is divided into 13 regions as listed below:

Region 1 Benton Carroll Madison Washington

Region 2

Baxter Boone Marion Newton Searcy

Region 3

Cleburne Fulton Independence Izard Jackson

Jackson Sharp Stone Van Buren White

Region 4

Woodruff

Clay Craighead Greene

Lawrence Mississippi Poinsett Randolph

Region 5

Crawford Franklin Logan Polk Scott Sebastian Region 6
Conway
Faulkner
Johnson
Perry
Pope

Region 7
Crittenden
Cross
Lee
Monroe
Phillips
St. Francis

Region 8
Clark
Garland
Hot Spring
Montgomery
Pike

Region 9 Lonoke Prairie Pulaski Saline Region 10 Hempstead

Hempstead Howard Lafayette Little River Miller Sevier

Region 11
Calhoun
Columbia
Dallas
Nevada
Ouachita
Union

Region 12

Arkansas Cleveland Grant Jefferson Lincoln

Region 13

Ashley Bradley Chicot Desha Drew

